## MATERIAL HANDLING EQUIPMENT

Catalogue EDITION 07

















PALLET TRUCKS, STACKERS, PLATFORM TROLLEYS, LIFTER SACK TRUCKS, ACCESS PLATFORMS, SKID LIFTERS, ELECTHIGH LIFT PALLET TRUCKS, SCISSOR LIFT TABLES, HYDRAMAGLINER HAND TRUCKS, PALLET TILTERS, SKATES, MANUWORKSHOP CRANES, POWERED STACKERS, MINI LIFTERS WHEELS, ROUGH TERRAIN TRUCKS, ELECTRIC STACKERS



#### **LiftMate Standard Weighing Pallet Trucks**

Generous 2200kg capacity • Designed and built in Europe • Very robust and accurate 0.1% accuracy • 500g increments • Rubber steer wheels & tandem polyurethane rollers

MODEL	WIDTH OVER FORKS (mm)	FORK LENGTH (mm)	LOWERED HEIGHT	RAISED HEIGHT	PRICE
LM/WS/560x1150	560	1150	85 mm	205 mm	£1,395.00
LM/WS/560x1150-75	560	1150	75 mm	190 mm	£1,595.00
LM/WS/695x1000-75	695	1000	75 mm	190 mm	£1,795.00
LM/WS/695x1150-75	695	1150	75 mm	190 mm	£1,795.00
			Optional The	rmal Printer	£345.00



# Contents

Pallet Trucks	2 - 17
Stackers & Lifters	18 - 31
High Lift Pallet Trucks	32
Skid Lifters	33
Pallet Tilters	33
Scissor Lift Tables	34 - 37
Jacks	38 - 39
Skates	40 - 43
Furniture Movers	44
Workshop Cranes	45
	15
Misc. Cranes	45
Platform Trolleys	46 - 49
Sack Trucks	50 - 57
Magliner Hand Trucks	60 - 72
Wheels	73 - 80



#### **Heavy Duty Pallet Trucks**

- Designed for everyday heavy duty use
- 2500 kg capacity
- Lift height: 85 200 mm
- Nylon steer wheels and load wheels as standard
- Polyurethane, rubber and steel wheels available
- Wet spec and cold store spec available

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
800	540	MA25-540x800	£359.00
1000	540	MA25-540x1000	£359.00
1150	540	MA25-540x1150	£359.00
1220	540	MA25-540x1220	£369.00
1000	680	MA25-680x1000	£389.00
1150	680	MA25-680x1150	£389.00
1220	680	MA25-680x1220	£399.00



#### **Extra Long Pallet Trucks**

- 2000, 2500 & 3500 kg Capacity
- Lift height: 85 200 mm
- Designed with extra-long forks to handle extra-long pallets
- Nylon steer and load wheels as standard for MA20 models
- Polyurethane steer and load wheels as standard for PT25 & PT35
- Polyurethane, rubber and steel wheels also available for MA20

CAPACITY (kg)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
2000	1500	540	MA20-540x1500	£595.00
2000	1800	540	MA20-540x1800	£695.00
2000	2000	540	MA20-540x2000	£795.00
2000	1500	680	MA20-680x1500	£695.00
2000	1800	680	MA20-680x1800	£795.00
2000	2000	680	MA20-680x2000	£895.00
2500	2000	520	PT25-520x2000	£1,195.00
2500	2000	680	PT25-680x2000	£1,195.00
3500	2000	520	PT35-520x2000	£1,495.00
3500	2000	680	PT35-680x2000	£1,495.00
3500	2500	540	MA35-540x2500	£1,795.00
3500	2500	680	MA35-680x2500	£1,895.00



Dead Man Brake





MA20 & MA25 Pallet Truck Options

mit 20 a mit 20 i anot i i dolt optiono				
DESCRIPTION	ORDER REF	PRICE		
Polyurethane Steer Wheels	PU	£26.00		
Rubber Steer Wheels	RU	£22.00		
Steel Steer Wheels	ST	£190.00		
Nylon Tandem Load Rollers	TN	£28.00		
Polyurethane Single Load Rollers	SPU	£20.00		
Polyurethane Tandem Load Rollers	TPU	£38.00		
Rubber Single Load Rollers	SRU	£22.00		
Rubber Tandem Load Rollers	TRU	£38.00		
Steel Single Load Rollers	SST	£60.00		
Steel Tandem Load Rollers	TST	£110.00		
Parking Foot Brake	PFB	£78.00		
Travel and Parking Hand Brake	THB	£190.00		
Dead Man Brake	DMB	£540.00		
Quick Lift Pump	QL	£90.00		
Antistatic Polyurethane Steer Wheels	ASPU	£196.00		
Antistatic Polyurethane Single Load Rollers	SASPU	£68.00		
Antistatic Polyurethane Tandem Load Rollers	TASPU	£144.00		

Nylon Steer wheels and Single Nylon Load rollers are fitted as standard

#### **Short & Narrow (Printer's) Pallet Trucks**

- 2500 kg Capacity
- Heavy duty and robust built pallet trucks
- Ideal for use with narrow or half size pallets
- Commonly used in the printing industry
- 3 position lever
- Ergonomic handle fitted with a comfortable plastic cover
- Fingertip operated controlled lowering valve
- · All wheels are fitted with sealed ball bearings
- 460mm wide trucks (with 800mm or longer forks) can handle Euro pallets

WIDTH OVER

FORK LENGTH

• Other wheels available on request



FORKS (mm)	(mm)	(mm)	SIZE (mm)	(STEER / ROLLERS)		
460	500	80 - 200	150	Polyurethane	PT25-460x500	£595.00
460	600	80 - 200	150	Polyurethane	PT25-460x600	£595.00
460	800	80 - 200	150	Polyurethane	PT25-460x800	£595.00
460	900	80 - 200	150	Polyurethane	PT25-460x900	£595.00
460	1000	80 - 200	150	Polyurethane	PT25-460x1000	£595.00
460	1150	80 - 200	150	Polyurethane	PT25-460x1150	£595.00
460	1200	80 - 200	150	Polyurethane	PT25-460x1200	£595.00
520	500	80 - 200	150	Polyurethane	PT25-520x500	£595.00
520	600	80 - 200	150	Polyurethane	PT25-520x600	£595.00
520	800	80 - 200	150	Polyurethane	PT25-520x800	£595.00
520	900	80 - 200	150	Polyurethane	PT25-520x900	£595.00
450	900	75 - 190	160	Nylon	MA25-450x900	£435.00
450	1000	75 - 190	160	Nylon	MA25-450x1000	£435.00
	460 460 460 460 460 460 460 520 520 520 520 520 450	460         500           460         600           460         800           460         900           460         1000           460         1150           460         1200           520         500           520         600           520         800           520         900           450         900	460         500         80 - 200           460         600         80 - 200           460         800         80 - 200           460         900         80 - 200           460         1000         80 - 200           460         1150         80 - 200           460         1200         80 - 200           520         500         80 - 200           520         600         80 - 200           520         800         80 - 200           520         900         80 - 200           450         900         75 - 190	460         500         80 - 200         150           460         600         80 - 200         150           460         800         80 - 200         150           460         900         80 - 200         150           460         1000         80 - 200         150           460         1150         80 - 200         150           460         1200         80 - 200         150           520         500         80 - 200         150           520         600         80 - 200         150           520         800         80 - 200         150           520         900         80 - 200         150           520         900         80 - 200         150           450         900         75 - 190         160	460         500         80 - 200         150         Polyurethane           460         600         80 - 200         150         Polyurethane           460         800         80 - 200         150         Polyurethane           460         900         80 - 200         150         Polyurethane           460         1000         80 - 200         150         Polyurethane           460         1150         80 - 200         150         Polyurethane           460         1200         80 - 200         150         Polyurethane           520         500         80 - 200         150         Polyurethane           520         600         80 - 200         150         Polyurethane           520         800         80 - 200         150         Polyurethane           520         900         80 - 200         150 <td< td=""><td>460         500         80 - 200         150         Polyurethane         PT25-460x500           460         600         80 - 200         150         Polyurethane         PT25-460x600           460         800         80 - 200         150         Polyurethane         PT25-460x800           460         900         80 - 200         150         Polyurethane         PT25-460x900           460         1000         80 - 200         150         Polyurethane         PT25-460x1000           460         1150         80 - 200         150         Polyurethane         PT25-460x1150           460         1200         80 - 200         150         Polyurethane         PT25-460x1200           520         500         80 - 200         150         Polyurethane         PT25-520x500           520         600         80 - 200         150         Polyurethane         PT25-520x600           520         800         80 - 200         150         Polyurethane         PT25-520x800           520         900         80 - 200         150         Polyurethane         PT25-520x800           520         900         80 - 200         150         Polyurethane         PT25-520x800           5</td></td<>	460         500         80 - 200         150         Polyurethane         PT25-460x500           460         600         80 - 200         150         Polyurethane         PT25-460x600           460         800         80 - 200         150         Polyurethane         PT25-460x800           460         900         80 - 200         150         Polyurethane         PT25-460x900           460         1000         80 - 200         150         Polyurethane         PT25-460x1000           460         1150         80 - 200         150         Polyurethane         PT25-460x1150           460         1200         80 - 200         150         Polyurethane         PT25-460x1200           520         500         80 - 200         150         Polyurethane         PT25-520x500           520         600         80 - 200         150         Polyurethane         PT25-520x600           520         800         80 - 200         150         Polyurethane         PT25-520x800           520         900         80 - 200         150         Polyurethane         PT25-520x800           520         900         80 - 200         150         Polyurethane         PT25-520x800           5





DESCRIPTION	ORDER REF	PRICE
Nylon Steer Wheels	N	FOC
Nylon Single Load Rollers	SN	FOC
Nylon Tandem Load Rollers	TN	£36.00
Polyurethane Tandem Load Rollers	TPU	£36.00
Rubber Steer Wheels	RU	£26.00

Polyurethane Steer wheels & Single Load rollers are fitted as standard



• Prevents damage to pallet trucks

**Pallet Truck Chocks** 

- Eliminates freight and trailer damage
- Eliminates the need to turn pallet trucks sideways during transit
- Easy storage

LENGTH (mm)	WIDTH (mm)	ORDER REF	PRICE
270	320	CH3	£19.99
365	295	CH2	£35.00
355	645	CH1	£70.00







PT25-520x600



CH3 (Compact Chock)

CH2 (Basic Chock)







#### **Mini Hand Pallet Truck**

- 500 kg Capacity
- Weight: 35 kg
- Designed for small pallets (not suitable for standard pallets)
- Highly manoeuvrable, turning radius 700 800mm
- Polyurethane steer wheels and single nylon load wheels
- Lift height: 60 170 mm

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	SINGLE FORK WIDTH (mm)	ORDER REF	PRICE
800	380	100	LLT500	£299.00

Optional Polyurethane Load Rollers £40.00

#### **Semi Low Profile Pallet Trucks (MA25/75)**

- Designed for handling lower pallets or stillages where a standard truck will not fit
- Popular for use with US Pallets
- 2500 kg capacity
- Lift height: 75 190 mm
- Nylon steer and single nylon load wheels as standard
- Polyurethane and rubber wheels available on request

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
900	450	MA25/75-450x900	£435.00
1000	450	MA25/75-450x1000	£435.00
1000	540	MA25/75-540x1000	£435.00
1150	540	MA25/75-540x1150	£435.00
1220	540	MA25/75-540x1220	£435.00
1000	680	MA25/75-680x1000	£455.00
1150	680	MA25/75-680x1150	£455.00
1220	680	MA25/75-680x1220	£455.00

#### **Low Profile Pallet Trucks (MA15/51)**

- Designed for handling low pallets or stillages where a standard truck will not fit
- 1500 kg capacity
- Lift height: 51 170 mm
- Polyurethane steer and tandem load wheels as standard
- Nylon wheels available on request

FORK LENGTH	WIDTH OVER	ORDER REF	PRICE
(mm)	FORKS (mm)		
1000	540	MA15/51-540x1000	£555.00
1150	540	MA15/51-540x1150	£555.00
1220	540	MA15/51-540x1220	£555.00
1000	680	MA15/51-680x1000	£585.00
1150	680	MA15/51-680x1150	£585.00
1220	680	MA15/51-680x1220	£585.00

#### **Extra Low Profile Pallet Trucks (MA10/35)**

- Designed for handling very low pallets or stillages where a standard or even a low profile truck will not fit
- 1000 kg capacity
- Lift height: 35 96 mm
- Polyurethane or nylon steer wheels and steel load wheels

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
1120	530	MA10/35-530x1120	£885.00
1120	680	MA10/35-680x1120	£885.00
1120	838	MA10/35-838x1120	£885.00

#### **Adjustable Pallet Trucks (PTA22)**

- Highly versatile
- Can be adjusted to suit different pallet sizes
- 2200 kg capacity
- Lift height: 76 196 mm
- Durable easy rolling polyurethane wheels
- High quality hydraulic pump with controlled lowering
- Ergonomic comfortable steer handle

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE	
900	400-520	PTA22MS	£525.00	
1050	400-520	PTA22M	£535.00	
1150	400-520	PTA22ML	£545.00	
900	530-680	PTA22LS	£535.00	
1050	530-680	PTA22LM	£545.00	
1150	530-680	PTA22L	£555.00	
	Tandem Load Roller Assembly			



#### **Very Heavy Duty Pallet Trucks**

- Designed for very heavy duty use
- 3000 & 3500 kg capacity
- Lift height: 85 200 mm (75mm lowered height available)
- Polyurethane steer and tandem load wheels as standard

	CAPACITY (kg)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
Г	3000	1150	540	MA30-540x1150	£475.00
	3000	1220	540	MA30-540x1220	£475.00
	3000	1150	680	MA30-680x1150	£475.00
	3000	1220	680	MA30-680x1220	£475.00
	3500	1150	540	MA35-540x1150	£695.00
	3500	1220	680	MA35-680x1220	£795.00
	3500	2000	520	PT35-520x2000	£1,495.00
	3500	2000	680	PT35-680x2000	£1,495.00
	3500	2500	540	MA35-540x2500	£1,795.00
Γ	3500	2500	680	MA35-680x2500	£1,895.00
		MA35-	540x2500	M	A30-540x11



#### **Very Heavy Duty Pallet Truck (MA50)**

- 5000 kg capacity
- Designed for very heavy duty use
- Lift height: 90 200 mm
- Reinforced chassis
- Steel steer wheels and steel tandem load wheels as standard

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
1150	580	MA50-580x1150	£1,295.00
1500	580	MA50-580x1500	£3,295.00
1800	580	MA50-580x1800	£3,495.00
2000	580	MA50-580x2000	£3,995.00
1150	680	MA50-680x1150	£1,345.00
1500	680	MA50-680x1500	£3,295.00
1800	680	MA50-680x1800	£3,495.00
2000	680	MA50-680x2000	£3,995.00

Optional Polyurethane Wheels

Optional Foot Brake
£200.00



#### **Premium Hand Pallet Trucks**

LLT models are made in Europe. Any size can be made to order.

- 2300 kg capacity
- Lift height: 85 205 mm
- 'Anti-bump Roller' for added protection against shock loads
- · Rounded Fork Toes simplifies and eases pallet entry
- Nylon steer wheels and single nylon load wheels as standard
- Please see below for other wheel options

Special versions of this model are available on request:

- Capacity: 3000 and 4000 kg
- Galvanised and Stainless steel models
- Reel handling pallet truck
- Special superstructures
- Special sizes:
- Widths from 160 to 3000 mm available
- Lengths from 500 to 3500 mm available



FORK LENGTH (mm)	WIDTH OVER FORKS 450 mm	
	ORDER REF	PRICE
500	LLT23-05-45	£745.00
600	LLT23-06-45	£745.00
650	LLT23-65-45	£745.00
700	LLT23-07-45	£745.00
750	LLT23-75-45	£745.00
800	LLT23-08-45	£745.00
900	LLT23-09-45	£745.00
1000	LLT23-10-45	£745.00
1150	LLT23-11-45	£745.00
1220	LLT23-12-45	£845.00
1500	LLT23-15-45	£945.00



(mm)	520 mm	
(mm)	320 IIII	11
	ORDER REF	PRICE
500	LLT23-05-52	£745.00
600	LLT23-06-52	£745.00
650	LLT23-65-52	£745.00
700	LLT23-07-52	£745.00
750	LLT23-75-52	£745.00
800	LLT23-08-52	£745.00
900	LLT23-09-52	£745.00
950	LLT23-95-52	£745.00
1000	LLT23-10-52	£745.00
1150	LLT23-11-52	£745.00
1220	LLT23-12-52	£845.00
1500	LLT23-15-52	£945.00
1800	LLT23-18-52	£1,175.00
2000	LLT23-20-52	£1,410.00
2300	LLT23-23-52	£1,645.00
2500	LLT23-25-52	£1,695.00
3000	LLT23-30-52	£2,220.00
3500	LLT23-35-52	£3,125.00

FORK LENGTH	ORK LENGTH   WIDTH OVER FORKS		
(mm)	680 mm		
	ORDER REF	PRICE	
500	LLT23-05-68	£795.00	
600	LLT23-06-68	£795.00	
650	LLT23-65-68	£795.00	
700	LLT23-07-68	£795.00	
750	LLT23-75-68	£795.00	
800	LLT23-08-68	£795.00	
900	LLT23-09-68	£795.00	
950	LLT23-95-68	£795.00	
1000	LLT23-10-68	£795.00	
1150	LLT23-11-68	£795.00	
1220	LLT23-12-68	£895.00	
1500	LLT23-15-68	£945.00	
1800	LLT23-18-68	£1,175.00	
2000	LLT23-20-68	£1,410.00	
2300	LLT23-23-68	£1,645.00	
2500	LLT23-25-68	£1,695.00	
3000	LLT23-30-68	£2,220.00	
3500	LLT23-35-68	£3,125.00	

#### PALLET TRUCK OPTIONS FOR LLT23 MODELS

TALLET TROOK OF HOROTOR LETTE MODELE					
DESCRIPTION	ORDER REF	PRICE			
Hand & Travel Brake	THB	£560.00			
Dead-man Brake	DMB	£600.00			
Foot Brake	LLTFB	£75.00			
Polyurethane Steer Wheels	PU	£30.00			
Rubber Steer Wheels	RU	£26.00			
Steel Steer Wheels	ST	£180.00			
Stabilising Castor Wheels	SCW	£275.00			
Nylon Tandem Load Rollers	TN	£30.00			
Polyurethane Single Load Rollers	SPU	£20.00			
Polyurethane Tandem Load Rollers	TPU	£40.00			
Rubber Single Load Rollers	SRU	£26.00			
Rubber Tandem Load Rollers	TRU	£40.00			
Steel Single Load Rollers	SST	£65.00			
Steel Tandem Load Rollers	TST	£120.00			







Hand & Travel Brake

Nylon steer wheels and single nylon load rollers are fitted as standard

Foot Brake

Dead-man Brake

#### **Heavy Duty Premium Hand Pallet Trucks (LLT30)**

A premium quality, European designed and manufactured pallet truck. It can be provided from stock or made to order.

Please call for size preferences.

- 3000 kg capacity
- Lift height: 85 205 mm
- Length of forks: 500 3500 mm available
- Width over forks: 160 2000 mm available
- See 'Pallet Truck Options for LLT23' for wheel choices

Prices start from: £995.00

#### **Very Heavy Duty Premium Hand Pallet Trucks (LLT40)**

A premium quality, European designed and manufactured pallet truck. Please call for size preferences.

- 4000 kg capacity
- Lift height: 85 205 mm
- Length of forks: 500 2500 mm available
- Width over forks: 160 2000 mm available
- See 'Pallet Truck Options for LLT23' for wheel choices

Prices start from: £2,395.00

#### Semi-Low Profile Pallet Trucks (LLT23/75)

The LLT23/75 is a semi-low profile version of the LLT23 hand pallet truck. It comes in all sizes and can be provided from stock or made to order. Please call for size preferences.

- 2300 kg capacity
- Lift height: 75 190 mm
- Length of forks: 500 2000 mm
- Width over forks: 500 1000 mm
- See 'Pallet Truck Options for LLT23' for wheel choices

Prices start from: £845.00

#### **Heavy Duty Low Profile Pallet Trucks (LLT23/51)**

The LLT23/51 is a low profile version of the LLT23 hand pallet truck. It comes in all sizes and can be provided from stock or made to order. Please call for size preferences.

- 2300 kg capacity
- Lift height: 51 170 mm
- Length of forks: 500 3000 mm
- Width over forks: 160 2000 mm
- Polyurethane wheels as standard

Prices start from: £1,185.00









#### **Galvanised Pallet Trucks (MA25G)**

- Hot dip galvanised or zinc plated pallet trucks
- Ideal for cold stores and outdoor applications
- 2500 kg capacity
- Lift height: 85 200 mm
- Nylon steer and tandem nylon load wheels as standard
- · Wheels fitted with stainless steel bearings
- Other wheels available on request

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
1000	540	MA25G-540x1000	£699.00
1150	540	MA25G-540x1150	£699.00
1000	680	MA25G-680x1000	£749.00
1150	680	MA25G-680x1150	£749.00



#### **Low Profile Galvanised Pallet Trucks (LLT23/51G)**

- Ideal for cold stores and outdoor applications
- 2300 kg or 3000 kg capacity
- Lift height: 85 205 mm or 51 170 mm
- Length of forks: 1000 or 1150 mm
- Width over forks: 520 or 680 mm
- Special fork lengths and widths available on request
- See 'Pallet Truck Options for LLT23' for wheel choices

Prices start from: £1,485.00



#### **Stainless Steel Pallet Trucks (MA20S)**

- 100% Stainless
- Designed for environments where hygiene is paramount or where the pallet truck will come into contact with corrosive substances such as salt, water, acid or chemicals
- 2000 kg capacity
- Lift height: 85 200 mm
- AISI 304 as standard, AISI 316 available on request
- Nylon steer wheels and tandem nylon load wheels as standard
- Other wheels available on request
- Special sizes can be made to order

CAPACITY (kg)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
2000	1000	540	MA20S-540x1000	£2,495.00
2000	1150	540	MA20S-540x1150	£2,495.00
2000	1000	680	MA20S-680x1000	£2,595.00
2000	1150	680	MA20S-680x1150	£2,595.00

#### LIFTMATE WEIGHING PALLET TRUCKS

- LiftMate offer a wide range of weighing pallet trucks for every application in trade and industry
- · All weighing trucks have a generous capacity of 2200kg (3000kg on special order) and are very accurate
- All models are designed and built in Europe to strict quality standards
- We can offer bespoke weighing pallet trucks to specific requirements

• Most models can be supplied in Sale by Weight version and with a choice of printers

#### **LiftMate Standard Weighing Pallet Trucks**

- 2200kg capacity
- 500g increments
- 0.1% accuracy
- Lift height: 75 190mm (LM/WS/560x1150: 85 205mm)
- Rubber steer wheels and tandem polyurethane load wheels
- Weighing trucks can be supplied with various optional printers

WIDTH OVER FORKS (mm)	ORDER REF	PRICE
560	LM/WS/560x1150	£1,395.00
560	LM/WS/560x1150-75	£1,595.00
695	LM/WS/695x1000-75	£1,795.00
695	LM/WS/695x1150-75	£1,795.00
	FORKS (mm)  560  560  695	FORKS (mm)         LM/WS/560x1150           560         LM/WS/560x1150           560         LM/WS/560x1150-75           695         LM/WS/695x1000-75

Optional standard Thermal Printer

#### **LiftMate Premium Weighing Pallet Trucks**

- Approved for Sale by Weight, Class III accuracy
- 2200kg capacity
- 200g, 500g or 1000g increments
- 0.02% accuracy
- Lift height: 85 205mm (75 190mm for 695mm width over forks)
- Rubber steer wheels and tandem polyurethane load wheels

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
1150	560	LM/WSP/560x1150	£1,795.00
1150	695	LM/WSP/695x1150	£1,995.00

#### **LiftMate Stainless Steel Weighing Pallet Trucks**

- Ideal for the food & pharmaceutical industries
- 2200kg capacity
- Made from high grade 304 stainless steel
- 500g standard increments
- 0.05% accuracy
- Optional Sale by Weight version and Class III accuracy
- Lift height: 85 205mm (75 190mm for 695mm width over forks)
- Rubber steer wheels and tandem polyurethane load wheels
- Standard indicator has IP 67 protection

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
1150	560	LM/WSSS/560x1150	£5,495.00
1150	695	LM/WSSS/695x1150	£5,995.00

#### **LiftMate ATEX Weighing Pallet Trucks**

- Based on the robust & accurate Premium model
- Lift height: 85 205mm (75 190mm for 695mm width over forks)
- Stainless steel cladding on forks & display housing, anti-static wheels, approved indicators
- Made from high grade 304 stainless steel
- 0.05% accuracy, 500g increments
- Anti-static wheels and tandem polyurethane load wheels

ATEX ZONE	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
Zone 1	1150	560	LM/WSEX/Z1	£4,995.00
Zone 2	1150	560	LM/WSEX/Z2	£3,995.00







It is available in various fork sizes. Please call for more information.

• 2000 kg capacity

• Lift height: 85 - 280 mm

• Length of forks: 800 - 2000 mm

• Width over forks: 520 - 1000 mm

• See 'Pallet Truck Options for LLT23' for wheel choices



#### 4-Way Hand Pallet Truck (MA15/4W)

- Four way directional movement: forward and backward; side to side
- 1500 kg Capacity
- Lift height: 85 205 mm
- Polyurethane, Nylon or Steel wheels
- Special sizes available

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
1150	540	MA15F	£549.00



LLT20/280-520x1150

#### **Heavy Duty 4 Way Directional Pallet Trucks (LLT23/4W)**

Designed for 4 way - forward and backward; side to side directional movement of pallet truck

- 2300 kg capacity
- Lift height: 85 205 mm
- All fork sizes available
- See 'Pallet Truck Options for LLT23' for wheel choices

#### Prices start from: £1,395.00







Ideal for use in paint and alcohol factories or offshore in potentially explosive atmospheres.

• 2000, 2300, 2500, 3000, 4000 and 5000 kg capacity

• Lift height: 85 - 205 mm

• Length of forks: 1000 or 1150 mm

• Width over forks: 520 or 680 mm

• Special fork lengths and widths available on request

• See 'Pallet Truck Options for LLT23' for wheel choices

Prices start from: £3,495.00



#### **Reel Carrying & Dispensing Pallet Trucks (LLT23BF)**

Designed with angled forks suitable for handling rolls and reels. It can be manufactured for reels up to 2500 mm in diameter.

- 2300 kg or 3000 kg capacity
- Can be designed to handle 400 to 2500 mm diameter reels
- Length of forks: 600 2500 mm
- Width over forks: up to 1500 mm
- Inner flaps Option: Handles both very small and very large
- See 'Pallet Truck Options for LLT23' for wheel choices

Prices start from: £1,585.00




#### **Rough Terrain Pallet Trucks**

- Transports loads on uneven ground
- Minimum maintenance required
- Great manoeuvrability
- · Adjustable width over forks
- · Wheels fitted onto sealed bearings
- · Large diameter terrain wheels
- Galvanised version available









5						
100mm						
TOP FORK LEVEL						
695 / 635mm						
455mm						
BOTTOM FORK LEVEL						
305 / 235mm						
ground						
£495.00						

CAPACITY (kg)	LOAD CENTRE (mm)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	MAX PALLET SIZE (mm)	OVERALL WIDTH (mm)	STRADDLE GAP (mm)	ORDER REF	PRICE
500	400	620	170 - 570	700 x 800	990	750	TNV500	£995.00
500	400	1100	220 - 560	800 x 1200	1090	850	TNV500-EURO	£1,395.00
500	400	1100	220 - 560	1000 x 1200	1290	1050	TNV500-GKN	£1,395.00
500	400	620	170 - 570	700 x 800	990	750	TNV500T-750	£995.00
500	400	620	170 - 570	800 x 800	1105	850	TNV500T-850	£995.00
750	500	800	340 - 650	1000 x 1200	1730	1300	TNV750	£1,195.00
1200	500	800	340 - 650	1000 x 1200	1730	1300	TNV1200	£1,395.00
1500	500	890	160 - 560	1200 x 1200	1640	1270	TNV1500S	£1,595.00

Optional Height Adjustable Forks for TNV1500S	TNV1500/S-AF	£495.00
Optional Removable Tow Bar for TNV1500S	TNV1500/S-TB	£595.00

Lowered height: 40mm, Raised height: 210 / 270 (TNV500 only)

#### Mini Rough Terrain Tilt Pallet Truck

- This model has forks which tilt when raised
- Prevents the load from sliding off the forks
- The tilt is mechanical
- The fork tips go up thanks to an angled top part of the mast
- STRADDLE GAP: 750 or 850 mm
- · See above table for specifications





#### **Optional Removable Tow Bar**

• See above table for price







#### **Extra Wide Rough Terrain Pallet Truck**

• Designed to handle oversized loads



#### **Narrow Rough Terrain Pallet Trucks**

- Provides excellent manoeuvrability
- Fits through narrow gaps
- Optional hand brake available on TNN models



CAPACITY	LOAD CENTRE	FORK LENGTH	WIDTH OVER	MAX PALLET	O/A WIDTH	STRADDLE	ORDER REF	PRICE
(kg)	(mm)	(mm)	FORKS (mm)	SIZE (mm)	(mm)	GAP (mm)		
1200	400 - 600	700 - 1000	adjustable	-	-	up to 2500	TNW1200S	POA
1500	500	890	180 - 580	800 x 1200	1120	850	TNN1500/S-800	£1,895.00
1500	500	890	180 - 580	1000 x 1200	1320	1050	TNN1500/S-1000	£1,895.00
1500	500	890	180 - 580	1200 x 1200	1520	1250	TNN1500/S-1200	£1,895.00

Braked Terrain Pallet Truck	TNN1500/S-1200B	£2,795.00
Optional Height Adjustable Forks for TNN1500	TNN1500-AF	£395.00
Optional Removable Tow Bar for TNN1500	TNN1500-TB	£595.00

#### **Special Rough Terrain Pallet Trucks**



TNW Extra Wide Rough Terrain Pallet Truck with Reinforced Chassis



TNV500 with Tall Load Support & Strap



TNV1500S with Offshore Paint and 600mm Load Centre



TNV500 Extra Narrow Rough Terrain Truck

#### **Electric Rough Terrain Pallet Truck**

- Electric lift and drive
- Built-in charger
- 2 heavy duty batteries for full day operation
- Great manoeuvrability
- Adjustable width over forks
- Wheels fitted onto sealed bearings
- Pneumatic tyres
- Special sizes can be offered
- 240V charger standard, included



CAPACITY	LOAD CENTRE	FURK	WIDIROVEK	WAX PALLET	DRIVE WHEEL	DALLERI	SIKADDLE	ORDER REF	PRICE
(kg)	(mm)	LENGTH	FORKS (mm)	SIZE (mm)	MOTOR (S)		GAP (mm)		
1200	500	890 mm	160 - 560	1200 x 1200	1 x 500 DC	2 x 60A	1250	TNE1200 1DC	£8,995.00
1200	500	890 mm	160 - 560	1200 x 1200	1 x 1000 AC	2 x 100A	1250	TNE1200 1AC	£9,995.00
1200	500	890 mm	160 - 560	1200 x 1200	2 x 500 DC	2 x 100A	1250	TNE1200 2DC	£10,995.00
1500	500	1000 mm	160 - 900	1200 x 1200	1 x 2500 AC	2 x 100A	1266	TNE1500 AC	£12,995.00
					_		Optio	nal 110V Charger	£70.00
GRADIENT	TNE1200 1DC	TNE1200 1AC	TNE1200 2DC	TNE1500 AC					
0%	1200kg	1200kg	1200kg	1500kg					

GRADIENT	TNE1200 1DC	TNE1200 1AC	TNE1200 2DC	TNE1500 AC
0%	1200kg	1200kg	1200kg	1500kg
1%	1200kg	1200kg	1200kg	1500kg
3%		1200kg	1200kg	1500kg
4%	800kg		1200kg	1500kg
5%			1200kg	1500kg
6%		800kg	1200kg	1500kg
8%	500kg		1200kg	1500kg
10%		500kg	1200kg	1500kg
14%	300kg			1500kg
15%			800kg	1500kg
18%		300kg		1500kg
20%	0kg			
23%			500kg	1200kg
25%		0kg		
30%			300kg	800kg
40%				500kg
45%			0kg	
50%				300kg
60%				0kg



TNE1200 with load

#### **Special Electric Rough Terrain Pallet Trucks**



Extra Wide Electric Rough Terrain Pallet Truck



Narrow Electric Rough Terrain Pallet Truck



TNE with Tall Load Support and Load Strap



High Visibility Electric Rough Terrain Pallet Truck

#### **Electric Rough Terrain Pallet Stackers**

- Raised chassis makes it ideal for rough terrains
- Can travel steep inclines of up to 10% with full load and 15% with 600kg
- Wide straddle legs provide great stability
- · Adjustable forks fitted to a standard FEM CIIA carriage
- Large rough terrain wheels
- 2 independently powered drive wheels
- Ingress Protection Rating: IP54
- Special versions and attachments are available
- 240V charger standard, included











CAPACITY (kg)	LIFT HEIGHT (mm)	LOAD CENTRE (mm)	FORK LENGTH (mm)	MAX PALLET SIZE (mm)	BATTERY	STRADDLE GAP (mm)	ORDER REF	PRICE
1000	1600	500	1100	1200 x 1000	2x12V / 100Ah	1260	RTS 10.16	£10,995.00
1000	2500	500	1100	1200 x 1000	2x12V / 100Ah	1260	RTS 10.25	£12,495.00
1000	3000	500	1100	1200 x 1000	2x12V / 100Ah	1260	RTS 10.30	£12,995.00
1200	1600	500	1100	1200 x 1000	2x12V / 100Ah	1260	RTS 12.16	£12,995.00
1200	2500	500	1100	1200 x 1000	2x12V / 100Ah	1260	RTS 12.25	£14,495.00
1200	3000	500	1100	1200 x 1000	2x12V / 100Ah	1260	RTS 12.30	£14,995.00
1500	1600	500	1100	1200 x 1000	2x12V / 100Ah	1260	RTS 15.16	£15,995.00
1500	2500	500	1100	1200 x 1000	2x12V / 100Ah	1260	RTS 15.25	£17,495.00
1500	3000	500	1100	1200 x 1000	2x12V / 100Ah	1260	RTS 15.30	£17,995.00

117.53-00

Self Loading Version POA

RTS 12 Fork Extensions, 1800mm (pair)	RTSA/FE1800	£545.00
RTS 12 Slide-On Crane Hook	RTSA/HOOK	£425.00
Ol	£70.00	



Fork Extensions



Slide-On Crane Hook





#### 2000kg Semi Powered Pallet Trucks

- Manual lift / Electric drive
- Easy to operate, strong yet compact pallet trucks
- Ergonomically designed handle with LED battery indicator
- Reversing button & accelerator control on handle
- Forks designed for easy pallet entry
- Portable and easily removable lithium battery
- Quick charging 2 5 hours
- Minimum maintenance
- 240V charger standard, included (Optional 110V charger available)

CAPACITY (kg)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE	
2000	1000	550	LEMP20S/550x1000	£1,595.00	
2000	1150	550	LEMP20S/550x1150	£1,595.00	
2000	1000	680	LEMP20S/680x1000	£1,595.00	
	Optional Spare Battery				
	£70.00				
		Optio	onal Handle Rain Cover	£59.00	









Handle Rain Cover

#### 2000kg Fully Powered Pallet Trucks

- Electric lift and Electric drive
- Easy to operate, strong yet compact pallet trucks
- Ergonomically designed handle with LED battery indicator
- Reversing button & accelerator control on handle
- Forks designed for easy pallet entry
- Portable and easily removable lithium battery
- Quick charging 2 5 hours
- Minimum maintenance
- 240V charger standard, included (Optional 110V charger available)

CAPACITY (kg)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE
2000	1000	550	LEPT20S/550x1000	£1,895.00
2000	1150	550	LEPT20S/550x1150	£1,895.00
2000	1000	680	LEPT20S/680x1000	£1,895.00
2000	1220	680	LEPT20S/680x1220	£1,895.00
	£395.00			
	£70.00			
		Optio	onal Handle Rain Cover	£59.00

#### 65mm Low Profile Fully Powered Pallet Trucks

- 65mm LOWERED FORK HEIGHT
- · Electric lift and Electric drive
- See LEPT20S Fully Powered Pallet Trucks at bottom of page 16

CAPACITY (kg)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF	PRICE	
1500	1150	550	LEPT15S/550x1150-65L	£2,195.00	
1500	1220	680	LEPT15S/680x1220-65L	£2,295.00	
			Optional Spare Battery	£395.00	
	Optional 110V Charger £70.00				
Optional Handle Rain Cover £59.00					







LEPT15S/550x1150-65L

LEPT15S/680x1220-65L

65mm Lowered Fork Height

#### 1500 & 2000kg Medium Duty Electric Pallet Trucks

- Compact design
- Designed for light to medium duty applications
- · Light enough for use on mezzanine floors and tail lifts
- 2 3 hours battery life Integral charger
- Maintenance free batteries
- Rechargeable from any standard wall socket

CAPACITY	FORK SIZE	BATTERY ORDER REF		PRICE
(kg)	(mm)			
1500	520 x 1000	24V / 80Ah	LEPT15N/520x1000	£3,295.00
1500	520 x 1150	24V / 80Ah	LEPT15N/520x1150	£3,295.00
1500	680 x 1000	24V / 80Ah	LEPT15N/680x1000	£3,295.00
1500	680 x 1150	24V / 80Ah	LEPT15N/680x1150	£3,295.00
2000	520 x 1150	24V / 80Ah	LEPT20N/520x1150	£3,995.00
		(	Optional 110V Charger	£70.00
3000	560 x 1150	24V / 250Ah	LiTP30/560x1150	£12,495.00

# LEPT20N 520x1150 LEPT15N 520x1000

#### 2000 & 3000kg Heavy Duty Powered Pallet Trucks

- 2000 & 3000 kg Capacity Lift height: 90 200 mm
- Designed for carrying heavy weights on a regular basis
- Battery discharge indicator Operating hours meter
- Optional rider platform

Prices start from: POA, (see table above for 3000kg model)



LiTP30-560x1150





#### Mini Stacker (PML120N)

- Lightweight design
- · Very easy to operate
- · Suitable for supermarkets, offices, warehouses, narrow

• Platform size: 585 x 390 mm • Load centre: 150 mm

• Weight: 25kg

CAPACITY	MAX LIFT	LIFT	ORDER REF	PRICE
(kg)	HEIGHT (mm)			
120	1090	Manual	PML120N	£495.00

#### Winch Lifter (WSB150)

- Doubles as a sack truck
- Removable extension mast
- The base has 4 ball bearings for short horizontal movement
- Optional removable platform
- Weight: 37kg

CAPACIT	CITY MAX LIFT LIFT		ORDER REF	PRICE		
(kg)		HEIGHT (mm)				
150		1070/1700	Manual	WSB150	£845.00	
OPTIONS	OPTIONS					
Optional Platform - 350 x 450mm			WSB150/PL	£95.00		
Optional V-Platform attachment			WSB150/VPL	£95.00		
Optional C	rad	lle attachment		WSB150/Cradle	£195.00	



Optional Loading Wheels

WSB150 V-Platform attachment For rolls and reels



WSB150/LW

£350.00

WSB150 Cradle attachment For water tanks



WSB150 with Loading Wheels Accessory





Loading Wheels Folded Loading Wheels Unfolded



Optional Platform

#### Mini Stacker (MCH150)

- Choice of 2 frames: Zinc-plated steel or Stainless steel AISI 304 L
- Zinc-plated steel self-braked winch (available in stainless steel)
- Ø 4mm galvanised steel cable
- · Swivel back wheels with brake
- Fork Length: 455mm / Width over Forks: 350mm
- Dimensions (L x W x H): 890 x 455 x 1650 mm
- Weight: 30kg
- Optional platforms: Please see WSB150/PL & WSB150/VPL above

CAPACITY (kg)	FRAME TYPE	MAX LIFT HEIGHT (mm)	LIFT	ORDER REF	PRICE
150	Zinc-plated steel	55 - 1400	Manual	MCH150	£995.00
150	Stainless steel	55 - 1400	Manual	MCH150SS	£2,795.00



#### **Manual Winch Lifter (M200)**

- Lightweight and compact design
- · Versatile and easy to operate
- · Comes with platform and forks as standard
- Supplied with non-marking swivel castor wheels
- Fitted with two foot brakes
- Other attachments available see below

CAPACITY (kg)	MAX LIFT HEIGHT (mm)	LIFT	ORDER REF	PRICE
200	1500	Manual	M200	£745.00

Accessory price surcharge assumes the standard platform is not required and not supplied. If you require both the accessory and the standard platform please contact us. Ball Transfer Unit EP01 and V-Block EP03 are the exceptions as both require the platform to work so the platform is supplied with these two accessories.










#### **Electric Mini Lifters & Counterbalanced Lifter**

- Electric motor
- Electric overload protection
- Portable hand control unit on a cable
- Automatic battery charger
- Maintenance free batteries
- Comes with platform and forks as standard
- Other attachments available

CAPACITY	MAX LIFT	LIFT	ORDER	PRICE
(kg)	HEIGHT (mm)		REF	
100	1500	Electric	E100R(B)*	£1,595.00
100	1700	Electric	E100**	£1,445.00
150	1500	Electric	E150**	£1,545.00
250	1905	Electric	E250*	£1,795.00
300	1500	Electric	E300 *	£1,845.00



<sup>\*\* 4</sup> swivel castors

MODEL	BATTERY V/Ah
E100R(B)	24/12
E100	24/12
E150	24/12
E250	24/20
E300	24/20



200mm Raised Frame £195.00

#### Attachments for M200, E100R(B) & E100 - E300



Ball Transfer Unit - EP01 610 x 480mm Capacity: 150kg £415.00



Single Boom Spindle - EP05 Ø 50 x 600mm Capacity: 250kg £180.00



Roller Platform - EP02 / EP02S 500 x 420mm Capacity: 150kg £300.00 / £400.00 (with stops)



V Block - EP03 Capacity: 250kg £75.00



Double Spindle - EP06 Ø 50 x 500mm (260mm centres) Capacity: 250kg £195.00




Jib and Hook - EP07 500mm long Capacity: 150kg £195.00

#### Manual Stackers (KI 400/1200A & KI 400/1500A)

- Adjustable forks
- Fork lengths: 600 mm
- Fork widths: 215 530 mm adjustable
- $\bullet$  Ø 75 / Ø 125 mm polyurethane wheels
- Optional removable platform







Optional Fork Mounted Hook



#### Electric Stacker (KIE 400/1500A)

- Easy and fast lifting operation
- High quality hydraulic motor
- Service free battery
- Adjustable forks
- Fork length: 600 mm
- Fork width: 215 530 mm adjustable
- $\bullet$  Ø 75 / Ø 125 mm polyurethane wheels
- Battery: 12V/60Ah
- Optional removable platform





with Straddle Legs option

	CAPACITY	MAX LIFT	LOWERED FORK	OVERALL	LIFT	ORDER REF	PRICE
	(kg)	HEIGHT (mm)	HEIGHT (mm)	HEIGHT (mm)			
Γ	400	1200	85	1425	Manual	KI 400/1200A	£695.00
	400	1500	85	1725	Manual	KI 400/1500A	£745.00
	400	1500	85	1725	Electric	KIE 400/1500A	£1,895.00

OP	TIO	NS


Removable Platform - 575mm (W) x 650mm (D)	PL/KI/400	£65.00
Fork Mounted Hook	MDC-HOOK	£425.00

#### 500kg Manual Pallet Stacker with Adjustable Forks

- 500kg capacity
- Robust construction
- · Adjustable forks fitted as standard
- Swivel castor steer wheels
- · Safety valve prevents overloading
- Adjustable lowering speed
- Special versions available: including attachments, galvanised and stainless steel finish and more

MAX LIFT HEIGHT (mm)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	LIFT	ORDER REF	PRICE
1600	1100	220 - 760	Manual	KI 500/1600A	£1,095.00







#### **500kg Manual Lift Pallet Stackers**

- Robust construction
- Ideally suited for safe handling of Euro-pallets
- 500kg capacity
- Load Centre: 600mmFork length: 1150mmWidth over forks: 545mm
- Lowered fork height: 85mm
- Straddle legs and adjustable forks available
- Bespoke versions available
- Special attachments available on request

CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORKS L x W (mm)	LIFT	ORDER REF	PRICE
500	1120	1150 x 545	Manual	VVR 500/1200	£2,725.00
500	1600	1150 x 545	Manual	VVR 500/1600	£2,795.00
500	2000	1150 x 545	Manual	VVR 500/2000	£3,455.00
500	2500	1150 x 545	Manual	VVR 500/2500	£3,555.00
500	3000	1150 x 545	Manual	VVR 500/3000	£3,685.00
OPTIONO					

OPTIONS
---------

01 110110		
Optional Straddle Legs	VVR500-STR	£425.00
Optional Adjustable Forks	VVR500-ADJ	£455.00



VVR 500/1600 Straddle Stacker with Adjustable Forks





#### **Standard Manual Pallet Stackers**

- Robust construction
- Fixed forks
- Swivel castor steer wheels
- Safety valve prevents overloading
- Adjustable lowering speed

CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORKS L x W (mm)	LIFT	ORDER REF	PRICE
1000	1200	1150 x 550	Manual	KI 1000/1200	£1,195.00
1000	1600	1150 x 550	Manual	KI 1000/1600	£1,295.00
1000	2500	1150 x 580	Manual	KI 1000/2500	£1,595.00
1000	3000	1150 x 580	Manual	KI 1000/3000	£1,645.00
1500	1600	1150 x 550	Manual	KI 1500/1600	£1,845.00



#### 1000kg Manual Stackers with Adjustable Forks

- Robust construction
- · Adjustable forks fitted as standard
- Swivel castor steer wheels
- Safety valve prevents overloading
- Adjustable lowering speed
- Special versions available: including attachments, special sizes, lift heights or capacities, galvanised and stainless steel finish and more

CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORKS L x W (mm)	LIFT	ORDER REF	PRICE
1000	1600	1060 x 310 - 940	Manual	KI 1000/1600A	£1,395.00
1000	2500	1060 x 310 - 840	Manual	KI 1000/2500A	£1,745.00



#### 1000kg Straddle Pallet Stackers

- Robust construction
- Can handle closed-bottom pallets up to 1200 x 1200mm
- Straddle legs provide excellent balance
- · Adjustable forks fitted as standard
- Swivel castor steer wheels
- · Safety valve prevents overloading
- Adjustable lowering speed

CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORKS L x W (mm)	LIFT	ORDER REF	PRICE
1000	1600	1060 x 240 - 940	Manual	KI 1000/1600SA	£1,895.00
1000	2500	1060 x 240 - 700	Manual	KI 1000/2500SA	£2,195.00

#### 1000kg Manual Pallet Stackers

- Robust construction
- Ergonomic pump handle
- Separate tiller handle
- Safety valve prevents overloading
- Fitted with chain link steering for easy operation
- Special versions available: including attachments, special sizes, lift heights or capacities, galvanised and stainless steel finish and more

CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORKS L x W (mm)	LIFT	ORDER REF	PRICE
1000	1120	1150 x 545	Manual	VVR 1000/1120	£2,845.00
1000	1600	1150 x 545	Manual	VVR 1000/1600	£2,935.00
1000	2000	1150 x 545	Manual	VVR 1000/2000	£3,585.00
1000	2500	1150 x 545	Manual	VVR 1000/2500	£3,675.00
1000	3000	1150 x 545	Manual	VVR 1000/3000	£3,795.00

OPTIC	ONS
-------	-----

Optional Straddle Legs	VVR-STR	£425.00
Optional Adjustable Forks	VVR-ADJ	£455.00











VVR with Straddle Legs and Adjustable Forks

#### **Heavy Duty Manual Pallet Stackers**

- Robust construction
- Ergonomic pump handle
- Separate tiller handle
- Safety valve prevents overloading
- Fitted with chain link steering for easy operation
- Special versions available: including attachments, special sizes, lift heights or capacities, galvanised and stainless steel finish and more

CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORKS L x W (mm)	LIFT	ORDER REF	PRICE
1200	1600	1150 x 545	Manual	VVR 1200/1600	£3,120.00
1500	1600	1150 x 545	Manual	VVR 1500/1600	£3,720.00
1800	1600	1150 x 545	Manual	VVR 1800/1600	£3,960.00
2000	1600	1150 x 545	Manual	VVR 2000/1600	£4,440.00





#### **500kg Electric Lift Pallet Stackers**

Robust construction

• 500kg capacity

Fork length: 1150mmWidth over forks: 545mm

• Lowered fork height: 85mm

• Straddle legs, adjustable forks and bespoke versions available

• Special attachments available on request

CAPACITY (kg)			LIFT	ORDER REF	PRICE
500	1120	1150 x 545	Electric	VVE 500/1120	£3,285.00
500 1600		1150 x 545	Electric	VVE 500/1600	£3,390.00
500	2000	1150 x 545	Electric	VVE 500/2000	£4,295.00
500	2500	1150 x 545	Electric	VVE 500/2500	£4,555.00
500	3000	1150 x 545	Electric	VVE 500/3000	£4,675.00
500	3500	1150 x 545	Electric	VVE 500/3500	£4,855.00

OPTIONS

Optional Straddle Legs	VVE-STR	£425.00
Optional Adjustable Forks	VVE-ADJ	£455.00

#### 1000kg Electric Lift Pallet Stackers

• Battery powered lift, manual traction

• Ideal for small to medium sized warehouses

• 1000kg capacity

• Fork length: 1150mm

A STATE OF THE PROPERTY OF THE		• Lov	dth over forks: wered fork heignimum recomm  MAX LIFT HEIGHT (mm)  1600 2500 3000	ght: 85mm	width: 22	ORDER REF  KIE 1000/1600 KIE 1000/2500 KIE 1000/3000	PRICE £2,595.00 £2,995.00 £3,195.00
WIFT MATE	KIE 1000/2500	000/3000			KIE 1000/1	-	

#### 1000kg Heavy Duty Electric Lift Pallet Stackers

- Robust construction
- 1000kg capacity
- Fork length: 1150mm
- Width over forks: 545mm
- Lowered fork height: 85mm
- Straddle legs, adjustable forks and bespoke versions available
- Special attachments available on request

CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORKS L x W (mm)	LIFT	ORDER REF	PRICE
1000	1120	1150 x 545	Electric	VVE 1000/1120	£3,535.00
1000	1600	1150 x 545	Electric	VVE 1000/1600	£3,595.00
1000	2000	1150 x 545	Electric	VVE 1000/2000	£4,435.00
1000	2500	1150 x 545	Electric	VVE 1000/2500	£4,675.00
1000	3000	1150 x 545	Electric	VVE 1000/3000	£4,795.00
1000	3500	1150 x 545	Electric	VVE 1000/3500	£4,975.00
1000	3700	1150 x 545	Electric	VVE 1000/3700	£5,225.00

$\cap$ PI		

	OF FIGURE		
ĺ	Optional Straddle Legs	VVE-STR	£425.00
ĺ	Optional Adjustable Forks	VVE-ADJ	£455.00



#### **Special Pallet Stackers, Accessories & Options**

- Robust construction
- 1000, 1200, 1500, 1800, 2000kg capacities

Prices start from: POA



Special Sizes



Military Applications



Drum Rotator / Wide Straddle Legs



Platform Attachment



Side Shift & Adjustable Forks



Pneumatic Lift



Galvanised or Stainless Steel Version



Boom Attachment

#### UNIVERSAL FULLY POWERED STACKERS

The LiftMate LES/LESS Series offers several models of battery powered stackers which are lightweight and competitively priced yet powerful and reliable. Both drive and lift movement are operated by controls on an ergonomically designed handle. The LES/ LESS range has been designed specifically for small warehouses and factories.

All stackers in this range are fitted with 2 powerful 120Ah batteries and on board charger which can be connected to standard mains 230V/13A 3-pin socket. These provide approximately 3 hours of operational charge.

#### LES 10.16 & LES 10.30 Fully Powered Stackers

LES 10.16

LES models have fixed width wrapover forks and are designed for handling Euro pallets and other open bottom pallets and




CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORKS L x W (mm)	O/A LOWERED HEIGHT (mm)	MAST	BATTERY	ORDER REF	PRICE
1000	1600	1150 x 560	1985	Single	12V / 120Ah	LES 10.16	£4,495.00
1000	3000	1150 x 560	1985	Single	12V / 120Ah	LES 10.30	£4,995.00
Ontional 110V Charger							

#### LESS 10.16, LESS 10.25 & LESS 10.33 Fully Powered Straddle Stackers

LESS models have adjustable straddle legs and are ideal for handling imperial and CHEP pallets and similar closed bottom pallets and cages. They are equipped with adjustable forged forks, (210 - 810 mm), for loading special and even low profile pallets.







CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	O/A LOWERED HEIGHT (mm)	STRADDLE GAP (mm)	MAST	BATTERY	ORDER REF	PRICE
1000	1600	1150	210 - 810	2070	1255, 1090, 995*	Single	12V / 120Ah	LESS 10.16	£4,995.00
1000	2500	1150	210 - 810	1900	1255, 1090, 995*	Single	12V / 120Ah	LESS 10.25	£5,345.00
1000	3300	1150	210 - 810	2150	1255, 1090, 995*	Single	12V / 120Ah	LESS 10.33	£5,495.00
Optional 110V Charger							£70.00		

#### 1200kg Standard Powered Pallet Stackers

• Compact		a uga nar day					1	
	ours continuous						1	
	x 12V / 130Ah							
	traddle legs				9			
<ul> <li>Optional a</li> </ul>	idjustable forks	3						
<ul> <li>Optional a</li> </ul>	ittachments: bo	ooms, crane ji	ibs, drum clamp	os etc				
CAPACITY	MAX LIFT	MAST TYPE	O/A LOWERED	FORKS	ORDER REF	PRICE		
(kg)	HEIGHT (mm)		HEIGHT (mm)	L x W (mm)		152		
1200	1600	SIMPLEX	1990	1150 x 540	F12 APE	£9,995.00		
1200	1600	DUPLEX	1300	1150 x 540	F12 APE 1.6	£10,495.00		
1200	2500	DUPLEX	1750	1150 x 540	F12 APE 2.5	£10,995.00		
1200 1200	3000 3500	DUPLEX DUPLEX	2000 2250	1150 x 540 1150 x 540	F12 APE 3.0 F12 APE 3.5	£11,995.00 £12,995.00		
	3300	DOILEX	2200	1100 x 040	1 12711 2 0.0	212,555.00		
OPTIONS			Ontion	al straddle legs	APE-STR	£980.00	144	
				adjustable forks	APE-ADJ	£860.00		
	LIFT MATE				NATE TO A STATE OF THE STATE OF			
F12 APE	2.5 Straddle wit	th adjustable fo	rks			T12 APE 3.5		F12 APE 1.6

#### **Very Heavy Duty Fully Powered Pallet Stackers**

- Very heavy duty design and manufacture
- Power steering fitted as standard
- Heavy duty battery
- Battery discharge indicator
- Operating hours meter
- Special versions available

Prices start from: POA

CAPACITY (kg)	MAX LIFT HEIGHT (mm)	FORKS L x W (mm)	BATTERY	ORDER REF
2000	1600 - 5800	1150 x 575	24V / 320Ah	LiTE20
3000	1600 - 5800	1150 x 575	24V / 320Ah	LiTE30




#### **Heavy Duty Counterbalanced Fully Powered Stackers**

- Very heavy duty design and manufacture
- · Power steering fitted as standard
- Width over forks: adjustable up to 700mm
- Heavy duty battery
- Battery discharge indicator
- Operating hours meter
- Special versions available

Prices start from: POA

CAPACITY	MAX LIFT	FORK LENGTH	BATTERY	ORDER
(kg)	HEIGHT (mm)	(mm)		REF
1200	1600 - 4500	1000	24V / 320Ah	LiCTS12
1500	1600 - 4800	1000	24V / 375Ah	LiCTS15
2000	1600 - 5800	1000	24V / 500Ah	LiCTS20





#### **Special Models of Powered Pallet Trucks**










Special Powered Trucks and Lifters
Capacities up to 50,000kg



### Special Powered Trucks and Lifters Capacities up to 50,000kg





CAPACITY	LIFT TYPE	FORK DIMENSIONS	MAX LIFT	LOWERED FORK	ORDER REF	PRICE
(kg)		L X W (mm)	HEIGHT (mm)	HEIGHT (mm)		
1000	MANUAL	1170 x 540	800	90	MHL540M	£745.00
1000	MANUAL	1170 x 680	800	90	MHL680M	£795.00
1500	MANUAL	1170 x 560	800	90	HBL15560M	£995.00
1500	MANUAL	1170 x 680	800	90	HBL15680M	£1,095.00
1000	ELECTRIC	1170 x 540	800	90	MHL540E	£1,995.00
1000	ELECTRIC	1170 x 680	800	90	MHL680E	£2,095.00
1500	ELECTRIC	1170 x 560	800	85	HBL15560E	£2,095.00
1500	ELECTRIC	1170 x 680	800	85	HBL15680E	£2,195.00

#### **Stainless Steel High Lift Pallet Truck**

The stainless steel high lift pallet truck model is designed for corrosive, damp or harsh environments or applications where a high standard of hygiene is required such as meat or fish processing plants, dairies, pharmaceutical and chemical industries.



CAPACITY (kg)	LIFT TYPE	FORK DIMENSIONS L X W (mm)	MAX LIFT HEIGHT (mm)	LOWERED FORK HEIGHT (mm)	ORDER REF	PRICE
1000	MANUAL	1150 x 540	800	85	MHLS540M	£2,995.00
1000	ELECTRIC	1150 x 540	800	85	MHLS540E	POA

PL50

#### **Skid Lifters with Removable Platform**

- Raise pallets or other items to correct working height
- Skid lifters help minimise back strain
- Combination of high lift pallet truck and lift table
- Fully welded heavy duty steel frame
- Total stop brake on castor wheel
- Foot operated pedal for easier and faster lifting
- Skid lifters can be moved even when fully raised
- Steering tiller handle on 1000kg models for easier and comfortable turning

CAPACITY (kg)	FORK WIDTH (mm)	FORK LENGTH (mm)	PLATFORM SIZE L X W (mm)	RAISED FORK HEIGHT (mm)	ORDER REF	PRICE
500	526	1115	1115 x 538	830	PL50S	£895.00
500	690	1115	1115 x 703	830	PL50L	£895.00
1000	526	1115	1115 x 538	830	PL100S	£1,095.00
1000	690	1115	1115 x 703	830	PL100L	£1,095.00







LT10M

#### **Manual & Electric Pallet Tilters**

- Forks can be tilted up to 90°
- Handle can be turned and locked in position away from the work area
- Both models are supplied with parking brake and foot protectors on castors as standard
- Manual type: lift and tilt are performed by hand hydraulic action
- Electric type: lifting and lowering functions are built into the handle;
   tilting action is operated by remote control

CAPACITY (kg)	ANGLE OF TILT	LIFT/TILT	FORK WIDTH (mm)	FORK LENGTH (mm)	ORDER REF	PRICE
1000	90°	MANUAL	560	800	LT10M	£1,295.00
1000	90°	ELECTRIC	560	800	LT10E	£2,895.00







Straddle Pallet Tilter (Special)





#### **Single Manual Scissor Lift Tables**

- Capacity range from 150kg to 1500kg
- Heavy duty design
- · Great stability and manoeuvrability
- Foot pump to lift platform
- Hand lever to release/lower platform
- Can be used at any height
- Both swivel wheels are fitted with total stop brakes
- Special bespoke designs available





CAPACITY	PLATFORM	CLOSED	RAISED	HANDLE	WHEELS	WEIGHT	ORDER	PRICE
(kg)	L x W (mm)	HEIGHT (mm)	HEIGHT (mm)	HEIGHT (mm)	DIA (mm)	(kg)	REF	
150	700 x 450	225	740	935	Ø 100	44	TXL150	£365.00
200	1000 x 500	340	1000	1055	Ø 200	70	TXL200	£565.00
300	855 x 500	340	915	970	Ø 125	75	TXL300	£525.00
500	855 x 500	340	910	970	Ø 125	79	TXL500	£595.00
500	1010 x 520	435	1000	1100	Ø 150	118	BSL50	£595.00
500	1600 x 800	310	910	970	Ø 125	134	TXL500L	£895.00
500	1200 x 800	355	1220	1100	Ø 150	160	BSL50LB	£895.00
700	1220 x 610	230	1075	935	Ø 100/125	158	BZL70B	£1,295.00
750	1010 x 520	442	1000	1100	Ø 150	120	BSL75	£645.00
800	1000 x 510	420	1000	970	Ø 150	115	TXL800	£665.00
1000	1015 x 515	380	1010	970	Ø 150	121	TXL1000	£795.00
1000	1010 x 520	445	950	1100	Ø 150	137	BSL100	£795.00
1000	1200 x 800	415	1250	1100	Ø 150	163	BSL100L	£995.00
1500	1220 x 610	420	1010	970	Ø 150	142	TXL1500	£1,095.00





#### **Double Manual Scissor Lift Tables**

- Capacity range from 150kg to 800kg
- Heavy duty design
- Great stability and manoeuvrability
- Foot pump to lift platform
- Hand lever to release/lower platform
- Special bespoke designs available

BSL50D

CAPACITY	PLATFORM	CLOSED	RAISED	HANDLE	WHEELS	WEIGHT	ORDER	PRICE
(kg)	L x W (mm)	HEIGHT (mm)	HEIGHT (mm)	HEIGHT (mm)	DIA (mm)	(kg)	REF	
150	700 x 450	310	1120	920	Ø 100	67	TXL150D	£565.00
150	830 x 500	435	1450	1050	Ø 150	91	BSL15D	£565.00
300	1010 x 520	435	1620	1130	Ø 150	134	BSL30D	£645.00
350	910 x 500	350	1300	970	Ø 125	103	TXL350D	£645.00
450	1030 x 610	295	1555	950	Ø 130/160	TBC	SCL450DM	£895.00
500	1010 x 520	450	1600	1185	Ø 150	144	BSL50D	£695.00
680	1210 x 610	475	1510	1020	Ø 150	176	TXL680D	£1,095.00
800	1010 x 520	470	1420	1185	Ø 150	150	BSL80D	£795.00
800	1220 x 610	485	1500	970	Ø 150	181	TXL800D	£995.00

#### **Electric Double Scissor Lift Tables**

- Capacity range from 300kg to 800kg
- Robust construction
- Simple handle mounted control pad
- 12V maintenance free battery
- 700W dc power pack





CAPACITY	PLATFORM	CLOSED	RAISED	HANDLE	WHEELS	WEIGHT	ORDER	PRICE
(kg)	L x W (mm)	HEIGHT (mm)	HEIGHT (mm)	HEIGHT (mm)	DIA (mm)	(kg)	REF	
300	1010 x 520	495	1600	1180	Ø 150	183	ESL30D	£1,895.00
500	1010 x 520	435	1618	1180	Ø 150	198	ESL50D	£1,995.00
800	1010 x 520	510	1440	1180	Ø 150	208	ESL80D	£2,095.00

#### **Scissor Lift Table Attachments**

These attachments are designed to make scissor lift table loading and unloading operations easier. They can be fitted to BSL50, BSL75, BSL30D, BSL50D, ESL30D and ESL50D scissor lift tables only.

#### **Ball Transfer Top**

Model: BSL/BTT
• Capacity: 450kg

Platform Length: 1010mmPlatform Width: 560mmBase Width: 500mmHeight: 180mm

• Height (with guards): 220mm

Price: £395.00

#### **Straight Roller Track**

Model: BSL/SRT
• Capacity: 450kg
• Length: 1010mm
• Width: 500mm

Overall Length: 1025mmOverall Width: 535mm

• Height: 50mm

• Overall Height: 100mm

• No. of Rollers: 9 **Price: £365.00** 

#### **Turntable Roller Track**

Model: BSL/TRT
• Capacity: 200kg
• Top Length: 710mm
• Top Width: 505mm

• Rotating base Width: 535mm

Height: 100mmNo. of Rollers: 6Price: £495.00









#### **Aluminium Mobile Scissor Lift Table**

Weighs 21kg only

- Lightweight and easy to use
- Manual hydraulic operation (foot pump)
- · Handle folds down flat
- Fitted with two brakes for added safety
- Easy transportation and storage
- Powder coated finish



С	APACITY	PLATFORM	CLOSED	RAISED	HANDLE	WHEELS	WEIGHT	ORDER	PRICE
	(kg)	L x W (mm)	HEIGHT (mm)	HEIGHT (mm)	HEIGHT (mm)	DIA (mm)	(kg)	REF	
	100	705 x 455	260	755	1000	Ø 100	21	BSL10ALU	£595.00

#### **Stainless Steel Mobile Scissor Lift Tables**

- Suitable for a variety of lifting and loading operations
- Robust structure yet lightweight
- Fitted with two brakes for increased safety
- Ideal for pharmaceutical, food and beverages industries
- Nylon wheels





CAPACITY	PLATFORM	CLOSED	RAISED	HANDLE	WHEELS	WEIGHT	ORDER	PRICE
(kg)	L x W (mm)	HEIGHT (mm)	HEIGHT (mm)	HEIGHT (mm)	DIA (mm)	(kg)	REF	
150	700 x 450	305	785	1000	Ø 100	43.5	BSL15SS	£2,395.00
250	830 x 500	290	890	955	Ø 125	71.5	BSL25SS	£2,695.00
500	1010 x 520	350	980	985	Ø 150	94.5	BSL50SS	£3,495.00

HU1000

#### **Low Profile Scissor Lifts**

- · Low profile pallet positioner
- Safe 415V 3-phase operation
- Safety anti-trap bar under table edge
- HY1001 model is suitable for all pallets up to 1100 x 1200mm
- HU1000 model is suitable for open-bottom pallets e.g. Euro Pallets







1000kg capacity Turntable Accessory for HY1001-1250


TYPE	CAPACITY	PLATFORM	CLOSED	RAISED	WEIGHT	ORDER	PRICE
	(kg)	LxW (mm)	HEIGHT (mm)	HEIGHT (mm)	(kg)	REF	
U-Shape	1000	1420 x 1140	85	860	134	HU1000	£2,595.00
Table With Ramp	1000	1450 x 1140	85	860	91	HY1001	£2,595.00
Table With Ramp	1000	1450 x 1250	85	860	92	HY1001-1250	£2,995.00
1000kg capacity Turntable Accessory for HY001-1250							

#### SPECIAL MODELS OF SCISSOR LIFT TABLES



HY1001 Lowered





Scissor Lift Table with Roller Top and Stabilising Screw Legs





#### **Machinery Toe Jacks**

- · Designed for raising loads and placing shifting-skates underneath them
- Also used for general repairs, maintenance and for installation of heavy items
- Dual lifting capability: loads can be lifted using the toe or the head of the jack

• The 12000kg model has 2 toe positions and wheels for easy manoeuvring

• Adjustable lowering speed

• Removable pump handle






CAPACITY (kg)	LIFT HEIGHT ON TOE (mm)	LIFT HEIGHT ON HEAD (mm)	WEIGHT (kg)	ORDER REF	PRICE
6000	35 -195 (single stage)	320 - 560	25.5	TBL60	£285.00
12000	40 -180 (two stage)	325 - 545	68	TBL120	£595.00

#### **Hydraulic Toe Jacks**

- Designed for raising loads and placing shifting-skates underneath them
- Dual lifting capability: loads can be lifted using the toe or the head of the jack
- Suitable for repair and installation work of machines
- · Ultra low-profile, compact and strong
- Three adjustable toe heights
- The hydraulic pumps of the jacks are protected by a robust lift housing
- The hydraulic toe jacks are supplied with a two part pump handle
- Adjustable swivel support legs as standard







CAPACITY (kg)	LIFT HEIGHT ON TOE (mm)	LIFT HEIGHT ON HEAD (mm)	WEIGHT (kg)	ORDER REF	PRICE
3000	15 -240 (3 stage)	250 - 380	22	TGL30	£315.00
8000	25 -295 (3 stage)	270 - 410	28	TGL80	£345.00

#### **Rotational Hydraulic Toe Jacks**

- Designed for raising loads and placing shifting-skates underneath them
- Also used for general repairs, maintenance and for installation of heavy items
- Dual lifting capability: loads can be lifted using the toe or the head of the jack
- Compact and stable construction
- Can be used in any position (pumps sideways and upside down)
- Housing revolves 360 degrees
- Adjustable lowering speed
- Removable pump lever
- Overload protection valve



HML50	HML100	HML250
TIVILOU	I IIVIL I OO	I IIVILZJ(

CAPACITY (kg)	LIFT HEIGHT ON TOE (mm)	LIFT HEIGHT ON HEAD (mm)	WEIGHT (kg)	ORDER REF	PRICE
5000	25 -220 (single stage)	368 - 573	25	HML50	£345.00
10000	30 -260 (single stage)	420 - 650	35	HML100	£455.00
25000	58 -273 (single stage)	505 - 720	102	HML250	£995.00

#### **SPECIAL JACK MODELS**

**Forklift Jack** 



**Nickel Plated Jack** 



50t Jack



#### **Individual Skates**

- Industrial shifting skates are designed for moving heavy objects
- They are ideal for moving factory machinery, power generators, large steel constructions etc
- Loads can be raised using either a roller crowbar or a hydraulic jack
- Skates are maintenance free with sealed bearings
- They are fitted with handles for ease of carrying and positioning
- The tops of the skates are covered with an anti-slip rubber mat for stability and protection of loads

CAPACITY	NUMBER OF	ROLLERS	DIMENSIONS	O/A LENGTH	WEIGHT	ORDER	PRICE
(kg)	ROLLERS	(mm)	LxWxH(mm)	WITH HANDLE	(kg)	REF	
1000	4	Ø 100 x 35 Nylon	330 x 220 x 120	400mm	7	SF10	£85.00
2000	8	Ø 100 x 35 Nylon	330 x 220 x 120	400mm	8	SF20	£105.00
2500	2	Ø 85 x 90 Nylon	220 x 120 x 105	275mm	4	SF25	£85.00
3000	4	Ø 85 x 85 Nylon	330 x 220 x 120	400mm	9.5	SF30	£115.00
6000	6	Ø 85 x 90 Nylon	265 x 210 x 105	420mm	12	SF60	£145.00



#### **Heavy Duty Individual Skates with Swivel Castors**

- Skates with swivel castors are designed to travel in any direction
- The 360 degree rotating castors enables quick change of direction
- Circular anti-slip mat on top of skates for stability and protection of loads
- Supplied with a two-piece removable steering handle easy handle storage



CAPACITY (kg)	NUMBER OF ROLLERS	POLYURETHANE ROLLERS (mm)	DIMENSIONS L x W x H (mm)	WEIGHT (kg)	ORDER REF	PRICE
2000	3	Ø 80 x 70	410 x 500 x 110*	25	SC203	£235.00
3000	4	Ø 80 x 70	410 x 470 x 110*	29.6	SC304	£255.00
4000	5	Ø 80 x 70	510 x 585 x 110*	37	SC405	£295.00

\* Height: without handle

#### **Individual Skates with Swivel Castors**

- Skates with swivel castors are designed to travel in any direction
- They can be used to change direction quickly and almost on the spot
- 2 swivel castor skates (SC102) are often used in conjunction with two or more all-swivel castor skates (SC104)
- The 2 Swivel Castors Skate (SC102) has two swivel castors and two fixed castors
- The tops of the skates are covered with an anti-slip rubber mat for stability and protection of loads



CAPACITY (kg)	SWIVEL CASTORS (mm)	FIXED CASTORS (mm)	DIMENSIONS L x W x H (mm)	O/A LENGTH WITH HANDLE	WEIGHT (kg)	ORDER REF	PRICE
1000	2x Ø 75 x 46 Nylon	2x Ø 100 x 35 Nylon	430 x 340 x 120	500mm	13	SC102	£165.00
1000	4x Ø 75 x 46 Nylon		430 x 340 x 120	500mm	14	SC104	£215.00

#### **Adjustable Skates Pairs**

- Adjustable skates consist of a pair of skates each. These can be linked using two steel rods
- The rods are loose inside tubes welded onto the sides of the skates
- The rods prevent the skates from skidding and travelling at different speeds
- The distance between the skates can be freely adjusted from 500 to 1200mm (model CM60)
- The distance between the skates can be freely adjusted from 720 to 1200mm (models CM120 and CM240)
- The tops of the skates are covered with a rubber mat for stability and protection of loads



CAPACITY (kg)	NUMBER OF ROLLERS	ROLLERS (mm)	DIMENSIONS L x W x H (mm)	O/A DIMENSIONS L x W (mm)	WEIGHT (kg)	ORDER REF	PRICE
6000	8	Ø 85 x 90 Nylon	250 x 200 x 115	325* x 270**	30	CM60	£295.00
12000	12	Ø 85 x 90 Nylon	350 x 200 x 115	420* x 270**	38	CM120	£385.00
24000	16	Ø 83 x 85 Steel	425 x 220 x 115	495* x 290**	65	CM240	£495.00

#### **Steerable Skates**

- Industrial shifting skates are designed for moving heavy objects
- They are ideal for moving factory machinery, power generators, large steel constructions etc
- The load can be raised using either a roller crowbar or a hydraulic jack
- Skates are maintenanace free with sealed bearings
- They are fitted with handles for ease of carrying and positioning
- The tops of the skates are covered with an anti-slip rubber mat for stability and protection of loads
- Steerable skates are usually used together with an adjustable skate pair
- One or two steerable skates can be used to form a skate set
- Each skate has a high quality turntable and packing plate covered with a rubber mat
- The steering handles are 1m long
- The steering handles of the ST60 & ST120 models come with hitching loops to connect to tugs or forklifts



CAPACITY (kg)	NUMBER OF ROLLERS	ROLLERS (mm)	DIMENSIONS L x W x H (mm)	WEIGHT (kg)	ORDER REF	PRICE
3000	4	Ø 85 x 90 Nylon	310 x 255 x 105	15	ST30	£215.00
6000	8	Ø 85 x 90 Nylon	630 x 400 x 115	50	ST60	£395.00
12000	8	Ø 83 x 85 Steel	630 x 400 x 115	66	ST120	£485.00

#### **Complete Skate Set**

- These are the most popular skate sets
- 1 x Steerable Skate and drawbar with 2 x Adjustable Skates and connecting rods
- We can offer skate sets with capabilities up to 128t as well as individual skates from stock



#### **Caterpillar Skate Kits**


- Caterpillar style skate sets are ideal for transportation of very heavy items over good firm floors
- Each set consist of:
- 4 caterpillar style (connected) roller skates
- 2 turntables

CAPACITY

- 2 packing plates
- 2 steering handles
- 2 link-up bars and 1 draw bar
- Each set is supplied in a steel box for easy storage and transportation
- Suitable for installation and movement of heavy loads

**ROLLERS** 

- Steering handles provide precise control
- Travel speed up to 5m/min
- Minimum turning circle: 3mm




	(kg)	(11111)	(mm)	(kg)	KEF	
	20000	Ø 18	108	50	SK20	£595.00
	30000	Ø 24	117	58	SK30	£695.00
	60000	Ø 30	140	92	SK60	£795.00
_				-		
			J. F.	7		
			9			

HEIGHT

WEIGHT



SK20 in box on castors



PRICE


ORDER

#### **Corner Skate Set**

This set of 4 low level corner skates is designed to assist with the moving of large rectangular loads such as cupboards, office cabinets and storage systems. The skates are placed under each corner of the load to be moved.

- Pressed steel frame
- Non-marking swivel castors
- 600kg capacity over 4 corners

Order Ref	CS600
Capacity	600kg
Max. Load per Corner	150kg
Overall Dimensions	260 x 260 x 320mm
Internal Dimensions	130 x 130 x 190mm
Overall Height	85mm
Height of Load Platform	25mm
Wheels	Non-marking rubber
Wheels Diameter	Ø 50mm
Weight per Set	11kg
Price	£130.00



#### **Roller Crowbar**

- Heavy duty reinforced crowbar
- Suitable for a variety of lifting and moving applications
- It can be used in conjunction with LiftMate skate sets

CAPACITY (kg)	OVERALL LENGTH (mm)	ROLLER SIZE (mm)	WEIGHT (kg)	MAX. SKATE HEIGHT (mm)	ROLLER MATERIAL	ORDER REF	PRICE
1500	2100	Ø 75	16.5	135	Steel	KI/RC1500	£145.00
1500	2000	Ø 100	19	235	Steel	KI/RC1500/LONG	£145.00













#### **Mechanical Furniture Mover Jack**

• Lifts furniture from the floor and transports over short distances

KI/RC1500/LONG

- Ideal for use with cabinets, cupboards and other similar items
- · A set consists of two units

Hydraulic lift


- Supplied with a separate handle bar to lift objects off the floor
- Capacity: 1000kg, Wheels: Polyurethane, Weight: 10kg

MINIMUM TOE	MAXIMUM TOE	LIFTING RANGE	ORDER	PRICE
HEIGHT (mm)	HEIGHT (mm)	AT TOE (mm)	REF	
12	50	38	MJ1000B	£135.00

#### **Furniture & Equipment Mover Sets**

- Robust lifting mechanism
- For professional transport of heavy and bulky items
- Ideal for removal, maintenance and installation applications
- A set consists of two transport units
- Supplied with two 5 metre long securing load straps
- Polyurethane wheels












CAPACITY (kg)	RAISED HEIGHT (mm)	DIMENSIONS W x D x H (mm)	TOE PLATE W x D (mm)	TOE PLATE THICKNESS (mm)	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF	PRICE
600	410	600 x 410 x 810	225 x 120	7	Ø 150	25	FML60	£625.00
1800	345	650 x 425 x 1240	590 x 60	7	Ø 150	90	FML180B	£845.00

#### **Workshop Cranes**

- Quick lifting with a dual action pump
- 3 positions adjustable jib extension
- Chrome plated lifting piston and pump piston
- Relief valve to prevent overload
- Forged heavy duty swivel hook
- 110% overload tested before delivery
- Conforms to CE safety standards







CA	CAPACITY AT POSITION DIMENSION (mm)					OVERALL WIDTH (mm)	WEIGHT (kg)	ORDER REF	PRICE							
Р	21	P2	P3	Α	В	С	D	E	F	G	Н	ı	,	( 3/		
50	00	425	350	1410	165	1510	895	102	2120	1960	150	340	970	75	SC500A	£595.00





CAPACITY (kg)	DIMENSIONS L x W x H (mm)	PLATFORM SIZE L x W (mm)	HANDLES	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF	PRICE
150	740 x 490 x 865	635 x 490	1	Ø 100	12.5	501/KI/PL/150	£79.00
250	930 x 620 x 865	790 x 620	1	Ø 125	18.5	502/KI/PL/250	£99.00



C	CAPACITY (kg)	DIMENSIONS L x W x H (mm)	PLATFORM SIZE L x W (mm)	HANDLES	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF	PRICE
	300	1160 x 760 x 875	1020 x 760	1	Ø 160	41.5	505/KI/LUX/1	£169.00
	300	1160 x 760 x 875	875 x 760	2	Ø 160	42	505/KI/LUX/2	£179.00



CAPACITY	DIMENSIONS	PLATFORM SIZE	HANDLES	WHEELS DIA	WEIGHT	ORDER REF	PRICE
(kg)	L x W x H (mm)	L x W (mm)		(mm)	(kg)		
150	750 x 470 x 900	645 x 470	1	Ø 100	9	501/NPL/150	£109.00

#### **Two and Three Tier Trolleys**

- · Lightweight service trolley
- Fitted with two or three decks
- · Ideal for catering environments
- Shelves have non-slip surface
- Shelves have all-round protection buffer
- Fitted with two handles
- Two fixed wheels and two swivel castors
- Non-marking rubber wheels





CAPACITY	DIMENSIONS	PLATFORM SIZE	NUMBER OF	WHEELS DIA	WEIGHT	ORDER REF	PRICE
(kg)	L x W x H (mm)	L x W (mm)	TIERS	(mm)	(kg)		
120	745 x 485 x 865	630 x 485	2	Ø 125	20	506/KI/SERV/2	£149.00
120	745 x 485 x 865	630 x 485	3	Ø 125	25	507/KI/SERV/3	£189.00

#### **Folding Aluminium Platform Trolley**

- · Lightweight aluminium construction
- Folds and extends easily
- Great for storage and transport
- Telescopic handles
- Slide-in platform to reduce trolley length
- Two fixed wheels and two swivel castors
- Quiet-running rubber wheels







CAPACITY	PLATFORM SIZE	PLATFORM FOLDED	WHEELS DIA	WHEELS	WEIGHT	ORDER REF	PRICE
(kg)	L x W (mm)	L x W (mm)	(mm)		(kg)		
150	710 x 420	500 x 420	Ø 100	Solid Rubber	7.9	509/KI/PL/150/2	£64.00



### **Heavy Duty Platform Trolley**

Tough plywood platform

· Welded steel frame

· Large platform area

• Choice of rubber or pneumatic wheels

· Available with 2 brakes





541/BI/PL/300/B



541/BI/PL/300/PNB

CAPACITY	DIMENSIONS	PLATFORM SIZE	WHEELS	BRAKES	WHEELS DIA	WEIGHT	ORDER REF	PRICE
(kg)	L x W x H (mm)	L x W (mm)			(mm)	(kg)		
300	1230 x 600 x 935	1210 x 600	Solid rubber	-	Ø 160	32	541/BI/PL/300	£295.00
300	1230 x 600 x 935	1210 x 600	Solid rubber	2	Ø 160	32	541/BI/PL/300/B	£325.00
300	1230 x 600 x 935	1210 x 600	Pneumatic	-	Ø 225	32	541/BI/PL/300/PN	£495.00
300	1230 x 600 x 935	1210 x 600	Pneumatic	2	Ø 225	32	541/BI/PL/300/PNB	£545.00



#### **Garden/Store Truck with Fold Down Sides**

- · Heavy duty design
- · Single Ackerman steering
- · Sides and tailgate all fold down
- Sides are easily removable
- Ideal for both garden and light industrial use
- Fitted with large 330mm wheels
- · Optional removable canvas lining





with Marine Plywood Deck



with Canvas Lining

CAPACITY (kg)	DIMENSIONS L x W (mm)	HEIGHT OF WALLS (mm)	NUMBER OF SIDES	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF	PRICE		
350	1380 x 615	280	4 Mesh	Ø 330	30	535/BI/TT/300	£295.00		
Phenolic Deck for Garden Truck 535/BI/TT/DECK									
	Marine Plywood Deck for Garden Truck   535/BI/TT/DECK2								
Optional Canvas Lining 535/BI/TT/LINING									

#### **Heavy Duty Nesting Cash & Carry Trolley**

- · Spring loaded platform allows nesting of trolleys
- · Heavy duty design for busy applications
- Welded basket as standard
- · Special sizes available





CAPACITY	DIMENSIONS	PLATFORM SIZE	WHEELS	WHEELS DIA	WHEELS DIA   WEIGHT   ORDER RI		PRICE
(kg)	LxWxH(mm)	L x W (mm)		(mm)	(kg)		
500	1435 x 700 x 1070	1150 x 550	Solid rubber	Ø 200	39	540/CF/CC/500	£395.00
500	1435 x 700 x 1070	1150 x 550	Solid rubber	Ø 200	39	540G/PA/CC/500	£495.00
500	1435 x 700 x 1070	1150 x 550	Solid rubber	Ø 200	39	540G/PA/CC/500/PLY	£545.00
				Parking Foo	t Brakes on S	wivel Castors (per trolley)	£30.00

#### **Galvanised Nesting Cash & Carry Trolley**

• Spring loaded platform allows nesting of trolleys

Fitted with a zinc plated grill deck as standardHeavy duty design for busy applications

Available with a plywood deck

Welded basket as standard

Special sizes available







#### **Narrow Cash & Carry Trolley**

- Ideal for use in shops with narrows aisles
- · Designed with an angle chassis frame
- · Balance wheel construction
- Tubular end frame handles
- 350kg or 750kg capacity





CAPACITY	DIMENSIONS	PLATFORM SIZE	CORNER	CENTRE AXLE	WHEELS DIA	WEIGHT	ORDER REF	PRICE
(kg)	LxWxH(mm)	L x W (mm)	WHEELS	WHEELS	(mm)	(kg)		
350	1724 x 381 x 1067	1525 x 380	Solid rubber	Solid rubber	Ø 150 / 200	29	590/PA/NCC/350	£365.00
750	1724 x 381 x 1067	1525 x 380	Solid rubber	Polyurethane	Ø 150 / 200	29	590/PA/NCC/750	£395.00

#### **Universal Sack Truck**

- General purpose professional quality sack truck
- Strong toe plate
- Durable red stove enamelled paint finish
- 200kg



#### **Delivery Driver's Hand Truck**

- Ideal for deliveries and everyday use
- A favourite with professional delivery drivers
- · Reinforced chassis



CAPACITY	DIMENSIONS	TOE PLATE	TOE PLATE	WHEELS	WHEELS	WEIGHT	ORDER REF	PRICE
(kg)	H X W (mm)	DEPTH (mm)	WIDTH (mm)		DIA (mm)	(kg)		
200	1070 x 480	200	360	Solid rubber	Ø 200	9	403/KI/200	£99.00
200	1210 x 470	170	340	Solid rubber	Ø 200	13	404/KI/99/200	£149.00

#### **Rough Terrain Sack Truck**

- Tubular steel sack truck
- Designed with a big toe plate
- Fitted with large pneumatic wheels



#### **Heavy Duty Rough Terrain Sack Truck**

- · Heavy duty sack truck
- 450kg Capacity
- Fitted with large pneumatic wheels



CAPACITY (kg)	DIMENSIONS H X W (mm)	TOE PLATE DEPTH (mm)	TOE PLATE WIDTH (mm)	WHEELS	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF	PRICE
400	1160 x 710	290	500	Pneumatic	Ø 300	15.5	416/CO/01B/400	£179.00
450	1170 x 620	230	500	Pneumatic	Ø 300	18.5	416/CO/94/450	£199.00

#### **Curved Back Sack Truck**

- · Heavy duty sack truck with large toe plate
- Curved back makes it ideal for carrying loads such as sacks, round bins or bottles
- Fitted with plastic grips with knuckle guards





See page 55 for load strap option

# Heavy Duty Sack Truck with Skids & Mesh Back

- Designed with a high back
- Mesh back to stop small items falling through
- Extra large toe plate



CAPACITY (kg)	DIMENSIONS H X W (mm)	TOE PLATE DEPTH (mm)	TOE PLATE WIDTH (mm)	WHEELS	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF	PRICE
250	1120 x 620	220	400	Rubber/Pneumatic/Puncture proof	Ø 260	10	417/CO/14/CB/250	£125.00
300	1350 x 500	300	475	Rubber/Pneumatic/Puncture proof	Ø 260	21.5	420/ME/6253/HBM	£219.00

#### **P-Shaped Handle Sack Truck**

- Designed for everyday professional use
- P-shaped handle enables one-handed steering
- · Favourite with delivery drivers



#### P-Shaped Handle Sack Truck

- Fitted with load protection strip to prevent scratching
- Designed with a high back for tall items
- Ideal for moving white goods and home appliances



CAPACITY (kg)	DIMENSIONS H X W (mm)	TOE PLATE DEPTH (mm)	TOE PLATE WIDTH (mm)	WHEELS	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF	PRICE
250	1310 x 530	230	350	Rubber/Pneumatic/Puncture proof	Ø 260	13.5	422/CO/38/P/250	£169.00
200	1330 x 550	225	500	Rubber/Pneumatic/Puncture proof	Ø 260	16	422/KI/APL/200	£179.00

#### **White Goods Appliance Hand Trucks**

- Ideal for moving white goods and home appliances
- · Fitted with load protection strips to prevent scratching
- Extra tall frame (448/CO/73/WG Model only)
- Foot pedal to help tilt loads



# Universal Curved Back Truck with Load Strap

- · Curved back to carry bottles, drums, cans
- · Supplied with a load retention strap
- · Load Diameter: up to 380mm



CAPACITY	DIMENSIONS	TOE PLATE	TOE PLATE	WHEELS	WHEELS	WEIGHT	ORDER REF	PRICE
(kg)	H X W (mm)	DEPTH (mm)	WIDTH (mm)		DIA (mm)	(kg)		
250	1075 x 560	155	340	Rubber/Pneumatic/Puncture proof	Ø 260	15.5	449/CO/03/WG	£145.00
250	1320 x 630	250	350	Pneumatic	Ø 260	15.5	448/CO/73/WG	£185.00
250	1300 x 500	280	230	Rubber/Pneumatic/Puncture proof	Ø 260	14	424/CO/31/SK/250	£159.00

#### **High Back Sack Truck with Skids**

- · Heavy duty high back sack truck
- · Skids to handle kerbs and stairs
- Supplied with knuckle guards

# 424/CO/58/SK/250 250kg

# Very Tall High Back Sack Truck with Skids

- Very tall model of the high back sack truck
- Skids to handle kerbs and stairs
- · Supplied with knuckle guards

# 424/CO/58/SK/B/250

#### **Beer Keg Truck**

- Heavy duty beer barrel and keg truck
- Fitted with sliding catch to hold beer barrels in place
- Works with most standard kegs and barrels
- See page 54 for Stairclimber version



CAPACITY	DIMENSIONS	TOE PLATE	TOE PLATE	WHEELS	WHEELS	WEIGHT	ORDER REF	PRICE
(kg)	H X W (mm)	DEPTH (mm)	WIDTH (mm)		DIA (mm)	(kg)		
250	1320 x 550	270	270	Rubber/Pneumatic/Puncture proof	Ø 260	14.5	424/CO/58/SK/250	£149.00
250	1600 x 550	300	300	Rubber/Pneumatic/Puncture proof	Ø 260	18.5	424/CO/58/SK/B/250	£179.00
250	1230 x 550	150	325	Rubber/Pneumatic/Puncture proof	Ø 260	16	429/CO/59/KEG/250	£179.00

#### **Folding Toe Plate Sack Truck**

- Dual toe plate sack truck
- Built for large and heavy loads
- 250kg Capacity
- Fixed toe (L x W): 130 x 400mm
- Folding toe (L x W): 430 x 400mm

#### **Dual/Folding Toe Plate Sack Trucks**

- · Large fixed toe plate
- Larger folding toe plate for bulky items
- · Reinforced chassis for heavy loads
- Fixed toe (L x W): 290 x 420mm
- Folding toe (L x W): 600 x 340mm
- 446/CO/90/DFXL
- Extra Long folding toe plate
- Fixed toe (L x W): 290 x 420mm
- Folding toe (L x W): 750 x 340mm







CAPACITY	DIMENSIONS	TOE PLATE	TOE PLATE	WHEELS	WHEELS	WEIGHT	ORDER REF	PRICE
(kg)	H X W (mm)	DEPTH (mm)	WIDTH (mm)		DIA (mm)	(kg)		
250	1160 x 660	130 / 430	400 / 400	Rubber/Pneumatic/Puncture proof	Ø 260	15	423/CO/10/DF/250	£179.00
300	1260 x 620	290 / 600	420 / 340	Rubber/Pneumatic/Puncture proof	Ø 260	19	446/CO/90/DFL	£159.00
300	1260 x 620	290 / 750	420 / 340	Rubber/Pneumatic/Puncture proof	Ø 260	19.5	446/CO/90/DFXL	£179.00

#### **Heavy Duty Three Way Sack Truck**

- Three-in-one convertible sack truck
- · Serves both as sack truck and platform trolley
- Has a large fixed toe and a larger folding toe plate
- Middle position for supporting tall loads with ease, e.g. through doorways
- Fixed toe (L x W): 305 x 410mm
- Folding toe (L x W): 610 x 345mm







CAPACITY	DIMENSIONS	TOE PLATE	TOE PLATE	WHEELS	WHEELS	WEIGHT	ORDER REF	PRICE
(kg)	H X W (mm)	DEPTH (mm)	WIDTH (mm)		DIA (mm)	(kg)		
300	1310 x 600	305 / 610	410 / 345	Rubber/Pneumatic/Puncture proof	Ø 260/100	20	447/CO/91/3WAY	£349.00

#### **Stairclimbing Sack Truck**

- Basic stairclimbing sack truck model
- Designed for light to medium use
- Fitted with Tri-Star wheel assembly as standard



#### **Stairclimber Truck with Folding Toe**

- Designed to easily climb stairs, doorsteps and kerbs
- Fitted with Tri-Star wheel assembly as standard
- The stairclimbing wheels come with roller bearings



# Stairclimber Truck with Pneumatic Wheels

- · Designed with a folding toe plate
- · High back frame
- Fitted with large pneumatic wheels
- · Quiet operation



CAPACITY	DIMENSIONS	TOE PLATE	TOE PLATE	WHEELS	WHEELS	WEIGHT	ORDER REF	PRICE
(kg)	H X W (mm)	DEPTH (mm)	WIDTH (mm)		DIA (mm)	(kg)		
150	1250 x 520	200	350	Solid rubber, Tri-Star assembly	Ø 140	13.5	425/CO/23/SC/150	£139.00
150	1305 x 580	170 / 435	400 / 335	Solid rubber, Tri-Star assembly	Ø 160	16.5	426/BI/SC/FF/150	£189.00
150	1320 x 620	180 / 460	400 / 345	Pneumatic, Tri-Star assembly	Ø 200	18	428/CS/SC/FF/120	£219.00

#### Stairclimbing Keg & Barrel Sack Truck

- · Heavy duty stairclimbing beer barrel and keg truck
- Fitted with sliding catch to hold barrels and kegs in place
- · Works with most standard kegs and barrels
- Fitted with Tri-Star wheel assembly as standard





#### **Lightweight Aluminium Folding Sack Truck**

- Designed for personal and light commercial use
- Telescopic handle
- Toe folds up for easy storage and transportation



	CAPACITY	DIMENSIONS	TOE PLATE	TOE PLATE	WHEELS	WHEELS	WEIGHT	ORDER REF	PRICE
	(kg)	H X W (mm)	DEPTH (mm)	WIDTH (mm)		DIA (mm)	(kg)		
	250	1230 x 550	150	325	Solid rubber, Tri-Star assembly	Ø 160	17	429/CO/59/KEG/250/SC	£249.00
ĺ	90	1120 x 400	240	350	Solid rubber	Ø 160	6.5	430/KI/AL/F/90	£59.00

#### **Load Retention Straps**

- Recommended accessory for most sack truck models
- · Load retention straps are used for securing and transporting bulky or unstable loads safely
- Our load straps are designed to clip onto the chassis of most sack trucks using plastic hooks.
- They are tightened and adjusted by either a standard cam buckle or a ratchet operation.

#### **Standard Cam Buckle**





LENGTH (cm)	ORDER REF	PRICE
40+150	STP/CB/150	£9.00
40+300	STP/CB/300	£10.00





LENGTH (cm)	ORDER REF	PRICE
40+150	STP/RA/150	£10.00
40+300	STP/RA/300	£11.00

#### **Hand Truck Kerb Ramp**

- Designed to assist hand truck operators when moving loads over kerbs or steps
- Eliminates the need to lift or push loaded hand trucks over kerbs or steps
- Prevents damage to the load or injury to the hand truck operator
- Lightweight and portable
- Molded engineered plastic
- · Non-skid surface prevents slipping
- Easy storage
- Strong and durable
- Designed for use with kerbs or steps up to 200mm high



Load Capacity	270kg
Overall Length	685mm
Overall Width	685mm
Height of Kerb	200mm
Weight	4kg
Order Ref	PKR220
Price	£114.00



#### **Ruxxac Hand Trucks**

- Designed to fold into a compact size for easy storage
- · Ideal for both business and domestic use
- Ready to use within seconds from folded position
- Toe plate and wheels open simultaneously
- · Designed with synthetic handles for comfortable steering
- "Spannfix" system fastening strap secures load to truck
- · Aluminium toe plate and steel tubes



# RUXXAC





Wheel truck into tight spaces with the Rolling function\*



Ruxxac Business Hand Truck 471/RX/BUS/125



Ruxxac Exclusive Hand Truck 475/RX/EX/125







CAPACITY	OPEN DIMENSIONS	FOLDED DIMENSIONS	THICKNESS	TOE PLATE	WHEEL	WEIGHT	ORDER REF	PRICE
(kg)	D x W x H (mm)	D x W x H (mm)	FOLDED (mm)	D x W (mm)	Ø x W (mm)	(kg)		
125	460 x 490 x 1030	55 x 490 x 685	55	250 x 490	185 x 40	5.7	471/RX/BUS/125	£109.00
125	620 x 490 x 1130	55 x 490 x 735	55	410 x 490	185 x 40	6.1	472/RX/BXL/125	£129.00
125	620 x 490 x 1130	55 x 490 x 735	55	410 x 490	185 x 40	6	475/RX/EX/125	£189.00

RUXXAC

#### **Ruxxac Hand Trucks**

- Designed to fold into a compact size for easy storage
- · Ideal for both business and domestic use
- Ready to use within seconds from folded position
- Toe plate and wheels open simultaneously
- Designed with synthetic handles for comfortable steering
- Aluminium toe plate and steel tubes





Ruxxac Cross Hand Truck 475/RX/TR/100



Ruxxac Parcel Hand Truck 473/RX/PAR/125

\* Rolling Function



Ruxxac Jumbo Hand Truck 474/RX/JU/250

CAPACITY	OPEN DIMENSIONS	FOLDED DIMENSIONS	THICKNESS	TOE PLATE	WHEEL	WEIGHT	ORDER REF	PRICE
(kg)	D x W x H (mm)	D x W x H (mm)	FOLDED (mm)	D x W (mm)	Ø x W (mm)	(kg)		
100	615 x 615 x 1110	120 x 480 x 720	120	410 x 480	180 x 95	6.3	475/RX/TR/100	£149.00
125	620 x 490 x 1100	110 x 490 x 1100	110	410 x 490	185 x 40	5.9	473/RX/PAR/125	£129.00
250	620 x 655 x 1250	120 x 595 x 840	120	420 x 595	215 x 40	11.4	474/RX/JU/250	£289.00

#### **Fold-It Collapsible Aluminium Cart**

- · All-purpose collapsible and portable cart
- · Folds easily for convenient storage
- · Unfolds in less than a minute
- High-grade aluminium construction
- Folds small enough to fit in trunk of car
- · Completely rust and corrosion resistant
- · Removable front gate allows for larger load
- Large pneumatic wheels ideal for rough terrain • Release spring action handle to start unfolding









OPTIONAL WHEELS	ORDER REF	PRICE
Puncture Proof Wheels	LFI-PP	£160.00
Mud Wheels Kit	LFI-MW	£370.00
Beach Wheels Kit	LFI-BW	£395.00

ACCESSORIES	ORDER REF	PRICE
Rear Gate	LFI-RG	£30.00
Full Height Rear Gate*	LFI-FHRG	£35.00
Trailer Hitch	LFI-TH	£45.00
Bicycle Hitch	LFI-BH	£50.00

<sup>\*</sup> Handles must be removed to install Full Height Rear Gate



Rear Gate











Full Height Rear Gate\*

Trailer Hitch Bicycle Hitch

#### Folding the Fold-It Cart
























# CREATE YOUR CUSTOMISED MAGLINER HAND TRUCK

You can design and build your own Magliner hand truck that perfectly fits your needs by combining parts from our modular component system.

By selecting your preferred frame, handle, nose plate and wheels as well as optional accessories, if required, you end up with a customized Magliner hand truck of your choice.

Magliner Hand Trucks are lightweight, strong and of professional quality. They have a capacity of 225kg.



Frame 2



Example of an assembled Magliner Hand Truck

Handle 30



Nose HA



Wheels 1010



Accessory
C5 Stair Climber





Order Ref: 230-HA-1010-C5

#### Magliner Hand Truck Completion Kit

Each Magliner Hand Truck also requires a completion kit. This is a set of small parts including brackets, axle, bolts etc. This kit is included in the *Complete Hand Trucks'* prices on the following pages.



#### **COMPLETE HAND TRUCKS**



111-E1-825

- Straight back frame
- Basic 'U' loop handle
- 355 x 230mm extruded aluminium flush mount **nose**
- 200mm solid rubber tyres



111-K1-1060

- Straight back frame
- Basic 'U' loop handle
- 405 x 300mm extruded aluminium flush mount **nose**
- 250mm pneumatic tyres



116-HA-830

- Straight back frame
- Standard double pistol grip handle
- 355 x 300mm die-cast **nose** with recessed heel
- 200mm ballon cushion rubber tyres



116-HA-1060

- Straight back frame
- Standard double pistol grip handle
- 355 x 300mm die-cast **nose** with recessed heel
- 250mm pneumatic tyres



219-AA-1060

- Straight lattice back frame
- 'U' loop handle with vinyl sleeve
- 355 x 190mm die-cast **nose** with recessed heel
- 250mm pneumatic tyres



115C-E1-815

- Straight back frame
- 1520mm vertical loop handle
- 355 x 230mm extruded aluminium flush mount **nose**
- 200mm mould-on rubber tyres

#### **COMPLETE HAND TRUCKS**



160-K1-1060

- Straight back frame
- Vertical loop handle for Hi-U extension
- 405 x 300mm extruded aluminium flush mount **nose**
- 250mm pneumatic tyres



230-G1-1060

- Straight lattice back frame
- Welded double grip handle
- 455 x 230mm extruded aluminium flush mount **nose**
- 250mm pneumatic tyres



515A-AA-1030

- Curved back frame with moulded cross members for transporting barrels and kegs
- 1320mm vertical loop handle
- 355 x 190mm die-cast **nose** with recessed heel
- 250mm balloon cushion rubber tyres



522-K2-1010

- Curved back frame with moulded cross members for transporting barrels and kegs
- Welded double grip handle
- 500 x 300mm extruded aluminium flush mount **nose**
- 250mm puncture proof tyres



215A-UA-1010

- Straight lattice back frame
- 1320mm vertical loop handle
- 455 x 190mm die-cast **nose** with recessed heel
- 250mm puncture proof tyres



516-UA-1060-KEG

- Curved back frame with moulded cross members for transporting barrels and kegs
- Standard double pistol grip handle
- 455 x 190mm die-cast **nose** with recessed heel
- 250mm pneumatic tyres
- Sliding Keg Hook see page 72



#### **COMPLETE HAND TRUCKS**



416-AA-1060-F3

- Straight back frame with moulded cross members
- Standard double pistol grip handle
- 355 x 190mm die-cast nose with recessed heel
- 250mm pneumatic tyres
- 750 x 300mm extruded aluminium channel extension



416-AA-1060-F2

- Straight back frame with moulded cross members
- Standard double pistol grip handle
- 355 x 190mm die-cast **nose** with recessed heel
- 250mm pneumatic tyres
- 500 x 300mm extruded aluminium channel extension



130-HA-825-F1

- Straight back frame
- Welded double grip handle
- 355 x 300mm die-cast nose with recessed heel
- 200mm solid rubber tyres
- 600 x 300mm low-profile formed plate extension



230-K2-1010-WG

- Straight lattice back frame
- Welded double grip handle
- 500 x 300mm extruded aluminium flush mount **nose**
- 250mm puncture proof tyres
- 245 x 95mm wheel guards prevent loads from rubbing against hand truck.



230-HA-1010-C5

- Straight lattice back frame
- Welded double grip handle
- 355 x 300mm die-cast **nose** with recessed heel
- 250mm puncture proof tyres
- Stair Climbers with replaceable low friction polymer skid bars



**Magliner Stairclimber Hand Truck** 

#### 215C-HA-SC-STRP

Magliner Stairclimber Hand Truck fitted with a Tri-Star wheel assembly using double row, multi-directional wheels.

The rotating multi-directional wheels enables easy manoeuvrability in confined spaces.







**128-HA-1060-5** £532.40

#### **BOTTLED WATER TRAY TRUCKS**

- 225kg capacity.
- Converts to hold a combination of boxes and bottle.
- Aluminium construction prevents rusting.
- Trays fold flat against frame when not in use so the truck can be used as a standard hand truck.
- Ideal for four or five 20 litre water bottles respectively.

Straight back frame

Square loop handle with foam grip

350 x 300mm die-cast **nose** with recessed heel

250mm pneumatic tyres

WHEEL OPTIONS : 1010, 1030, 830, 815 - see page 71

Stair Climber - see page 72



#### **NARROW AISLE HAND TRUCKS**

- Designed with wheels tucked fully or partially behind the truck's frame
- The truck's narrow width enables great manoeuvrability in confined spaces
- The Narrow Aisle Mounting Kit is required for the Narrow Aisle Hand Truck









With optional Stairclimbers

KITS	ORDER REF	PRICE
Narrow Aisle Mounting Kit*	301045	£58.10
Narrow Magliner Nose Kit**	86094	£16.40

<sup>\*</sup>Price of Kit is added to price of Hand Truck parts, see pages 70-71

<sup>\*\*</sup>Required for E, G, K & T noses

#### **SPACE SAVING FOLDING TRUCKS**

Folds quickly and easily for convenient storage
 Large 225kg capacity, same as standard Magliner hand trucks
 Heavy-duty construction for superior strength and durability





CAPACITY (kg)	DIMENSIONS - FOLDED H x W x D (mm)	DIMENSIONS - EXTENDED H x W x D (mm)	TOE PLATE SIZE W x D (mm)	WEIGHT	ORDER REF	PRICE
225	725 x 450 x 255	1245 x 450 x 405	355 x 190	10.5	FTA11-E1-830	£389.60
225	725 x 530 x 255	1245 x 530 x 405	355 x 190	11.5	FTA11-E1-1060	£405.20
225	725 x 480 x 255	1245 x 480 x 405	355 x 190	11.5	FTA11-E1-1030	£403.20
225	725 x 530 x 255	1245 x 530 x 405	455 x 190	12	FTA19-G1-1060-WG-C5	£490.80





#### **SELF-STABILISING HAND TRUCK KITS**

- Self-Stabilising Magliner hand truck built with standard wheels and smaller Double or Triple Row, multi-directional wheels
- · Choice of either double row or triple row, 125mm diameter multi-directional polyurethane rollers with sealed bearings
- The truck carries the load, not the operator
- Enables easy movement up kerbs or over obstructions without reversing
- Fully supported rotation allows easy manoeuvrability in confined spaces
- 'Integrated Kick Stand' holds the truck in an upright position when loading
- The truck design negates the need to support the load when stationary





Optional Stairclimbers















Double Row Multi-Directional Wheels

Triple Row Multi-Directional Wheels

KITS	WHEEL SIZE DIA. / W (mm)	ORDER REF	PRICE
Double Row*	125 x 38	302912	£310.00
Triple Row*	125 x 63	302916	£360.00

\*Price of Kit is added to price of Hand Truck parts, see pages 70-71

Optional Stairclimbers	86101	£72.20

#### TWO POSITION MAGLINER HAND TRUCK - Gemini Jr & Gemini Sr



#### **SPECIFICATIONS**

Model	Gemini Jr.	Gemini Sr.
Capacity as hand truck	225kg	225kg
Capacity as platform truck	450kg	450kg
Overall width	530mm	530mm
Frame width	305mm	305mm
Deck width	305mm	305mm
Overall length - 4 wheel	1205mm	1415mm
Height as hand truck	1295mm	1550mm
Handle height as platform truck	1015mm	1140mm
Platform bed length	965mm	1295mm
Platform height from floor	265mm	265mm
Standard wheel (pneumatic)	250mm	250mm
Castors (standard swivel)	125 x 30mm	125 x 30mm
Nose	455 x 190mm	455 x 190mm
Shipping weight	19kg	20kg
Price	£450.00	£470.00

#### **FEATURES**

- 2-in-1 truck converts from 2 to 4 wheels in seconds
- High capacities reduce number of trips per day
- Strong, lightweight construction reduces user fatigue
- Modular design means no welds to break
- · All parts are replaceable for longer product life
- · Optional accessories available

#### **GEMINI OPTIONS**



# Gemini Castor Brakes (Part #51010)

Optional brakes Width: 125mm Depth: 30mm



# C5 - Stair Climber (Part #86006)

Heavy-duty cast stair climber with replaceable low-friction polymer glide bars.

Fits on Senior model only



#### Snap On Decks (Part #301644) - Gemini Jr. (Part #301645) - Gemini Sr.

- Snaps in place quickly and removes easily
- Snap On decks are not compatible with the F1 Foldling nose






•	Standard two-wheel hand truck for general	
use. Built-in 685mm containment arm re		
	cesses into the frame when not in use.	

- Inclined position for door entry and support with loads that do not stack well.
- Taditional four-wheel platform truck with 340kg capacity accommodates larger loads

DIE-CAST NOSES			
umber Width		Depth	
200	350mm	190mm	





Two-Wheel Position		
Overall height	1295mm	
Overall width	530mm	
Capacity	225kg	
Tyres	250mm	
UA nose plate (W x L)	455 x 190mm	
Folding recessed nose (W x L)	230 x 685mm	
Folding recessed nose capacity	135kg	

Four Wheel & Incline Position			
Overall height	1015mm		
Cargo area (W x L)	300 x 1270mm		
Capacity	340kg		
Castors	125 x 30mm		
Weight	19ka		

#### **Wheel Options**

**1060:** 250mm pneumatic tube-type tyre (Part #121060)

1030: 250mm puncture resistant, non-marking balloon cushion rubber (Part #101030)

1010: 250mm puncture resistant, microcellular foam tyre (Part #131010)

\* See page 71 for details

#### FOUR OR SIX-WHEEL FOLDING PLATFORM TRUCK



- Folds flat quickly and easily for convenient storage e.g. in car trunk.
- Designed to manoeuvre easily through store aisles.
- Standard Castor brake helps prevent truck from moving on inclines.
- Non-slip grating keeps load in place during transport.
- Toggle latch to lock main unit and extension for increased load stability.
- Base unit stands upright for more convenient loading and unloading.

#### **SPECIFICATIONS**

	Main Unit	Extension
Capacity	340kg	680kg
Length	785mm	784mm
Deck width	590mm	590mm
Overall width	715mm	685mm
Handle height	990mm	N/A
Weight	15kg	7.5kg

Wheels	Balloon cushion wheels
Wheel diameter	200mm



- Heavy-duty lightweight aluminium
- · Smooth surface platform deck
- Reinforced box-frame construction for strength and durability
- Designed for tough load handling
- Durable extruded corner sockets integrated with frame
- One handle standard (second handle optional)
- Optional Castor parking brake

CAPACITY (kg)	PLATFORM SIZE L x W (mm)	WEIGHT (kg)	PART No.	PRICE
725, 1270 or 1360 kg	915 x 610	45	PTK2436S1-Q	POA
725, 1270 or 1360 kg	1525 x 760	61	PTK3060S1-Q	POA
725, 1270 or 1360 kg	1825 x 915	78	PTK3672S1-Q	POA

#### **Platform Truck Castors**



Part #86135 - (Ø125mm / 725kg) Part #86151 - (Ø200mm / 1270kg)

#### Black thermoplastic rubber:

Easy to push and roll with flat hard tread. Limited noise absorption. Performs well on all surfaces.



Part #86137 - (Ø125mm / 725kg) Part #86139 - (Ø200mm / 1270kg)

#### Gray thermoplastic rubber:

Round tread, non-marking, good shock and noise absorption. Easy starting and rolling.



Part #86138 - (Ø125mm / 1360kg) Part #86152 - (Ø200mm / 1360kg)

#### Maroon polyurethane:

Resistent to water, chemicals and solvents. Hard tread for easy rolling. Performs well on all surfaces.



Part #86067 - (Ø125mm) Part #86069 - (Ø200mm)

#### Optional brake:

Foot operated, fricton-type brake engages tyre surface. Attaches to swivel castor.

\* Wheels determine capacity of the platform trucks

#### **CASTOR DOLLIES**



- Riveted aluminium construction
- Full 360-degree manoeuvrability for tight, sharp turns
- 75mm Polyolefin wheels on swivel castors
- High strength,welded extruded aluminium construction
- light, tough, highly manoeuvrable with swivel castors
- 125mm Phenolic type wheels, roller bearing mounted

CAPACITY (kg)	SIZE L x W (mm)	O/A HEIGHT (mm)	WEIGHT (kg)	PART No.	PRICE
405	610 x 455	130	5.5	CDH1824	£174.30
405	760 x 530	130	6	CDH2130	£194.50
900	1066 x 610	250	17.5	CDC2442	£430.00

#### PLASTIC KERB RAMP



- Light, portable, strong and durable
- Aggressive non-skid surface for secure footing
- Open surface to allow debris to pass through

#### SPECIFICATIONS

PART No.	PKR220
Capacity	270kg
Overall Length	685mm
Overall Width	685mm
Kerb Height	200mm
Weight	4kg



#### **MAGLINER HAND TRUCK FRAMES**



£46.00

## Frame 1 (Part #300001)

Straight back frame with cross braces to provide support for the hand truck.



£66.00

# Frame 2 (Part #300002)

Straight lattice back frame with cross braces and vertical strap.



£58.00

# Frame 4 (Part #300010)

Straight back frame with moulded cross braces. Similar to frame #1 but with high strength and impact-resistant polymer braces.



£58.00

# Frame 5 (Part #300021)

Curved back frame with moulded cross braces. Ideal for use with barrels, kegs and cylinders.

#### **MAGLINER HAND TRUCK HANDLES**

#### HORIZONTAL LOOP HANDLES



(Part #301000)
"U" loop handle.



Loop handle with universal brace.



"U" loop handle with vinyl sleeve.



"U" loop handle with vinyl sleeve and universal brace.



Loop handle with straight top surface.

#### **VERTICAL LOOP HANDLES**



£44.80

Handle 15A (Part #300981) Standard Vertical loop handle.

£61.00

Ha
(Pai

Handle 15C

(Part #300978)
Tall
Vertical loop handle.



£60.60

Handle 60 (Part #300994) Curved Vertical loop handle.

(The P-shaped Vertical Loop handles are not compatible with the Keg Hook accessory or Frame Extensions.)

#### **DOUBLE GRIP HANDLES**



£24.00

Handle 16 (Part #86031)

Bolted double pistol grip handle with universal brace.



£44.40

Handle 30 (Part #301137)

Welded double grip handle.

#### **MAGLINER HAND TRUCK NOSES**

#### **DIE CAST NOSES**



355 x 190mm die-cast nose with recessed heel

## £75.20 HA (Part #300196)

355 x 300mm die-cast nose with recessed



455 x 190mm die-cast nose with recessed

#### EXTRUDED ALUMINIUM NOSES - All extruded aluminium noses require a 'Nose Mount Kit' (Part #86029) for assembly. PRICE: £9.80



355 x 230mm extruded aluminium flush mount nose



455 x 230mm extruded aluminium flush mount nose



455 x 230mm extruded aluminium flush mount nose



405 x 300mm extruded aluminium flush mount nose



505 x 300mm extruded aluminium flush mount nose



260 - 300 x 300mm extruded aluminium tapered nose

#### **MAGLINER HAND TRUCK WHEELS**



815 (Part #10815) £65.60 Per Pair



£52.00 Per Pair

825

(Part #11825)

830 (Part #10830) £56.40 Per Pair Non-marking

8" Puncture resistant, solid rubber wheel 8" Puncture resistant, balloon cushion rubber 8" Mould-on rubber wheel



1010 (Part #131010) £92.00 Per Pair Non-marking

10" Puncture resistant foam wheel

1060 (Part #121060) £72.00 Per Pair

10" Pneumatic tube-type wheel



10" Puncture resistant, balloon cushion rubber



1070 (Part #111070) £78.00 Per Pair Non-marking 10" x 2" Puncture resistant foam wheel

1075 (Part #111075) £102.00 Per Pair Non-marking

10" x 2.75" Puncture resistant foam wheel



#### FOLDING NOSES (Only compatible with Die Cast noses: AM, UM and HM)



600 x 300mm low-profile formed plate extension.

(Not compatible with Snap On decks)



500 x 300mm extruded aluminium channel extension



750 x 300mm extruded aluminium channel extension



C5 - Stair Climber (Part #86006)

Heavy-duty cast stair climber with replaceable low-friction polymer glide bars.



Wheel Guards (Part #302520)

Wheel guards prevent loads from rubbing against hand truck wheels.



Hi-U Frame Extensions Height - (52"/55"/60"/62"/68")

Hi-U frame extensions add height and stability for taller loads.



Padded Hi-U Frame Cover (Part #302497)

Padded cover for Hi-U frame extensions.



Keg Hook Kit (Part #32513K)

Sliding keg hook swings out of the way when not in use. 125mm hook for barrel-style kegs. Not compatible with P-shaped vertical loop handles.



Folding Nose Kit (Part #302544)

Folding nose kit with lock rod allows aluminium extruded noses to fold flush with frame when not in use.



Not compatible with P-shaped vertical loop handles and Handle 30.

Double Grip Handle Paddle Brake (Part #304161)

For handle 16



Loop Handle Paddle Brake (Part #304160)

For handles 11, 12, 19 or 22

#### **ACCESSORY BAGS**



- Overall: 330 x 200mm (L x W)
- Main pocket 305mm long x 200mm wide x 50mm deep with 1 Velcro strap.
- Outside pocket 130mm long x 135mm wide.



Bag 16 (Part #302681)

£59.00

- Overall: 420 x 305mm (L x W)
- 2 top pockets, sealed with Velcro 250mm long x 150mm wide.
- 1 tool pocket 305mm wide x 85mm deep.



Bag 18 (Part #302682)


£63.80

- Overall: 315 x 305mm (L x W)
- 1 pocket 280mm deep x 230mm wide.
- Holds a 250mm high x 500mm diameter can.



- Overall: 735 x 305mm (L x W)
- 2 top pockets, sealed with Velcro 265mm long x 150mm wide.
- 1 tool pocket 305mm wide x 85mm deep.
- 1 pocket 290mm wide x 305mm deep.







#### **Nylon Steer Wheels**

Picture	0			
Wheel Material	Nylon	Nylon	Nylon	Nylon
Wheel Diameter	150mm	160mm	175mm	200mm
Tread Width	40mm	50mm	50mm	50mm
Bore	17mm	20mm	20mm	20mm
Hub Length	40mm	50mm	50mm	50mm
Mounting Width	40mm	44mm	43mm	43mm
Bearings	6203	6204	6204	6204
Carrying Capacity	550kg	600kg	630kg	730kg
Suits Models	KI 500	MA10	MA15, MA25/75, MA30/75	DF25, MA20, MA25, MA30, MA35
Part Number	ST-NY01	ST-NY02	ST-NY03	ST-NY04
Price	£24.00	£24.00	£20.00	£22.00

#### **Nylon Steer Wheels**



#### **Polyurethane Steer Wheels**

Picture				
Wheel Material	Yellow Polyurethane on Cast Iron	Light Brown Polyurethane on Alloy	Polyurethane on Iron	Polyurethane on Iron
Wheel Diameter	200mm	200mm	200mm	200mm
Tread Width	50mm	50mm	50mm	50mm
Bore	20mm	20mm	30mm	20mm
Hub Length	50mm	60mm	50mm	60mm
Mounting Width	47mm	54mm	50mm	43mm
Bearings	6204	6204	6006	6304
Carrying Capacity	1000kg	750kg	1500kg	1500kg
Suits Models	PT20, PT25, PTA22	LLT23, LLT30	MA50	LLT40, LLT50
Part Number	ST-PU04	ST-PU05	ST-PU06	ST-PU07
Price	£28.00	£26.00	£182.00	£176.00

#### **Rubber Steer Wheels**

Picture			
Wheel Material	Black Rubber on alloy	Black Rubber on alloy	White Rubber on alloy
Wheel Diameter	180mm	200mm	200mm
Tread Width	50mm	50mm	50mm
Bore	20mm	20mm	20mm
Hub Length	50mm	50mm	50mm
Mounting Width	44mm	44mm	44mm
Bearings	6204	6204	6204
Carrying Capacity	600kg	650kg	650kg
Suits Models	MA25/75, MAWS	DF25, MA20, MA25	DF25, MA20, MA25
Part Number	ST-RU01	ST-RU02	ST-RU03
Price	£24.00	£26.00	£28.00

#### **Metal Steer Wheels**



#### **Antistatic Single Roller**



#### **Antistatic Steer & Load Wheels**

Picture			0	
Wheel Material	Antistatic Nylon	Antistatic Rubber on alloy	Antistatic Polyurethane on Alloy	Grey Antistatic Polyurethane
Туре	Steer Wheel	Steer Wheel	Steer Wheel	Tandem Load Wheel
Wheel Diameter	200mm	200mm	200mm	82mm
Tread Width	50mm	50mm	50mm	70mm
Bore	20mm	20mm	20mm	20mm
Hub Length	60mm	60mm	50mm	70mm
Mounting Width	54mm	54mm	44mm	70mm
Bearings	6204	6204	6204	6204
Carrying Capacity	730kg	650kg	700kg	550kg
Suits Models	LLT23, LLT30	LLT23, LLT30	DF25, MA20, MA25, MA30, MA35	DF25, MA20, MA25, MA30, MA35, LLT23, LLT30
Part Number	ST-AS01	ST-AS02	ST-AS03	LD-AS04
Price	£60.00	£100.00	£120.00	£44.00

#### **Nylon Load Wheels**

Picture	0			
Wheel Material	Nylon	Nylon	Nylon	Nylon
Туре	Tandem	Single	Tandem	Single
Wheel Diameter	50mm	58mm	74mm	74mm
Tread Width	70mm	54mm	70mm	93mm
Bore	17mm	17mm	20mm	20mm
Hub Length	70mm	54mm	70mm	93mm
Mounting Width	70mm	54mm	70mm	93mm
Bearings	6003	6203	6204	6204
Carrying Capacity	350kg	300kg	600kg	850kg
Suits Models	MA15	LLT500	MA25/75, MA30/75	MA25/75, MA30/75
Part Number	LD-NY01	LD-NY02	LD-NY03	LD-NY04
Price	£16.00	£15.00	£14.00	£16.00

Picture	0	0	0	
Wheel Material	Nylon	Nylon	Nylon	Nylon
Туре	Tandem	Tandem	Single	Single
Wheel Diameter	82mm	82mm	82mm	82mm
Tread Width	60mm	70mm	90mm	93mm
Bore	20mm	20mm	20mm	20mm
Hub Length	60mm	70mm	90mm	93mm
Mounting Width	60mm	70mm	90mm	93mm
Bearings	6204	6204	6204	6204
Carrying Capacity	650kg	700kg	900kg	900kg
Suits Models	PTA, PT	DF25, MA20, MA25, MA30, MA35 LLT23, LLT30	Various	DF25, MA25/85, MA30
Part Number	LD-NY05	LD-NY06	LD-NY07	LD-NY08
Price	£14.00	£14.00	£14.00	£16.00

Picture	0	0	0
Wheel Material	Nylon	Nylon	Nylon
Туре	Single	Single	Single
Wheel Diameter	82mm	82mm	82mm
Tread Width	95mm	98mm	100mm
Bore	20mm	20mm	20mm
Hub Length	95mm	98mm	100mm
Mounting Width	95mm	98mm	100mm
Bearings	6204	6204	6204
Carrying Capacity	900kg	1000kg	1000kg
Suits Models	Various	BT, LLT23	LLT23
Part Number	LD-NY09	LD-NY10	LD-NY11
Price	£16.00	£16.00	£16.00

#### **Polyurethane Load Wheels**

Picture	0		O	
Wheel Material	Light Brown Polyurethane on Steel	Light Brown Polyurethane on Steel	Red Polyurethane on Steel	Red Polyurethane on Steel
Туре	Tandem	Single	Tandem	Single
Wheel Diameter	50mm	58mm	74mm	74mm
Tread Width	70mm	50mm	70mm	93mm
Bore	17mm	17mm	20mm	20mm
Hub Length	70mm	50mm	70mm	93mm
Mounting Width	68mm	50mm	70mm	93mm
Bearings	6003	6203	6204	6204
Carrying Capacity	400kg	300kg	500kg	800kg
Suits Models	MA15 LLT23/51	LLT500	MA25/75, MA30/75, MAWS	MA25/75, MA30/75, MAWS
Part Number	LD-PU01	LD-PU02	LD-PU03	LD-PU04
Price	£24.00	£24.00	£22.00	£24.00

Picture				
Wheel Material	Yellow Polyurethane on Steel	Black Polyurethane on Steel	Red Polyurethane on Steel	Red Polyurethane on Steel
Туре	Single	Tandem	Tandem	Single
Wheel Diameter	76mm	80mm	80mm	80mm
Tread Width	85mm	58mm	70mm	93mm
Bore	20mm	20mm	20mm	20mm
Hub Length	85mm	58mm	70mm	93mm
Mounting Width	85mm	58mm	70mm	93mm
Bearings	6204	6204	6204	6204
Carrying Capacity	850kg	600kg	550kg	850kg
Suits Models	PT20, PT25, PTA22	PT20, PT25, PTA22	DF25, MA20, MA25, MA30, MA35 LLT23, LLT30	DF25, MA20, MA25, MA30, MA35 LLT23, LLT30
Part Number	LD-PU05	LD-PU06	LD-PU07	LD-PU08
Price	£26.00	£24.00	£22.00	£26.00

Picture				
Wheel Material	Light Brown Polyurethane on Steel			
Туре	Tandem	Tandem	Single	Single
Wheel Diameter	82mm	82mm	82mm	82mm
Tread Width	60mm	70mm	90mm	95mm
Bore	20mm	20mm	20mm	20mm
Hub Length	60mm	70mm	90mm	95mm
Mounting Width	60mm	70mm	90mm	95mm
Bearings	6204	6204	6204	6204
Carrying Capacity	400kg	500kg	550kg	600kg
Suits Models	Various	LLT23, LLT30	Various	Various
Part Number	LD-PU09	LD-PU10	LD-PU11	LD-PU12
Price	£24.00	£24.00	£26.00	£28.00

#### **Polyurethane Load Wheels**

Picture				
Wheel Material	Light Brown Polyurethane on Steel	Light Brown Polyurethane on Steel	Brown Polyurethane on Steel	Light Brown Polyurethane on Steel
Туре	Single	Single	Tandem	Tandem
Wheel Diameter	82mm	82mm	85mm	85mm
Tread Width	98mm	100mm	70mm	80mm
Bore	20mm	20mm	20mm	20mm
Hub Length	98mm	100mm	70mm	80mm
Mounting Width	98mm	100mm	70mm	80mm
Bearings	6204	6204	4204	6204
Carrying Capacity	900kg	900kg	1000kg	1000kg
Suits Models	BT, LLT23, LLT30	LLT23, LLT30	MA50	Various
Part Number	LD-PU13	LD-PU14	LD-PU15	LD-PU16
Price	£26.00	£28.00	£62.00	£36.00

#### **Rubber Load Wheels**

Picture			9	0
Wheel Material	White Rubber on Steel	Black Rubber on Steel	Black Rubber on Steel	White Rubber on Steel
Туре	Tandem	Tandem	Single	Single
Wheel Diameter	82mm	82mm	82mm	82mm
Tread Width	70mm	70mm	90mm	100mm
Bore	20mm	20mm	20mm	20mm
Hub Length	70mm	70mm	90mm	100mm
Mounting Width	70mm	70mm	90mm	100mm
Bearings	6204	6204	6204	6204
Carrying Capacity	400kg	400kg	450kg	450kg
Suits Models	DF25, MA20, MA25, LLT23	DF25, MA20, MA25, LLT23	DF25, MA20, MA25, LLT23	LLT23
Part Number	LD-RU01W	LD-RU01B	LD-RU02	LD-RU03
Price	£26.00	£26.00	£28.00	£32.00

#### **Rubber Load Wheel**

#### **Metal Load Wheels**

Picture	9			
Wheel Material	Black Rubber on Steel	Steel	Steel	Steel
Туре	Single	Tandem	Tandem	Single
Wheel Diameter	85mm	34mm	80mm	80mm
Tread Width	100mm	58mm	70mm	93mm
Bore	20mm	12mm	20mm	20mm
Hub Length	90mm	58mm	70mm	92mm
Mounting Width	90mm	Axle 80mm	70mm	92mm
Bearings	6204	Ball bearing	6204	6204
Carrying Capacity	500kg	400kg	1000kg	1200kg
Suits Models	LLT23, F8RL	MA10/35	DF25, MA20, MA25, MA30, MA35 LLT23, LLT30	DF25, MA20, MA25, MA30, MA35 LLT23, LLT30
Part Number	LD-RU04	LD-SL01	LD-SL02	LD-SL03
Price	£30.00	£36.00	£38.00	£44.00

#### **SACK TRUCK WHEELS**

#### **Sack Truck Wheels**

Ouch Huch V	1110010			
Picture				
Wheel Material	Solid Rubber on Nylon	Pneumatic on Steel	Solid Rubber on Steel	Pneumatic on Steel
Туре	WI	CO	СО	CO
Wheel Diameter	200mm	200mm	260mm	260mm
Tread Width	50mm	50mm	60mm	65mm
Bore	20mm	20mm	20mm	20mm
Hub Length	54mm	56mm	75mm	75mm
Mounting Width	54mm	56mm	75mm	75mm
Bearings	Roller	Roller	Roller	Roller
Carrying Capacity	200kg	70kg	150kg	150kg
Suits Models	403/KI, 404/KI	428/CS	most CO/KI	most CO/KI
Part Number	SK-RU01	SK-PN01	SK-RU02	SK-PN02
Price	£15.00	£28.00	£22.00	£24.00

Picture				
Wheel Material	Pneumatic on Nylon	Pneumatic on Steel	Puncture Proof on Steel	Puncture Proof on Steel, square
Туре	CO	KI	CO	KI
Wheel Diameter	260mm	260mm	260mm	260mm
Tread Width	65mm	65mm	65mm	70mm
Bore	20mm	20mm	20mm	20mm
Hub Length	75mm	75mm	75mm	70mm
Mounting Width	75mm	75mm	75mm	70mm
Bearings	Roller	Ball	Roller	Ball
Carrying Capacity	130kg	130kg	130kg	130kg
Suits Models	most CO/KI	most CO/KI	most CO/KI	most CO/KI
Part Number	SK-PN03	SK-PN04	SK-PP01	SK-PP02
Price	£22.00	£20.00	£28.00	£22.00

Picture				
Wheel Material	Puncture proof on Steel, ex-centric, square	Pneumatic on Steel, ex-centric	Puncture proof on Steel, ex-centric, square	Pneumatic on Steel
Туре	KI	KI	KI	CO
Wheel Diameter	260mm	260mm	260mm	300mm
Tread Width	70mm	60mm	70mm	80mm
Bore	20mm	16mm	16mm	20mm
Hub Length	75mm	50mm	48mm	75mm
Mounting Width	75mm	50mm	48mm	75mm
Bearings	Ball	Ball	Ball	Roller
Carrying Capacity	130kg	130kg	130kg	245kg
Suits Models	most CO/KI	435/KI, 436/KI	435/KI, 436/KI	416/CO
Part Number	SK-PP04	SK-PN06	SK-PP05	SK-PN07
Price	£22.00	£22.00	£22.00	£34.00

More sack truck wheels on the next page

#### **SACK TRUCK WHEELS**

#### **Sack Truck Wheels**



#### WHEEL ACCESSORY PARTS

#### **Individual Bearings**

marriada Dodinigo				
BEARINGS	PRICE			
6204, 20 x 47mm	£2.60			
6205, 25 x 52mm	£3.00			
6302, 15 x 42mm	£3.00			
6303, 17 x 47mm	£3.00			
6304, 20 x 52mm	£3.00			
6005, 25 x 47mm	£3.00			
6204 stainless steel	£8.60			
6205 stainless steel	£10.00			
6304 stainless steel	£10.00			
R10ZZ, 16 x 35mm (sack truck bearing)	£4.60			



#### **Axle Caps**

INTERNAL DIAMETER	PRICE
20mm	£1.50
25mm	£1.80



#### **Washers**

INTERNAL DIAMETER x THICKN	IESS PRICE
21 x 2mm	95p
26 x 4mm	£1.00



#### **Split Pin**

DIAMETER x LENGTH	PRICE
3 x 25mm	95p



#### Circlips

INTERNAL DIAMETER	PRICE
20mm	£1.45
25mm	£1.55



# **Product Index**

F		Р		Kerb Ramp	55
Furniture & Machinery Movers		Pallet Tilters		Load Retention Straps	55
•		Electric Pallet Tilter	33	P-Shaped Handle Sack Trucks	51
Furniture & Equipment Mover Set	44 44	Manual Pallet Tilter	33	Rough Terrain Sack Trucks	50
Hydraulic Furniture Mover Set		Straddle Pallet Tilter	33	Ruxxac Hand Trucks	56-57
Mechanical Furniture Mover Jack	44	Dollet Trucks		Sack Trucks with Skids	50-53
Roller Crowbar	44	Pallet Trucks	40	Stair Climber Sack Trucks	54
Н		4-Way Hand Pallet Trucks	10	Three-Way Sack Trucks	53
		Adjustable Pallet Truck	5	Universal Sack Trucks	50
High Lift Pallet Trucks	00	Atex Pallet Trucks	11	Scissor Lift Tables	
Electric High Lift Pallet Trucks	32	Electric Pallet Trucks	14-16	Aluminium Scissor Lift Tables	36
Manual High Lift Pallet Trucks	32	Extra Long Pallet Trucks	2, 5, 6	Double Scissor Lift Tables	34-35
Stainless Steel High Lift Pallet Tru	ck 32	Galvanised Pallet Trucks	8	Electric Scissor Lift Tables	35, 37
1		Heavy Duty Pallet Trucks	2, 5, 7, 17	Low Profile Scissor Lifts	37
		Higher Lift Pallet Trucks	10	Manual Scissor Lift Tables	34, 36
Jacks		Low Profile Pallet Trucks	4, 7	Scissor Lift Table Attachments	35
50t Jack	39	Mini Pallet Truck	4	Single Scissor Lift Tables	34, 36
Forklift Jack	39	Narrow Printer's Pallet Trucks	3	Stainless Steel Scissor Lift Tables	36
Hydraulic Toe Jack	38	Pallet Truck Chocks	3	Skates	
Machinery Toe Jack	38	Pallet Truck Options	2, 3, 6	Adjustable Skate Pairs	41
Rotational Hydraulic Toe Jack	39	Powered Pallet Trucks	16, 17	Caterpillar Skate Kit	43
Stainless Steel Jack	39	Premium Hand Pallet Trucks	6, 7	Corner Skate Set	43
M		Reel Carrying Pallet Trucks	11	Individual Skates	40-41
		Rough terrain Pallet Stackers	15	Skate Sets	40-41
Magliner Hand Trucks		Rough Terrain Pallet Trucks	12-14	Skate Sets Skates with Swivel Castors	42 40-41
Accessories	72	Stainless Steel Pallet Trucks	8	Steerable Skates	
Accessory Bags	72	Standard Pallet Trucks	2	Steerable Skates	42
Bottled Water Tray Trucks	64	Very Heavy Duty Pallet Trucks	5, 7, 17	Skid Lifters	33
Castor Dollies	69	Weighing Pallet Trucks	9	Stackers & Lifters	
Complete Hand Trucks	61-63	Platform Trolleys		Accessories & Options	25
Folding Nose Kit	72	Aluminium Platform Trolleys	46-47	Adjustable Forks	20-23
Folding Noses	72	Cash & Carry Trolleys	49	Counterbalanced Stackers	29
Hand Truck Frames	70	Folding Handles	46-47	Electric Lift Pallet Stackers	24-25
Hand Truck Handles	70	Folding Platform Trolleys	47	Electric Mini Stackers	19
Hand Truck Noses	71	Garden Truck with Fold Down S	Sides 48	Electric Stackers 2	0, 24-25
Hand Truck Wheels	71	Fold-It Collapsible Aluminium C	art 58	Heavy Duty Pallet Stackers 23, 2	5, 28-29
Hi-U Frame Extensions	72	Heavy Duty Platform Trolleys	48	Manual Pallet Stackers	20-23
Keg Hook	72	Large Platform Trolleys	46	Powered Pallet Stackers	26-29
Kerb Ramp	69	Three Tier Trolley	47	Special Stackers 2	5, 30-31
Narrow Aisle Hand Trucks	64	Two Tier Trolley	47	Straddle Pallet Stackers	21-28
Paddle Brakes	72			Winch Lifters	18, 19
Platform Castors	69	S			,
Platform Trucks	69	Sack Trucks		W	
Self-Stabilising Hand Trucks	66	Aluminium Folding Sack Trucks	54	Wheels	
Six Wheel Platform Truck	68	Beer Keg Truck	52, 54	Pallet Truck Steer Wheels	74-75
Space Saving Folding Trucks	65	Curved Back Sack Trucks	51, 52, 54	Pallet Truck Load Wheels	75-78
Stair Climber	72	Folding Footplate Sack Trucks	53, 54	Sack Truck Wheels	79-80
Three Position Hand Truck	68	Heavy Duty Sack Trucks	50, 51, 53	Wheel Accessory Parts	80
Two Position Hand Truck	67	High Back Sack Trucks	52	·	
Wheel Guards	72	-		Workshop Cranes	45

