

# MATERIAL HANDLING EQUIPMENT

## Catalogue

EDITION 08



PALLET TRUCKS, STACKERS, PLATFORM TROLLEYS, LIFTERS,  
SACK TRUCKS, ACCESS PLATFORMS, SKID LIFTERS, ELECTRIC  
HIGH LIFT PALLET TRUCKS, SCISSOR LIFT TABLES, HYDRAULIC  
MAGLINER HAND TRUCKS, PALLET TILTERS, SKATES, MANUAL  
WORKSHOP CRANES, POWERED STACKERS, MINI LIFTERS,  
WHEELS, ROUGH TERRAIN TRUCKS, ELECTRIC STACKERS,  
POWERED PALLET TRUCKS, FURNITURE MOVERS, JACKS, S

Over 100 material handling products inside

## Standard Hand Pallet Truck

- Designed for everyday heavy duty use
- Nylon steer wheels and load rollers as standard
- Polyurethane, rubber and steel wheels also available

| MODEL         | CAPACITY (kg) | WIDTH OVER FORKS (mm) | FORK LENGTH (mm) | LOWERED HEIGHT | RAISED HEIGHT | PRICE   |
|---------------|---------------|-----------------------|------------------|----------------|---------------|---------|
| MA25-540x1150 | 2500          | 540                   | 1150             | 85 mm          | 200 mm        | £359.00 |

Comfortable ergonomic handle with rubberised plastic grip.

2500kg Capacity



## LiftMate Standard Weighing Pallet Trucks

2200kg or 3000kg capacity • Designed and built in Europe • Very robust and accurate 0.1% accuracy • 500g increments • Rubber steer wheels & tandem polyurethane rollers

| CAPACITY (kg)            | MODEL            | WIDTH OVER FORKS (mm) | FORK LENGTH (mm) | LOWERED HEIGHT | RAISED HEIGHT | PRICE     |
|--------------------------|------------------|-----------------------|------------------|----------------|---------------|-----------|
| 2200                     | LMWS/560x1150    | 560                   | 1150             | 85 mm          | 205 mm        | £1,395.00 |
| 2200                     | LMWS/560x1000    | 560                   | 1000             | 85 mm          | 205 mm        | £1,495.00 |
| 2200                     | LMWS/560x1150-75 | 560                   | 1150             | 75 mm          | 190 mm        | £1,695.00 |
| 2200                     | LMWS/690x1000-75 | 690                   | 1000             | 75 mm          | 190 mm        | £1,995.00 |
| 2200                     | LMWS/690x1150-75 | 690                   | 1150             | 75 mm          | 190 mm        | £1,695.00 |
| 3000                     | LMWS/30/560x1150 | 560                   | 1150             | 85 mm          | 205 mm        | £2,895.00 |
| Optional Thermal Printer |                  |                       |                  |                |               | £495.00   |



Optional Thermal Printer

from  
£1,395.00  
only



LMWS/560x1150



LMWS/695x1150

# Contents

Pallet Trucks 2 - 17

Stackers & Lifters 18 - 31

High Lift Pallet Trucks 36

Skid Lifters 37

Pallet Tilters 37

Scissor Lift Tables 38 - 41

Jacks & Skates 42 - 47

Furniture Movers 48

Cranes 49

Drum Druck 50




Platform Trolleys 51 - 53

Sack Trucks 54 - 61

Manual Handling Aids 63

Magliner Hand Trucks 64 - 76

Wheels 77 - 84





## Heavy Duty Pallet Trucks

- Designed for everyday heavy duty use
- 2500 kg capacity
- Lift height: 85 - 200 mm
- Nylon steer wheels and load wheels as standard
- Polyurethane, rubber and steel wheels available
- Wet spec and cold store spec available

| FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF     | PRICE   |
|------------------|-----------------------|---------------|---------|
| 800              | 540                   | MA25-540x800  | £359.00 |
| 1000             | 540                   | MA25-540x1000 | £359.00 |
| 1150             | 540                   | MA25-540x1150 | £359.00 |
| 1220             | 540                   | MA25-540x1220 | £359.00 |
| 1000             | 680                   | MA25-680x1000 | £389.00 |
| 1150             | 680                   | MA25-680x1150 | £389.00 |
| 1220             | 680                   | MA25-680x1220 | £389.00 |



## Extra Long Pallet Trucks

- 2000 - 3500 kg Capacity Range
- Lift height: 85 - 200 mm
- Designed with extra-long forks to handle extra-long pallets
- Nylon steer and load wheels as standard for MA20 models
- Polyurethane steer and load wheels standard for PT25/35 & FK23
- Polyurethane, rubber and steel wheels also available for MA20

| CAPACITY (kg) | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF     | PRICE     |
|---------------|------------------|-----------------------|---------------|-----------|
| 2000          | 1500             | 540                   | MA20-540x1500 | £595.00   |
| 2000          | 1800             | 540                   | MA20-540x1800 | £695.00   |
| 2000          | 2000             | 540                   | MA20-540x2000 | £795.00   |
| 2000          | 1500             | 680                   | MA20-680x1500 | £695.00   |
| 2000          | 1800             | 680                   | MA20-680x1800 | £795.00   |
| 2000          | 2000             | 680                   | MA20-680x2000 | £895.00   |
| 2500          | 2000             | 520                   | PT25-520x2000 | £1,195.00 |
| 2500          | 2000             | 680                   | PT25-680x2000 | £1,295.00 |
| 3500          | 2000             | 520                   | PT35-520x2000 | £1,395.00 |
| 3500          | 2000             | 680                   | PT35-680x2000 | £1,495.00 |
| 3500          | 2500             | 540                   | MA35-540x2500 | £1,595.00 |
| 3500          | 2500             | 680                   | MA35-680x2500 | £1,695.00 |
| 2300          | 3000             | 520                   | FK23-520x3000 | £3,170.00 |
| 2300          | 3000             | 680                   | FK23-680x3000 | £3,630.00 |

## Pallet Truck Options

| DESCRIPTION                                 | ORDER REF | PRICE   |
|---------------------------------------------|-----------|---------|
| MA Polyurethane Steer Wheels                | PU        | £26.00  |
| MA Rubber Steer Wheels                      | RU        | £22.00  |
| MA Steel Steer Wheels                       | ST        | £190.00 |
| MA Nylon Tandem Load Rollers                | TN        | £28.00  |
| MA Polyurethane Single Load Rollers         | SPU       | £20.00  |
| MA Polyurethane Tandem Load Rollers         | TPU       | £38.00  |
| MA Rubber Single Load Rollers               | SRU       | £22.00  |
| MA Rubber Tandem Load Rollers               | TRU       | £38.00  |
| MA Steel Single Load Rollers                | SST       | £60.00  |
| MA Steel Tandem Load Rollers                | TST       | £110.00 |
| MA Parking Foot Brake                       | PFB       | £78.00  |
| MA Travel and Parking Hand Brake            | THB       | £190.00 |
| FK23 Parking Foot Brake                     | FKPFB     | £295.00 |
| FK23 Travel and Parking Hand Brake          | FKTHB     | £700.00 |
| FK23 Dead-man Brake                         | FKDMB     | £980.00 |
| Quick Lift Pump                             | QL        | £90.00  |
| Antistatic Polyurethane Steer Wheels        | ASPU      | £196.00 |
| Antistatic Polyurethane Single Load Rollers | SASPU     | £68.00  |
| Antistatic Polyurethane Tandem Load Rollers | TASPU     | £144.00 |

Nylon Steer wheels and Single Nylon Load rollers are fitted as standard



Hand Brake



Foot Brake



## Short & Narrow (Printer's) Pallet Trucks

- 2500 kg Capacity
- Heavy duty and robust built pallet trucks
- Ideal for use with narrow or half size pallets
- Commonly used in the printing industry
- 3 position lever
- Ergonomic handle fitted with a comfortable plastic cover
- Fingertip operated controlled lowering valve
- All wheels are fitted with sealed ball bearings
- 460mm wide trucks (with 800mm or longer forks) can handle Euro pallets
- Other wheels available on request



| WIDTH OVER FORKS (mm) | FORK LENGTH (mm) | LIFT-HEIGHT (mm) | SINGLE FORK SIZE (mm) | WHEELS (STEER / ROLLERS) | ORDER REF     | PRICE   |
|-----------------------|------------------|------------------|-----------------------|--------------------------|---------------|---------|
| 460                   | 500              | 80 - 200         | 150                   | Polyurethane             | PT25-460x500  | £595.00 |
| 460                   | 600              | 80 - 200         | 150                   | Polyurethane             | PT25-460x600  | £595.00 |
| 460                   | 800              | 80 - 200         | 150                   | Polyurethane             | PT25-460x800  | £595.00 |
| 460                   | 900              | 80 - 200         | 150                   | Polyurethane             | PT25-460x900  | £595.00 |
| 460                   | 1000             | 80 - 200         | 150                   | Polyurethane             | PT25-460x1000 | £595.00 |
| 460                   | 1150             | 80 - 200         | 150                   | Polyurethane             | PT25-460x1150 | £595.00 |
| 460                   | 1200             | 80 - 200         | 150                   | Polyurethane             | PT25-460x1200 | £595.00 |
| 520                   | 500              | 80 - 200         | 150                   | Polyurethane             | PT25-520x500  | £595.00 |
| 520                   | 600              | 80 - 200         | 150                   | Polyurethane             | PT25-520x600  | £595.00 |
| 520                   | 800              | 80 - 200         | 150                   | Polyurethane             | PT25-520x800  | £595.00 |
| 520                   | 900              | 80 - 200         | 150                   | Polyurethane             | PT25-520x900  | £595.00 |
| 450                   | 900              | 75 - 190         | 160                   | Nylon                    | MA25-450x900  | £395.00 |
| 450                   | 1000             | 75 - 190         | 160                   | Nylon                    | MA25-450x1000 | £395.00 |



PT25-460x1150



PT25-520x600

### PALLET TRUCK OPTIONS FOR PT25 MODELS

| DESCRIPTION                      | ORDER REF | PRICE  |
|----------------------------------|-----------|--------|
| Nylon Steer Wheels               | N         | FOC    |
| Nylon Single Load Rollers        | SN        | FOC    |
| Nylon Tandem Load Rollers        | TN        | £36.00 |
| Polyurethane Tandem Load Rollers | TPU       | £36.00 |
| Rubber Steer Wheels              | RU        | £26.00 |

Polyurethane Steer wheels & Single Load rollers are fitted as standard


## Pallet Truck Chocks

- Secures pallet trucks in place in a moving truck or trailer
- Prevents damage to pallet trucks
- Eliminates freight and trailer damage
- Eliminates the need to turn pallet trucks sideways during transit
- Easy storage
- Carriage is chargeable if shipped individually (without a pallet truck)

| LENGTH (mm) | WIDTH (mm) | ORDER REF | PRICE  |
|-------------|------------|-----------|--------|
| 270         | 320        | CH3       | £19.99 |
| 365         | 295        | CH2       | £35.00 |
| 360         | 650        | CH1       | £70.00 |



CH2 (Basic Chock)



CH1 (Heavy Duty Chock)



CH3 (Compact Chock with Storage Hook)



Mini Hand Pallet Truck

- 500 kg Capacity
- Weight: 35 kg
- Designed for small pallets (not suitable for standard pallets)
- Highly manoeuvrable, turning radius 700 - 800mm
- Polyurethane steer wheels and single nylon load wheels
- Lift height: 60 - 170 mm

| FORK LENGTH (mm)                   | WIDTH OVER FORKS (mm) | SINGLE FORK WIDTH (mm) | ORDER REF | PRICE   |
|------------------------------------|-----------------------|------------------------|-----------|---------|
| 800                                | 380                   | 100                    | LLT500    | £295.00 |
| Optional Polyurethane Load Rollers |                       |                        |           | £60.00  |

Semi Low Profile Pallet Trucks (MA25/75)

- Designed for handling lower pallets or stillages where a standard truck will not fit
- Popular for use with US Pallets (1150 or 1220mm long)
- 2500 kg capacity
- Lift height: 75 - 190 mm
- Nylon steer and single nylon load wheels as standard
- Polyurethane and rubber wheels available on request

| FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF        | PRICE   |
|------------------|-----------------------|------------------|---------|
| 900              | 450                   | MA25/75-450x900  | £395.00 |
| 1000             | 450                   | MA25/75-450x1000 | £395.00 |
| 1000             | 540                   | MA25/75-540x1000 | £375.00 |
| 1150             | 540                   | MA25/75-540x1150 | £375.00 |
| 1220             | 540                   | MA25/75-540x1220 | £375.00 |
| 1000             | 680                   | MA25/75-680x1000 | £395.00 |
| 1150             | 680                   | MA25/75-680x1150 | £395.00 |
| 1220             | 680                   | MA25/75-680x1220 | £395.00 |

Low Profile Pallet Trucks (MA15/51)

- Designed for handling low pallets or stillages where a standard truck will not fit
- 1500 kg capacity
- Lift height: 51 - 170 mm
- Polyurethane steer and tandem load wheels as standard
- Nylon wheels available on request

| FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF        | PRICE   |
|------------------|-----------------------|------------------|---------|
| 1000             | 540                   | MA15/51-540x1000 | £375.00 |
| 1150             | 540                   | MA15/51-540x1150 | £375.00 |
| 1220             | 540                   | MA15/51-540x1220 | £375.00 |
| 1000             | 680                   | MA15/51-680x1000 | £395.00 |
| 1150             | 680                   | MA15/51-680x1150 | £395.00 |
| 1220             | 680                   | MA15/51-680x1220 | £395.00 |

Extra Low Profile Pallet Trucks (MA10/35)

- Designed for handling very low pallets or stillages where a standard or even a low profile truck will not fit
- 1000 kg capacity
- Lift height: 35 - 96 mm
- Polyurethane or nylon steer wheels and steel load wheels

| FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF        | PRICE   |
|------------------|-----------------------|------------------|---------|
| 1120             | 530                   | MA10/35-530x1120 | £585.00 |
| 1120             | 680                   | MA10/35-680x1120 | £595.00 |
| 1120             | 838                   | MA10/35-838x1120 | £625.00 |



MA25/75-680x1150



MA15/51-540x1150



MA10/35-838x1120

MA10/35-530x1120



## Adjustable Pallet Trucks (PTA22)

- Highly versatile
- Can be adjusted to suit different pallet sizes
- 2200 kg capacity
- Lift height: 76 - 196 mm
- Durable easy rolling polyurethane wheels
- High quality hydraulic pump with controlled lowering
- Ergonomic comfortable steer handle

| FORK LENGTH (mm)            | WIDTH OVER FORKS (mm) | ORDER REF | PRICE   |
|-----------------------------|-----------------------|-----------|---------|
| 900                         | 400-520               | PTA22MS   | £525.00 |
| 1050                        | 400-520               | PTA22M    | £535.00 |
| 1150                        | 400-520               | PTA22ML   | £545.00 |
| 900                         | 530-680               | PTA22LS   | £535.00 |
| 1050                        | 530-680               | PTA22LM   | £545.00 |
| 1150                        | 530-680               | PTA22L    | £555.00 |
| Tandem Load Roller Assembly |                       |           | £36.00  |



PTA22L with forks at 680mm

PTA22MS with forks at 400mm

## Pal Bac Adjustable Pallet Trucks (LiPB)

- Mechanical pallet trucks with adjustable fork widths
- Choice of 750kg or 1000kg load capacity
- Choice of 825mm or 1025mm fork lengths
- Width over Forks: 540 - 940 mm Adjustable
- Lift height (on top of forks): 85 - 185 mm
- Lift height (on inside fork flaps): 10 - 110 mm
- Inside flaps on forks: Flap width 30mm (for crate and furniture handling)
- Designed with removable handle

| CAPACITY (kg) | FORK LENGTH (mm) | ORDER REF     | PRICE     |
|---------------|------------------|---------------|-----------|
| 750           | 825              | LiPB750-825   | £2,795.00 |
| 750           | 1025             | LiPB750-1025  | £2,995.00 |
| 1000          | 825              | LiPB1000-825  | £3,495.00 |
| 1000          | 1025             | LiPB1000-1025 | £3,695.00 |



1025mm Fork length

## Very Heavy Duty Pallet Trucks

- Designed for very heavy duty use
- 3000 & 3500 kg capacity
- Lift height: 85 - 200 mm (75mm lowered height available)
- Polyurethane steer and tandem load wheels as standard

| CAPACITY (kg) | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF     | PRICE     |
|---------------|------------------|-----------------------|---------------|-----------|
| 3000          | 1150             | 540                   | MA30-540x1150 | £455.00   |
| 3000          | 1220             | 540                   | MA30-540x1220 | £455.00   |
| 3000          | 1150             | 680                   | MA30-680x1150 | £475.00   |
| 3000          | 1220             | 680                   | MA30-680x1220 | £475.00   |
| 3500          | 1150             | 540                   | MA35-540x1150 | £595.00   |
| 3500          | 1220             | 680                   | MA35-680x1220 | £695.00   |
| 3500          | 2000             | 520                   | PT35-520x2000 | £1,395.00 |
| 3500          | 2000             | 680                   | PT35-680x2000 | £1,495.00 |
| 3500          | 2500             | 540                   | MA35-540x2500 | £1,595.00 |
| 3500          | 2500             | 680                   | MA35-680x2500 | £1,695.00 |



MA35-540x2500



MA35-680x1220

MA30-540x1150


Very Heavy Duty Pallet Truck (MA50)

- 5000 kg capacity
- Designed for very heavy duty use
- Lift height: 90 - 200 mm
- Reinforced chassis
- Steel steer wheels and steel tandem load wheels as standard

| FORK LENGTH (mm)             | WIDTH OVER FORKS (mm) | ORDER REF     | PRICE     |
|------------------------------|-----------------------|---------------|-----------|
| 1150                         | 580                   | MA50-580x1150 | £1,295.00 |
| 1150                         | 680                   | MA50-680x1150 | £1,345.00 |
| Optional Polyurethane Wheels |                       |               | £780.00   |
| Optional Foot Brake          |                       |               | £395.00   |



MA50-580x1150



Polyurethane Wheels and Foot Brake

8 & 10 ton Very Heavy Duty Pallet Trucks

- Reinforced Chassis
- Long forks models designed to handle extra-long pallets
- Lift height: 90 - 200 mm
- Steel steer wheels and steel tandem load rollers
- Length of forks 1220 - 2500 mm also available
- Width over forks 550 - 1500 mm also available

| CAPACITY (kg) | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF      | PRICE     |
|---------------|------------------|-----------------------|----------------|-----------|
| 10000         | 1220             | 550                   | MA100-550x1220 | £2,495.00 |
| 10000         | 1220             | 680                   | MA100-680x1220 | £2,695.00 |
| 8000          | 1800             | 550                   | MA80-550x1800  | £3,995.00 |
| 8000          | 2000             | 550                   | MA80-550x2000  | £4,195.00 |
| 8000          | 2000             | 680                   | MA80-680x2000  | £4,495.00 |



MA100-680x1220


MA80-550x1800

Special Hand Pallet Trucks

Prices: POA



8t Long Pallet Truck




5t Wide Galvanised Pallet Truck



3t Wide and Long Pallet Truck



2t Long Reel Handling Truck



4t Large Platform Weighing Truck



2t Very Narrow Pallet Truck

## Heavy Duty Premium Hand Pallet Trucks (FK30)

A premium quality, European designed and manufactured pallet truck. Please call for size preferences.

- 3000 kg capacity
- Made to order to suit your application
- Length of forks: 500 - 3500 mm available
- Width over forks: 160 - 2000 mm available
- Polyurethane wheels as standard
- Other wheel materials available

**Prices start from: £1,400.00**



FK30-840x1300



Braked Truck with Offshore Spec Paint

## Very Heavy Duty Premium Hand Pallet Trucks (FK40)

A premium quality, European designed and manufactured pallet truck. Please call for size preferences.

- 4000 kg capacity
- Lift height: 85 - 205 mm
- Length of forks: 500 - 2500 mm available
- Width over forks: 160 - 2000 mm available
- Polyurethane wheels as standard
- Other wheel materials available

**Prices start from: £4,000.00**



FK40-900x1150



Extra Wide Truck with Raised Forks

## Heavy Duty Low Profile Pallet Trucks (FK23/55)

The FK23/55 is a low profile version of the FK23 hand pallet truck. It comes in all sizes and is made to order.

Please call for size preferences.

- 2300 kg capacity
- Lift height: 55 - 170 mm
- Length of forks: 500 - 3000 mm
- Width over forks: 160 - 2000 mm
- Polyurethane wheels as standard

**Prices start from: £1,700.00**



FK23/55-680x1800



Wide Truck with Support Frame



MA25G-680x1000

Galvanised Pallet Trucks (MA25G)

- Hot dip galvanised or zinc plated pallet trucks
- Ideal for cold stores and outdoor applications
- 2500 kg capacity | Lift height: 85 - 200 mm
- Wheels fitted with stainless steel bearings
- Nylon steer and nylon tandem load wheels as standard
- Other wheels available on request
- Low Profile (55mm) version available

| FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF      | PRICE   |
|------------------|-----------------------|----------------|---------|
| 1000             | 540                   | MA25G-540x1000 | £575.00 |
| 1150             | 540                   | MA25G-540x1150 | £575.00 |
| 1000             | 680                   | MA25G-680x1000 | £595.00 |
| 1150             | 680                   | MA25G-680x1150 | £595.00 |



MA20S-540x1150

Stainless Steel Pallet Trucks (MA20S)

- 100% Stainless
- Designed for environments where hygiene is paramount or where the pallet truck will come into contact with corrosive substances such as salt, water, acid or chemicals
- Lift height: 85 - 200 mm
- Material: **AISI 304**, AISI 316 available on request
- Nylon steer wheels and nylon tandem load wheels as standard
- Other wheels available on request
- Special sizes can be made to order

| CAPACITY (kg) | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF      | PRICE     |
|---------------|------------------|-----------------------|----------------|-----------|
| 2000          | 1000             | 540                   | MA20S-540x1000 | £2,495.00 |
| 2000          | 1150             | 540                   | MA20S-540x1150 | £2,495.00 |
| 2000          | 1000             | 680                   | MA20S-680x1000 | £2,595.00 |
| 2000          | 1150             | 680                   | MA20S-680x1150 | £2,595.00 |



P20S-520x1150

Premium Stainless Steel Pallet Trucks (P20S)

- 2000 kg capacity | Lift height: 85 - 200 mm
- Chassis: **AISI 316** stainless steel | Pump: AISI 304 stainless steel
- Choice of two fork sizes: 520x1150 mm or 680x1150 mm
- Polyurethane on nylon steer wheels and tandem load rollers

Prices start from: £3,495.00

Ergonomic Stainless Steel Pallet Truck (MPT15)

- 1500 kg capacity | Lift height: 90 - 120 mm
- 100% stainless steel **AISI 304L** including all hydraulic equipment
- Easy access to all pallet truck parts allows for complete cleaning
- Fork Length: 1145 mm | Width over Forks: 520 mm
- Polyurethane on nylon steer wheels and tandem load rollers



Prices start from: £3,995.00



Stainless Steel Pallet Truck with Long Forks

- 2000 kg capacity
- Length of forks: up to 3000 mm
- Width over forks: up to 1500 mm
- Material: **AISI 304** or **AISI 316**
- Nylon wheels as standard, other wheel materials available

Prices start from: £3,995.00



## LIFTMATE WEIGHING PALLET TRUCKS

- LiftMate offer a wide range of weighing pallet trucks for every application in trade and industry
- All weighing trucks have a generous capacity of 2200kg (3000kg on special order) and are very accurate
- All models are designed and built in Europe to strict quality standards
- We can offer bespoke weighing pallet trucks to specific requirements
- Most models can be supplied in Sale by Weight version and with a choice of printers

### LiftMate Standard Weighing Pallet Trucks

- 2200kg or 3000kg capacity
- 500g increments
- 0.1% accuracy
- Lift height: 75 - 190mm (LMWS/560x1150: 85 - 205mm)
- Rubber steer wheels and tandem polyurethane load wheels
- Weighing trucks can be supplied with various optional printers

| CAPACITY (kg)                     | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF        | PRICE     |
|-----------------------------------|------------------|-----------------------|------------------|-----------|
| 2200                              | 1150             | 560                   | LMWS/560x1150    | £1,395.00 |
| 2200                              | 1000             | 560                   | LMWS/560x1000    | £1,495.00 |
| 2200                              | 1150             | 560                   | LMWS/560x1150-75 | £1,695.00 |
| 2200                              | 1000             | 690                   | LMWS/690x1000-75 | £1,995.00 |
| 2200                              | 1150             | 690                   | LMWS/690x1150-75 | £1,695.00 |
| 3000                              | 1150             | 560                   | LMWS/30/560x1150 | £2,895.00 |
| Optional standard Thermal Printer |                  |                       |                  | £495.00   |

### LiftMate Premium Weighing Pallet Trucks

- Approved for Sale by Weight, Class III accuracy
- 2200kg capacity
- 200g, 500g or 1000g increments
- 0.02% accuracy
- Lift height: 85 - 205mm (75 - 190mm for 695mm width over forks)
- Rubber steer wheels and tandem polyurethane load wheels

| FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF      | PRICE     |
|------------------|-----------------------|----------------|-----------|
| 1150             | 560                   | LMWSP/560x1150 | £2,895.00 |
| 1150             | 695                   | LMWSP/695x1150 | £2,995.00 |

### LiftMate Stainless Steel Weighing Pallet Trucks

- Ideal for the food & pharmaceutical industries
- 2200kg capacity
- Made from high grade 304 stainless steel
- 500g standard increments
- 0.05% accuracy
- Optional Sale by Weight version and Class III accuracy
- Lift height: 85 - 205mm (75 - 190mm for 695mm width over forks)
- Polyurethane steer wheels and tandem polyurethane load wheels
- Standard Indicator has IP 67 rating

| FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF       | PRICE     |
|------------------|-----------------------|-----------------|-----------|
| 1150             | 560                   | LMWSSS/560x1150 | £5,995.00 |
| 1150             | 695                   | LMWSSS/695x1150 | £6,495.00 |

### LiftMate ATEX Weighing Pallet Trucks

- Based on the robust & accurate Premium model
- Lift height: 85 - 205mm (75 - 190mm for 695mm width over forks)
- Stainless steel cladding on forks & display housing
- Anti-static wheels, approved indicators
- 0.05% accuracy, 500g increments
- Anti-static wheels and tandem polyurethane load wheels

| ATEX ZONE | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF | PRICE     |
|-----------|------------------|-----------------------|-----------|-----------|
| Zone 1    | 1150             | 560                   | LMWSEX/Z1 | £8,495.00 |
| Zone 2    | 1150             | 560                   | LMWSEX/Z2 | £7,495.00 |



LMWS/560x1150



LMWSP/560x1150



LMWSSS/560x1150



LMWSEX/Z1



Higher Lift Pallet Trucks (FK20/280)

The Higher Lift Pallet Truck can be raised up to 280 mm. It is available in various fork sizes. Please call for more information.

- 2000 kg capacity
- Lift height: 85 - 280 mm
- Length of forks: 800 - 2000 mm
- Width over forks: 520 - 1000 mm
- Polyurethane wheels as standard, other wheel materials available

Prices start from: £3,000.00

FK20/280-1540x2000



FK20/280-520x1150



4-Way Hand Pallet Truck (MA15/4W)

- Four way directional movement: forward and backward; side to side
- 1500 kg Capacity
- Lift height: 85 - 205 mm
- Polyurethane, Nylon or Steel wheels
- Special sizes available

| FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF | PRICE   |
|------------------|-----------------------|-----------|---------|
| 1150             | 540                   | MA15F     | £495.00 |



Heavy Duty 4 Way Directional Pallet Trucks (FK23/4W)

Designed for 4 way - forward and backward; side to side - directional movement of pallet truck

- 2300 kg capacity
- Lift height: 85 - 205 mm
- All fork sizes available
- Polyurethane wheels as standard, other wheel materials available

Prices start from: £2,000.00



FK23/4W-680x2000



## ATEX Pallet Trucks (FK23/ATEX)

Ideal for use in paint and alcohol factories or offshore in potentially explosive atmospheres.

- 2000, 2300, 2500, 3000, 4000 and 5000 kg capacity
- Lift height: 85 - 205 mm
- Length of forks: 1000 or 1150 mm
- Width over forks: 520 or 680 mm
- Special fork lengths and widths available on request
- Polyurethane wheels as standard
- Other wheel materials available

Prices start from: £3,995.00



## Reel Carrying & Dispensing Pallet Trucks (FK23BF)

Designed with angled forks suitable for handling rolls and reels.

It can be manufactured for reels up to 2500 mm in diameter.

- 2300 kg or 3000 kg capacity
- Can be designed to handle 400 to 2500 mm diameter reels
- Length of forks: 600 - 2500 mm
- Width over forks: up to 1500 mm
- Inner flaps Option: Handles both very small and very large diameter reels
- Polyurethane wheels as standard, other wheel materials available

Prices start from: £2,395.00



Reel Dispensing Truck



Reel Carrying Truck  
With inner flaps



Reel Carrying Truck



Reel Dispensing Truck

Rough Terrain Pallet Trucks

- Transports loads on uneven ground
- Minimum maintenance required
- Great manoeuvrability
- Adjustable width over forks
- Wheels fitted with sealed bearings
- Large diameter terrain wheels



Optional Removable Tow Bar



Optional Height Adjustable Forks (compatible with TNV1500S & TNN1500)



|                              |             |
|------------------------------|-------------|
| No. of Fork Height Levels    | 5           |
| Distance between Levels      | 100mm       |
| TOP FORK LEVEL               |             |
| Raised Height (front / back) | 695 / 635mm |
| Lowered Height               | 455mm       |
| BOTTOM FORK LEVEL            |             |
| Raised Height (front / back) | 305 / 235mm |
| Lowered Height               | ground      |
| Price                        | £595.00     |

| CAPACITY (kg) | LOAD CENTRE (mm) | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | MAX PALLET SIZE (mm) | OVERALL WIDTH (mm) | STRADDLE GAP (mm) | ORDER REF   | PRICE     |
|---------------|------------------|------------------|-----------------------|----------------------|--------------------|-------------------|-------------|-----------|
| 500           | 400              | 620              | 170 - 570             | 700 x 800            | 990                | 750               | TNV500      | £1,295.00 |
| 500           | 400              | 1100             | 220 - 560             | 800 x 1200           | 1090               | 850               | TNV500-EURO | £1,595.00 |
| 500           | 400              | 1100             | 220 - 560             | 1000 x 1200          | 1290               | 1050              | TNV500-GKN  | £1,895.00 |
| 500           | 400              | 620              | 170 - 570             | 700 x 800            | 990                | 750               | TNV500T-750 | £1,295.00 |
| 500           | 400              | 620              | 170 - 570             | 800 x 800            | 1105               | 850               | TNV500T-850 | £1,295.00 |
| 1500          | 500              | 890              | 160 - 560             | 1200 x 1200          | 1640               | 1270              | TNV1500S    | £1,795.00 |

|                                                             |              |         |
|-------------------------------------------------------------|--------------|---------|
| Optional Height Adjustable Forks for TNV1500S               | TNV1500/S-AF | £595.00 |
| Optional Removable Tow Bar for TNV1500S                     | TNV1500/S-TB | £695.00 |
| Optional Pair of 1000mm Fork Extension Sleeves for TNV1500S | FE1000       | £325.00 |
| Optional Pair of 1200mm Fork Extension Sleeves for TNV1500S | FE1200       | £325.00 |

Mini Rough Terrain Tilt Pallet Truck

- This model has forks which tilt when raised
- Prevents the load from sliding off the forks
- The tilt is mechanical
- The fork tips go up thanks to an angled top part of the mast
- STRADDLE GAP: 750 or 850 mm
- See above table for specifications



Fork Extension Sleeves - Pair

- Optional Pair of Fork Extension Sleeves
- Compatible with TNV1500S & TNN1500
- Choice of 1000mm or 1200mm lengths
- Fork Sleeve Width: 60mm
- Fork Sleeve Height: 40mm
- See above table for prices



1000mm Fork Extensions



1200mm Fork Extensions

Extra Wide Rough Terrain Pallet Truck

- Designed to handle oversized loads



TNW1200

Narrow Rough Terrain Pallet Trucks

- Provides excellent manoeuvrability
- Fits through narrow gaps
- Optional hand brake available on TNN models



TNN1500

| CAPACITY (kg) | LOAD CENTRE (mm) | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | MAX PALLET SIZE (mm) | O/A WIDTH (mm) | STRADDLE GAP (mm) | ORDER REF      | PRICE     |
|---------------|------------------|------------------|-----------------------|----------------------|----------------|-------------------|----------------|-----------|
| 1200          | 400 - 600        | 700 - 1000       | adjustable            | -                    | -              | up to 2500        | TNW1200S       | POA       |
| 1500          | 500              | 890              | 180 - 580             | 800 x 1200           | 1120           | 850               | TNN1500/S-800  | £2,095.00 |
| 1500          | 500              | 890              | 180 - 580             | 1000 x 1200          | 1320           | 1050              | TNN1500/S-1000 | £2,095.00 |
| 1500          | 500              | 890              | 180 - 580             | 1200 x 1200          | 1520           | 1250              | TNN1500/S-1200 | £2,095.00 |

|                                                            |                 |           |
|------------------------------------------------------------|-----------------|-----------|
| Braked Terrain Pallet Truck                                | TNN1500/S-1200B | £2,995.00 |
| Optional Height Adjustable Forks for TNN1500               | TNN1500-AF      | £595.00   |
| Optional Removable Tow Bar for TNN1500                     | TNN1500-TB      | £695.00   |
| Optional Pair of 1000mm Fork Extension Sleeves for TNN1500 | FE1000          | £325.00   |
| Optional Pair of 1200mm Fork Extension Sleeves for TNN1500 | FE1200          | £325.00   |

Special Rough Terrain Pallet Trucks



TNW Extra Wide Rough Terrain Pallet Truck with Reinforced Chassis



TNV500 with Tall Load Support & Strap



Electric Drive Option for TNN1500S, TNN1500 & TNV500



TNV500 Extra Narrow Rough Terrain Truck

Electric Rough Terrain Pallet Truck

- Electric lift and drive
- Built-in charger
- 2 heavy duty batteries for full day operation
- Great manoeuvrability
- Adjustable width over forks
- Wheels fitted with sealed bearings
- Pneumatic tyres
- Special sizes and Fork Extensions can be offered
- 240V charger - standard, included



TNE1200

| CAPACITY (kg)         | LOAD CENTRE (mm) | FORK LENGTH | WIDTH OVER FORKS (mm) | MAX PALLET SIZE (mm) | DRIVE WHEEL MOTOR (S) | BATTERY  | STRADDLE GAP (mm) | ORDER REF   | PRICE      |
|-----------------------|------------------|-------------|-----------------------|----------------------|-----------------------|----------|-------------------|-------------|------------|
| 1200                  | 500              | 890 mm      | 160 - 560             | 1200 x 1200          | 1 x 500 DC            | 2 x 60A  | 1250              | TNE1200 1DC | £9,995.00  |
| 1200                  | 500              | 890 mm      | 160 - 560             | 1200 x 1200          | 1 x 1000 AC           | 2 x 100A | 1250              | TNE1200 1AC | £11,995.00 |
| 1200                  | 500              | 890 mm      | 160 - 560             | 1200 x 1200          | 2 x 500 DC            | 2 x 100A | 1250              | TNE1200 2DC | £12,995.00 |
| 1500                  | 500              | 1000 mm     | 160 - 900             | 1200 x 1200          | 1 x 2500 AC           | 2 x 100A | 1266              | TNE1500 AC  | £15,995.00 |
| Optional 110V Charger |                  |             |                       |                      |                       |          |                   |             | £70.00     |

| GRADIENT | TNE1200 1DC | TNE1200 1AC | TNE1200 2DC | TNE1500 AC |
|----------|-------------|-------------|-------------|------------|
| 0%       | 1200kg      | 1200kg      | 1200kg      | 1500kg     |
| 1%       | 1200kg      | 1200kg      | 1200kg      | 1500kg     |
| 3%       |             | 1200kg      | 1200kg      | 1500kg     |
| 4%       | 800kg       |             | 1200kg      | 1500kg     |
| 5%       |             |             | 1200kg      | 1500kg     |
| 6%       |             | 800kg       | 1200kg      | 1500kg     |
| 8%       | 500kg       |             | 1200kg      | 1500kg     |
| 10%      |             | 500kg       | 1200kg      | 1500kg     |
| 14%      | 300kg       |             |             | 1500kg     |
| 15%      |             |             | 800kg       | 1500kg     |
| 18%      |             | 300kg       |             | 1500kg     |
| 20%      | 0kg         |             |             |            |
| 23%      |             |             | 500kg       | 1200kg     |
| 25%      |             | 0kg         |             |            |
| 30%      |             |             | 300kg       | 800kg      |
| 40%      |             |             | 0kg         | 500kg      |
| 45%      |             |             |             |            |
| 50%      |             |             |             | 300kg      |
| 60%      |             |             |             | 0kg        |



TNE1200 with load

Special Electric Rough Terrain Pallet Trucks



Extra Wide Electric Rough Terrain Pallet Truck



TNE with Tall Load Support and Load Strap



Narrow Electric Rough Terrain Pallet Truck



High Visibility Electric Rough Terrain Pallet Truck

Electric Rough Terrain Pallet Stackers

- Raised chassis makes it ideal for rough terrains
- Can travel steep inclines of up to 10% with full load and 15% with 600kg
- Wide straddle legs provide great stability
- Adjustable forks fitted to a standard FEM CIIA carriage
- Large rough terrain wheels
- 2 independently powered drive wheels
- Ingress Protection Rating: IP54
- Special versions and attachments are available
- 240V charger - standard, included



RTS 12.16



RTS 12.25



| CAPACITY (kg) | LIFT HEIGHT (mm) | LOAD CENTRE (mm) | FORK LENGTH (mm) | MAX PALLET SIZE (mm) | BATTERY       | STRADDLE GAP (mm) | ORDER REF | PRICE      |
|---------------|------------------|------------------|------------------|----------------------|---------------|-------------------|-----------|------------|
| 1000          | 1600             | 500              | 1100             | 1200 x 1000          | 2x12V / 100Ah | 1260              | RTS 10.16 | £12,995.00 |
| 1000          | 2500             | 500              | 1100             | 1200 x 1000          | 2x12V / 100Ah | 1260              | RTS 10.25 | £15,995.00 |
| 1000          | 3000             | 500              | 1100             | 1200 x 1000          | 2x12V / 100Ah | 1260              | RTS 10.30 | £16,995.00 |
| 1200          | 1600             | 500              | 1100             | 1200 x 1000          | 2x12V / 100Ah | 1260              | RTS 12.16 | £13,995.00 |
| 1200          | 2500             | 500              | 1100             | 1200 x 1000          | 2x12V / 100Ah | 1260              | RTS 12.25 | £16,995.00 |
| 1200          | 3000             | 500              | 1100             | 1200 x 1000          | 2x12V / 100Ah | 1260              | RTS 12.30 | £17,995.00 |
| 1500          | 1600             | 500              | 1100             | 1200 x 1000          | 2x12V / 100Ah | 1260              | RTS 15.16 | £17,995.00 |
| 1500          | 2500             | 500              | 1100             | 1200 x 1000          | 2x12V / 100Ah | 1260              | RTS 15.25 | £20,995.00 |
| 1500          | 3000             | 500              | 1100             | 1200 x 1000          | 2x12V / 100Ah | 1260              | RTS 15.30 | £21,995.00 |

|                                       |             |         |
|---------------------------------------|-------------|---------|
| RTS 12 Fork Extensions, 1800mm (pair) | RTSA/FE1800 | £595.00 |
| RTS 12 Slide-On Crane Hook            | RTSA/HOOK   | £495.00 |
| Optional 110V Charger                 |             | £70.00  |



Self Loading Version POA



Fork Extensions



Slide-On Crane Hook



LEMP20S 550x1150

2000kg Semi Powered Pallet Trucks

- Manual lift / Electric drive
- Easy to operate, strong yet compact pallet trucks
- Ergonomically designed handle with LED battery indicator
- Reversing button & accelerator control on handle
- Forks designed for easy pallet entry
- Portable and easily removable 48V, 15Ah lithium battery
- Quick charging 2 - 5 hours
- Minimum maintenance
- 240V charger - standard, included (Optional 110V charger available)

| CAPACITY (kg)              | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF        | PRICE   |
|----------------------------|------------------|-----------------------|------------------|---------|
| 2000                       | 1000             | 550                   | LEMP20S/550x1000 | £995.00 |
| 2000                       | 1150             | 550                   | LEMP20S/550x1150 | £995.00 |
| 2000                       | 1000             | 680                   | LEMP20S/680x1000 | £995.00 |
| Optional Spare Battery     |                  |                       |                  | £345.00 |
| Optional 110V Charger      |                  |                       |                  | £70.00  |
| Optional Handle Rain Cover |                  |                       |                  | £59.00  |



Optional Tandem Wheels



Handle Rain Cover



LEPT20S 450x900

LEPT20S 550x1800

2000kg Fully Powered Pallet Trucks

- Electric lift and Electric drive
- Easy to operate, strong yet compact pallet trucks
- Ergonomically designed handle with LED battery indicator
- Reversing button & accelerator control on handle
- Forks designed for easy pallet entry
- Portable and easily removable 48V, 15Ah lithium battery
- Quick charging 2 - 5 hours
- Minimum maintenance
- 240V charger - standard, included (Optional 110V charger available)

| CAPACITY (kg)              | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF        | PRICE     |
|----------------------------|------------------|-----------------------|------------------|-----------|
| 2000                       | 900              | 450                   | LEPT20S/450x900  | £1,595.00 |
| 2000                       | 1150             | 450                   | LEPT20S/450x1150 | £1,595.00 |
| 2000                       | 1000             | 550                   | LEPT20S/550x1000 | £1,195.00 |
| 2000                       | 1150             | 550                   | LEPT20S/550x1150 | £1,195.00 |
| 2000                       | 1000             | 680                   | LEPT20S/680x1000 | £1,195.00 |
| 2000                       | 1220             | 680                   | LEPT20S/680x1220 | £1,195.00 |
| 1500                       | 1800             | 550                   | LEPT20S/550x1800 | £1,895.00 |
| 1200                       | 2000             | 550                   | LEPT20S/550x2000 | £1,995.00 |
| Optional Spare Battery     |                  |                       |                  | £345.00   |
| Optional 110V Charger      |                  |                       |                  | £70.00    |
| Optional Handle Rain Cover |                  |                       |                  | £59.00    |



LEPT20S 550x1150

## 65mm Low Profile Fully Powered Pallet Trucks

- 65mm LOWERED FORK HEIGHT
- Electric lift and Electric drive
- See LEPT20S Fully Powered Pallet Trucks at bottom of page 16

| CAPACITY (kg)              | FORK LENGTH (mm) | WIDTH OVER FORKS (mm) | ORDER REF            | PRICE     |
|----------------------------|------------------|-----------------------|----------------------|-----------|
| 1500                       | 1150             | 550                   | LEPT15S/550x1150-65L | £1,395.00 |
| 1500                       | 1220             | 680                   | LEPT15S/680x1220-65L | £1,395.00 |
| Optional Spare Battery     |                  |                       |                      | £345.00   |
| Optional 110V Charger      |                  |                       |                      | £70.00    |
| Optional Handle Rain Cover |                  |                       |                      | £59.00    |



LEPT15S/680x1220-65L



65mm Lowered Fork Height



LEPT15S/550x1150-65L

## 1500 & 2000kg Medium Duty Electric Pallet Trucks

- Compact design
- Designed for light to medium duty applications
- Light enough for use on mezzanine floors and tail lifts
- 2 - 3 hours battery life • Integral charger
- Maintenance free batteries
- Rechargeable from any standard wall socket

| CAPACITY (kg)         | FORK SIZE (mm) | BATTERY     | ORDER REF        | PRICE     |
|-----------------------|----------------|-------------|------------------|-----------|
| 1500                  | 520 x 1000     | 24V / 85Ah  | LEPT15N/520x1000 | £2,995.00 |
| 1500                  | 520 x 1150     | 24V / 85Ah  | LEPT15N/520x1150 | £2,995.00 |
| 1500                  | 680 x 1000     | 24V / 85Ah  | LEPT15N/680x1000 | £2,995.00 |
| 1500                  | 680 x 1150     | 24V / 85Ah  | LEPT15N/680x1150 | £2,995.00 |
| 2000                  | 520 x 1150     | 24V / 85Ah  | LEPT20N/520x1150 | £3,495.00 |
| 1500                  | 520 x 2000     | 24V / 85Ah  | LEPT20N/520x2000 | £3,995.00 |
| Optional 110V Charger |                |             |                  | £70.00    |
| 3000                  | 560 x 1150     | 24V / 250Ah | LiTP30/560x1150  | £9,995.00 |



LEPT20N 520x1150



LEPT20N 520x2000

## 2000 & 3000kg Heavy Duty Powered Pallet Trucks

- 2000 & 3000 kg Capacity • Lift height: 90 - 200 mm
- Designed for carrying heavy weights on a regular basis
- Battery discharge indicator • Operating hours meter
- Optional rider platform

Prices start from: POA, (see table above for 3000kg model)



LiTP30-560x1150

## Very Heavy Duty Powered Pallet Trucks

5000, 7000, 8000, 10000, 12000 & 15000 kg Capacities

Prices start from: POA



LiTP80-690x1500



LiTP70-1025x1500



For examples of special models of Powered Pallet Trucks see page 32



## Mini Stacker (PML120N)

- Lightweight design
- Very easy to operate
- Suitable for supermarkets, offices, warehouses, narrow areas etc
- Platform size: 585 x 390 mm
- Load centre: 150 mm
- Weight: 25kg

| CAPACITY (kg) | MAX LIFT HEIGHT (mm) | LIFT   | ORDER REF | PRICE   |
|---------------|----------------------|--------|-----------|---------|
| 120           | 1090                 | Manual | PML120N   | £395.00 |

## Winch Lifter (WSB150)

- Doubles as a sack truck
- Removable extension mast
- The base has 4 ball bearings for short horizontal movement
- Optional removable platform
- Weight: 37kg

| CAPACITY (kg) | MAX LIFT HEIGHT (mm) | LIFT   | ORDER REF | PRICE   |
|---------------|----------------------|--------|-----------|---------|
| 150           | 1070/1700            | Manual | WSB150    | £995.00 |

### OPTIONS

|                                 |               |         |
|---------------------------------|---------------|---------|
| Optional Platform - 350 x 450mm | WSB150/PL     | £95.00  |
| Optional V-Platform attachment  | WSB150/VPL    | £125.00 |
| Optional Cradle attachment      | WSB150/Cradle | £245.00 |
| Optional Loading Wheels         | WSB150/LW     | £595.00 |



Weight: only 37kg



WSB150 V-Platform attachment  
For rolls and reels



WSB150 Cradle attachment  
For water tanks

WSB150 with Loading Wheels Accessory



Loading Wheels Folded

Loading Wheels Unfolded



Optional Platform

## Mini Stacker (MCH150)

- Choice of 2 frames: Zinc-plated steel or Stainless steel AISI 304 L
- Zinc-plated steel self-braked winch (available in stainless steel)
- Ø 4mm galvanised steel cable
- Swivel back wheels with brake
- Fork Length: 455mm / Width over Forks: 350mm
- Dimensions (L x W x H): 890 x 455 x 1650 mm
- Weight: 30kg
- Optional platforms: Please see WSB150/PL & WSB150/VPL above

| CAPACITY (kg) | FRAME TYPE        | MAX LIFT HEIGHT (mm) | LIFT   | ORDER REF | PRICE     |
|---------------|-------------------|----------------------|--------|-----------|-----------|
| 150           | Zinc-plated steel | 55 - 1400            | Manual | MCH150    | £1,395.00 |
| 150           | Stainless steel   | 55 - 1400            | Manual | MCH150SS  | £3,595.00 |

## Manual Winch Lifter (M200)

- Lightweight and compact design
- Versatile and easy to operate
- Comes with platform and forks as standard
- Supplied with non-marking swivel castor wheels
- Fitted with two foot brakes
- Other attachments available - see below

## Electric Mini Lifters & Counterbalanced Lifter

- Electric motor
- Electric overload protection
- Portable hand control unit on a cable
- Automatic battery charger
- Maintenance free batteries
- Comes with platform and forks as standard
- Other attachments available



Attachments for M200, E100R(B) & E100 - E300

| CAPACITY (kg) | MAX LIFT HEIGHT (mm) | LIFT     | ORDER REF | PRICE     |
|---------------|----------------------|----------|-----------|-----------|
| 200           | 1500                 | Manual   | M200**    | £995.00   |
| 100           | 1500                 | Electric | E100R(B)* | £1,595.00 |
| 100           | 1700                 | Electric | E100**    | £1,445.00 |
| 150           | 1500                 | Electric | E150**    | £1,545.00 |
| 250           | 1905                 | Electric | E250*     | £1,795.00 |
| 300           | 1500                 | Electric | E300 *    | £1,845.00 |

\* 2 swivel castors / 2 fixed front castors | \*\* 4 swivel castors

Accessory price surcharge assumes the standard platform is not required and not supplied. If you require both the accessory and the standard platform please contact us. Ball Transfer Unit EP01, V-Block EP03 & 200mm Raised Frame are the exceptions as they require the platform to work so the platform is supplied with these 3 accessories.

| MODEL    | BATTERY V/Ah |
|----------|--------------|
| E100R(B) | 24/12        |
| E100     | 24/12        |
| E150     | 24/12        |
| E250     | 24/20        |
| E300     | 24/20        |



200mm Raised Frame  
£295.00



Ball Transfer Unit - EP01  
610 x 480mm  
Capacity: 150kg  
£415.00



Roller Platform - EP02 / EP02S  
500 x 420mm  
Capacity: 150kg  
£300.00 / £400.00 (with stops)




V Block - EP03  
Capacity: 250kg  
£75.00



Single Boom Spindle - EP05  
ø 50 x 600mm  
Capacity: 250kg  
£180.00



Double Spindle - EP06  
ø 50 x 500mm (260mm centres)  
Capacity: 250kg  
£195.00



Jib and Hook - EP07  
500mm long  
Capacity: 150kg  
£195.00

Reglift Dynamic Lifter

- Electric lift, manual drive
- Robust small electric lifter
- Compact design for light handling
- Easy manoeuvrability
- Ergonomic handle with up/down button
- Replaceable lithium battery
- ideal for handling bins, boxes, cartons and bags
- IP44 steel finishing



Reglift Dynamic Lifter Specifications

|                   |                               |
|-------------------|-------------------------------|
| Max. Capacity     | 60 kg                         |
| Max. Lift Height  | 1200 mm                       |
| Total Height      | 1550 mm                       |
| Battery Type      | 1 Lithium 24V - 10Ah          |
| Charger           | External - 100-240V - 50-60Hz |
| Battery Indicator | On the handle control unit    |
| Type of Legs      | Angle                         |
| Platform Size     | 400 x 400 mm                  |
| Front Wheels      | Single Ø 63mm - Swivel        |
| Rear Wheels       | Ø 125mm with individual brake |
| Weight            | 31 kg                         |
| Price             | £1,795.00                     |

Reglift Steel Lifters

(55kg - 285kg Load Capacities)



Reglift Stainless Steel Lifters

(55kg - 285kg Load Capacities)




Reglift Lifters (Steel & Stainless Steel)

- Electric lift, manual drive
- Compact and robust modular design lifters
- Customisable with a wide range of tools
- Designed with quick change system tool holder
- Ergonomic handle for multiposition grip
- Choice of 3 leg types (Standard, Angle or Central)
- Wide choice of configurations (legs & mast height)
- ABS wheels mounted on ball bearings
- IP44 steel finishing & IP65 for stainless steel finishing
- Stainless Steel versions available

Choice of Lifting Heights


Reglift Lifters come in 4 mast heights and maximum lifting heights. The heights available vary according to the Reglift model required.

| Type                | Very Small | Small   | Medium  | Large   |
|---------------------|------------|---------|---------|---------|
| Max. Lifting Height | 965 mm     | 1220 mm | 1600 mm | 2050 mm |
| Mast Height         | 1290 mm    | 1560 mm | 1940 mm | 2390 mm |




Type of Legs

Reglift Lifters are available in 3 different legs type: Standard, Angle or Central.




**NOTE:** Prices from stated above for the Steel and Stainless Steel Reglift Lifters are for the Reglift lifters only without any Tools attached. Please see the next page for the Reglift Tools.


## Range of Reglift Tools




Stainless Steel Platform  
(Steel frame)  
Prices from £275




Stainless Steel Platform  
(Stainless steel frame)  
Prices from £355




HDPE Platform  
Prices from £260




Steel Platform with Rollers  
Prices from £870




Boom Tube  
Prices from £200




Boom with Wheel + V-Support 360°  
Prices from £375




Jib & Hook  
Prices from £655



Adjustable Forks  
Prices from £980




4 Cleat Forks  
Prices from £2,395



Manual Core Gripper with 90° Tilt  
Prices from £3,070



Electric Core Gripper with 90° Tilt  
Prices from £6,435



Electric Clamp  
Prices from £4,090



## Manual Stackers (KI 400/1200A & KI 400/1500A)

- Adjustable forks
- Fork lengths: 600 mm
- Fork widths: 215 - 530 mm adjustable
- Ø 75 / Ø 125 mm polyurethane wheels
- Optional removable platform



KI 400/1500A raised



KI 400/1500A



KI 400/1200A with Removable Platform



With optional Jib &amp; Hook - POA



With optional Straddle Legs - POA



With optional Boom - POA

## Electric Stacker (KIE 400/1500A)

- Easy and fast lifting operation
- High quality hydraulic motor
- Service free battery
- Adjustable forks
- Fork length: 600 mm
- Fork width: 215 - 530 mm adjustable
- Ø 75 / Ø 125 mm polyurethane wheels
- Battery: 12V/60Ah
- Optional removable platform



KIE 400/1500A



Optional Fork Mounted Hook

| CAPACITY (kg) | MAX LIFT HEIGHT (mm) | LOWERED FORK HEIGHT (mm) | OVERALL HEIGHT (mm) | LIFT     | ORDER REF     | PRICE     |
|---------------|----------------------|--------------------------|---------------------|----------|---------------|-----------|
| 400           | 1200                 | 85                       | 1425                | Manual   | KI 400/1200A  | £595.00   |
| 400           | 1500                 | 85                       | 1725                | Manual   | KI 400/1500A  | £695.00   |
| 400           | 1500                 | 85                       | 1725                | Electric | KIE 400/1500A | £1,695.00 |

### OPTIONS

|                                            |               |         |
|--------------------------------------------|---------------|---------|
| Removable Platform - 575mm (W) x 650mm (D) | PL/KI/400     | £65.00  |
| Fork Mounted Hook                          | KIE/1000/HOOK | £425.00 |



KI 500/1600A

## 500kg Manual Stacker with Adjustable Forks

- Robust construction
- Adjustable forks fitted as standard
- Swivel castor steer wheels
- Safety valve prevents overloading
- Adjustable lowering speed
- Special versions available: including attachments, galvanised and stainless steel finish and more

| CAPACITY (kg) | MAX LIFT HEIGHT (mm) | FORKS L x W (mm) | LIFT   | ORDER REF    | PRICE   |
|---------------|----------------------|------------------|--------|--------------|---------|
| 500           | 1600                 | 1100 x 220 - 760 | Manual | KI 500/1600A | £995.00 |



KI 500/1600A Adjustable Forks



KI 1000/1200

## Standard Manual Pallet Stackers

- Robust construction
- Fixed forks
- Swivel castor steer wheels
- Safety valve prevents overloading
- Adjustable lowering speed

| CAPACITY (kg) | MAX LIFT HEIGHT (mm) | FORKS L x W (mm) | LIFT   | ORDER REF    | PRICE     |
|---------------|----------------------|------------------|--------|--------------|-----------|
| 1000          | 1200                 | 1150 x 550       | Manual | KI 1000/1200 | £1,095.00 |
| 1000          | 1600                 | 1150 x 550       | Manual | KI 1000/1600 | £1,195.00 |
| 1000          | 2500                 | 1150 x 580       | Manual | KI 1000/2500 | £1,495.00 |
| 1000          | 3000                 | 1150 x 580       | Manual | KI 1000/3000 | £1,595.00 |
| 1500          | 1600                 | 1150 x 550       | Manual | KI 1500/1600 | £1,595.00 |



KI 1000/2500AF  
Forged Forks



KI 1000/2500A  
Welded Forks

## Manual Pallet Stackers with Adjustable Forks

- Robust construction
- Adjustable forks fitted as standard
- Swivel castor steer wheels
- Safety valve prevents overloading
- Adjustable lowering speed
- Choice of either *Welded* forks (A) or *Forged* forks (AF)
- Special versions available: including attachments, special sizes, lift heights or capacities, galvanised and stainless steel finish

| CAPACITY (kg) | MAX LIFT HEIGHT (mm) | FORKS L x W (mm) | LIFT   | ORDER REF      | PRICE     |
|---------------|----------------------|------------------|--------|----------------|-----------|
| 1000          | 1600                 | 1060 x 310 - 940 | Manual | KI 1000/1600A  | £1,295.00 |
| 1000          | 1600                 | 1060 x 310 - 940 | Manual | KI 1000/1600AF | £1,295.00 |
| 1000          | 2500                 | 1060 x 310 - 840 | Manual | KI 1000/2500A  | £1,395.00 |
| 1000          | 2500                 | 1060 x 310 - 840 | Manual | KI 1000/2500AF | £1,395.00 |
| 1500          | 1600                 | 1060 x 310 - 940 | Manual | KI 1500/1600AF | £1,795.00 |
| 2000          | 1500                 | 900 x 250 - 950  | Manual | KI 2000/1500AF | £1,995.00 |

## 1000kg Straddle Pallet Stackers

- Robust construction
- Can handle closed-bottom pallets up to 1200 x 1200mm
- Straddle legs provide excellent balance
- Adjustable forks fitted as standard
- Swivel castor steer wheels
- Safety valve prevents overloading
- Adjustable lowering speed

| CAPACITY (kg) | MAX LIFT HEIGHT (mm) | FORKS L x W (mm) | LIFT   | ORDER REF      | PRICE     |
|---------------|----------------------|------------------|--------|----------------|-----------|
| 1000          | 1600                 | 1060 x 240 - 940 | Manual | KI 1000/1600SA | £1,495.00 |
| 1000          | 2500                 | 1060 x 240 - 700 | Manual | KI 1000/2500SA | £1,695.00 |



KI 1000/2500SA

## 1000kg Electric Lift Pallet Stackers

- Battery powered lift, manual traction
- Ideal for small to medium sized warehouses
- 1000kg capacity
- Fork length: 1150mm
- Width over forks: 570mm
- Lowered fork height: 85mm
- Minimum recommended aisle width: 2200mm

| MAX LIFT HEIGHT (mm) | FORKS L x W (mm) | LIFT     | ORDER REF     | PRICE     |
|----------------------|------------------|----------|---------------|-----------|
| 1600                 | 1150 x 570       | Electric | KIE 1000/1600 | £2,395.00 |
| 2500                 | 1150 x 570       | Electric | KIE 1000/2500 | £2,795.00 |
| 3000                 | 1150 x 570       | Electric | KIE 1000/3000 | £2,995.00 |



KIE 1000/1600



KIE 1000/3000



KIE 1000/2500

1000kg Manual Pallet Stackers with Adjustable Forks

- Robust construction
- Adjustable wrapover forks
- Ergonomically correct handle
- Separate tiller handle
- Transparent safety screen
- Safety valve prevents overloading
- Assisted chain link wheel steering for easy operation
- Special versions available: including attachments, special sizes, lift heights or capacities

| CAPACITY (kg) | MAX LIFT HEIGHT (mm) | FORKS L x W (mm) | LIFT   | ORDER REF | PRICE |
|---------------|----------------------|------------------|--------|-----------|-------|
| 1000          | 920                  | 1150 x 350-560   | Manual | 10/920    | POA   |
| 1000          | 1650                 | 1150 x 350-560   | Manual | 10/1650   | POA   |



1000kg Manual Pallet Stackers with Straddle Legs

- ADJUSTABLE WRAPOVER FORKS
- LIFT HEIGHTS: 890 and 1620 mm
- FORK LENGTH: 1150 mm
- WIDTH OVER FORKS: 350-800 mm
- STRADDLE GAP: S: 850-942, M: 942-1124, L: 1124-1306, XL: 1240-1422
- Forged Forks style also available



1000kg Stainless Steel Manual Pallet Stackers

- FIXED WRAPOVER FORKS
- For environments where hygiene is essential
- E.g. meat, fish and pharmaceutical industries
- Closed forks for easy cleaning
- AISI 316L acid-resistant steel for fork
- AISI 304 Stainless steel for chassis and tiller
- Aircraft oil for cold environment and grease for food industry are standard
- LIFT HEIGHTS: 1200, 1400, 1600, 2050 and 2450 mm
- FORK LENGTH: 1150 mm | FORK WIDTH: 560 mm
- Stainless Steel Manual Stackers with Straddle Legs available
- ADJUSTABLE WRAPOVER FORKS
- LIFT HEIGHTS: 1170, 1370, 1570, 2020 and 2420 mm
- FORK LENGTH: 1150 mm | FORK WIDTH: 350-800 mm
- STRADDLE GAP: 435-1250 mm - Not adjustable
- ATEX Manual Stackers (Explosion Proof) available
- For use in explosive atmospheres
- zone 1/zone 21 & zone 2/zone 22

All models: POA



Stainless Steel Straddle Stacker



ATEX Stainless Steel Stacker



Stainless Steel Manual Stacker

## 1000kg Capacity Semi-Electric Pallet Stackers

- **ADJUSTABLE & FIXED WRAPOVER FORKS**
- Electric lift, manual transport
- Robust construction
- Ergonomically correct handle
- Separate tiller handle
- Transparent safety screen
- Safety valve prevents overloading
- Assisted chain link wheel steering for easy operation
- Special versions available: including attachments, special sizes, lift heights, capacities, adjustable forks

| MAX LIFT HEIGHT | FORKS LENGTH | WIDTH OVER FORKS (mm) | LIFT     | ORDER REF | PRICE |
|-----------------|--------------|-----------------------|----------|-----------|-------|
| 920 mm          | 1150 mm      | 350-560 Adjustable    | Electric | 10/920    | POA   |
| 1650 mm         | 1150 mm      | 350-560 Adjustable    | Electric | 10/1650   | POA   |
| 1910 mm         | 1150 mm      | 560 or 680 Fixed      | Electric | 10/1910   | POA   |
| 2050 mm         | 1150 mm      | 560 or 680 Fixed      | Electric | 10/2050   | POA   |
| 2450 mm         | 1150 mm      | 560 or 680 Fixed      | Electric | 10/2450   | POA   |
| 2850 mm         | 1150 mm      | 560 or 680 Fixed      | Electric | 10/2850   | POA   |
| 3300 mm         | 1150 mm      | 560 or 680 Fixed      | Electric | 10/3300   | POA   |



## 1000kg Semi-Electric Pallet Stackers with Straddle Legs

- **ADJUSTABLE WRAPOVER FORKS**
- LIFT HEIGHTS: 890, 1620, 1880, 2020, 2420, 2820 and 3270 mm
- FORK LENGTH: 1150 mm
- WIDTH OVER FORKS: 350-800 mm
- STRADDLE GAP: S: 850-942, M: 942-1124, L: 1124-1306, XL: 1240-1422
- Forged Forks style also available



Semi-Electric Straddle Stacker

## 1000kg Stainless Steel Semi-Electric Pallet Stackers

- **FIXED WRAPOVER FORKS**
- For environments where hygiene is essential
- E.g. meat, fish and pharmaceutical industries
- Closed forks for easy cleaning
- AISI 316L acid-resistant steel for fork
- AISI 304 Stainless steel for chassis and tiller
- Aircraft oil for cold environment and grease for food industry are standard
- LIFT HEIGHTS: 1200, 1400, 1600, 2050, 2450 and 2850 mm
- FORK LENGTH: 1150 mm | FORK WIDTH: 560 mm
- **Stainless Steel Semi-Electric Stackers with Straddle Legs available**
- **ADJUSTABLE WRAPOVER FORKS**
- LIFT HEIGHTS: 1170, 1370, 1570, 2020, 2420 and 2820 mm
- FORK LENGTH: 1150 mm | FORK WIDTH: 350-800 mm
- STRADDLE GAP: 435-1250 mm - Not adjustable

All models: POA



Stainless Steel Semi-Electric Straddle Stacker



Stainless Steel Semi-Electric Stacker

1000KG CAPACITY FULLY POWERED STACKERS

The LiftMate LES/LESS Series offers several models of battery powered stackers which are lightweight and competitively priced yet powerful and reliable. Both drive and lift movement are operated by controls on an ergonomically designed handle. The LES/LESS range has been designed specifically for small warehouses and factories.

All stackers in this range are fitted with 2 powerful 12V/71Ah batteries and onboard charger which can be connected to standard mains 230V/13A 3-pin socket. These provide approximately 3 hours of operational charge.

1600, 2500 & 3000mm Lift Height Fully Powered Stackers

**LES models** have fixed width wrapover forks and are designed for handling Euro pallets and other open bottom pallets and cages.

- Battery powered lift and drive
- Light and versatile; compact and reliable
- Suitable for small factories and warehouses
- Wrapover forks
- Onboard charger
- Turning radius: 1365mm
- Chargeable from standard 230V/13A 3-pin socket
- CE certified
- Full 12 months warranty
- 240V charger - standard, included



LES 10.16



LES 10.30

| CAPACITY (kg)         | MAX LIFT HEIGHT (mm) | FORKS L x W (mm) | O/A LOWERED HEIGHT (mm) | MAST   | BATTERY        | ORDER REF | PRICE     |
|-----------------------|----------------------|------------------|-------------------------|--------|----------------|-----------|-----------|
| 1000                  | 1600                 | 1150 x 560       | 2090                    | Single | 12V / 71Ah x 2 | LES 10.16 | £3,895.00 |
| 1000                  | 2500                 | 1150 x 560       | 1840                    | Double | 12V / 71Ah x 2 | LES 10.25 | £3,995.00 |
| 1000                  | 3000                 | 1150 x 560       | 2090                    | Double | 12V / 71Ah x 2 | LES 10.30 | £4,295.00 |
| Optional 110V Charger |                      |                  |                         |        |                |           | £70.00    |

## 1600, 2500 & 3300mm Lift Height Fully Powered Straddle Stackers

**LESS models** have adjustable straddle legs and are ideal for handling imperial and CHEP pallets and similar closed bottom pallets and cages. They are equipped with adjustable forged forks, (200 - 800 mm), for loading special and even low profile pallets.

- Battery powered lift and drive
- Light and versatile; compact and reliable
- Suitable for small factories and warehouses
- Adjustable forks
- Onboard charger
- Turning radius: 1530mm
- Chargeable from standard 230V/13A 3-pin socket
- CE certified
- Full 12 months warranty
- 240V charger - standard, included



| CAPACITY (kg)         | MAX LIFT HEIGHT | FORK LENGTH | WIDTH OVER FORKS (mm) | O/A LOWERED HEIGHT (mm) | STRADDLE GAP (mm) | MAST   | BATTERY        | ORDER REF  | PRICE     |
|-----------------------|-----------------|-------------|-----------------------|-------------------------|-------------------|--------|----------------|------------|-----------|
| 1000                  | 1600 mm         | 1150 mm     | 200 - 800             | 2145                    | 1255, 1090, 995*  | Single | 12V / 71Ah x 2 | LESS 10.16 | £3,995.00 |
| 1000                  | 2500 mm         | 1150 mm     | 200 - 800             | 1895                    | 1255, 1090, 995*  | Double | 12V / 71Ah x 2 | LESS 10.25 | £4,295.00 |
| 1000                  | 3300 mm         | 1150 mm     | 200 - 800             | 2295                    | 1255, 1090, 995*  | Double | 12V / 71Ah x 2 | LESS 10.33 | £4,495.00 |
| Optional 110V Charger |                 |             |                       |                         |                   |        |                |            | £70.00    |

\* Adjustable Straddle Gap

1500KG CAPACITY FULLY POWERED STACKERS

The LiftMate LES/LESS Series offers several models of battery powered stackers which are lightweight and competitively priced yet powerful and reliable. Both drive and lift movement are operated by controls on an ergonomically designed handle. The LES/ LESS range has been designed specifically for small warehouses and factories.

All stackers in this range are fitted with 2 powerful 12V/71Ah batteries and on board charger which can be connected to standard mains 230V/13A 3-pin socket. These provide approximately 3 hours of operational charge.

2000, 2500 & 3500mm Lift Height Fully Powered Stackers

**LES models** have fixed width wrapover forks and are designed for handling Euro pallets and other open bottom pallets and cages.

- Battery powered lift and drive
- Light and versatile; compact and reliable
- Suitable for small factories and warehouses
- Wrapover forks
- On board charger
- Turning radius: 1425mm
- Chargeable from standard 230V/13A 3-pin socket
- CE certified
- Full 12 months warranty
- 240V charger - standard, included



Lifting & Lowering Control



Tiller Handle with Display Screen



LES 15.20

LES 15.25

LES 15.35

| CAPACITY (kg)         | MAX LIFT HEIGHT (mm) | FORKS L x W (mm) | O/A LOWERED HEIGHT (mm) | MAST   | BATTERY        | ORDER REF | PRICE     |
|-----------------------|----------------------|------------------|-------------------------|--------|----------------|-----------|-----------|
| 1500                  | 2000                 | 1150 x 560       | 1480                    | Double | 12V / 71Ah x 2 | LES 15.20 | £4,195.00 |
| 1500                  | 2500                 | 1150 x 560       | 1730                    | Double | 12V / 71Ah x 2 | LES 15.25 | £4,295.00 |
| 1500                  | 3500                 | 1150 x 560       | 2230                    | Double | 12V / 71Ah x 2 | LES 15.35 | £4,495.00 |
| Optional 110V Charger |                      |                  |                         |        |                |           | £70.00    |

## 2000, 2500 & 3500mm Lift Height Fully Powered Straddle Stackers

**LESS models** have adjustable straddle legs and are ideal for handling imperial and CHEP pallets and similar closed bottom pallets and cages. They are equipped with adjustable forged forks, (200 - 795 mm), for loading special and even low profile pallets.

- Battery powered lift and drive
- Light and versatile; compact and reliable
- Suitable for small factories and warehouses
- Adjustable forks
- On board charger
- Turning radius: 1455mm
- Chargeable from standard 230V/13A 3-pin socket
- CE certified
- Full 12 months warranty
- 240V charger - standard, included



Lifting & Lowering Control



Intelligent Tiller Handle with Display Screen



LESS 15.35



LESS 15.20



LESS 15.25

| CAPACITY (kg)         | MAX LIFT HEIGHT | FORK LENGTH | WIDTH OVER FORKS (mm) | O/A LOWERED HEIGHT (mm) | STRADDLE GAP (mm) | MAST   | BATTERY        | ORDER REF  | PRICE     |
|-----------------------|-----------------|-------------|-----------------------|-------------------------|-------------------|--------|----------------|------------|-----------|
| 1500                  | 2000 mm         | 1150 mm     | 200 - 795             | 1520                    | 1250, 1110, 970*  | Double | 12V / 71Ah x 2 | LESS 15.20 | £4,495.00 |
| 1500                  | 2500 mm         | 1150 mm     | 200 - 795             | 1770                    | 1250, 1110, 970*  | Double | 12V / 71Ah x 2 | LESS 15.25 | £4,695.00 |
| 1500                  | 3500 mm         | 1150 mm     | 200 - 795             | 2270                    | 1250, 1110, 970*  | Double | 12V / 71Ah x 2 | LESS 15.35 | £4,995.00 |
| Optional 110V Charger |                 |             |                       |                         |                   |        |                |            | £70.00    |

\* Adjustable Straddle Gap

Special Models of Powered Pallet Trucks




4t Powered Pallet Truck with 4m Long Forks



2t Stainless Steel Powered Pallet Truck



3t Curved Forks Reel Handling Truck



6t Large Lifting Platform Truck

Special Powered Trucks and Lifters  
Capacities up to 50,000kg



Stainless Steel Tilter



Electro-Magnet Tug



Rotating Clamp Lifter

## Special Powered Trucks and Lifters Capacities up to 50,000kg

Boom Lifter



Counterbalanced Stacker



Extra Long Forks Truck



Terrain Reel Lifter



Scissor Platform Truck



Platform Truck



Axle Lifter



6 Ton Straddle Lifter



Wide Platform Truck with 4 Directional Travel



Reel Lifter



Rotating Forks Lifter



Scissor Forks Truck







High Lift Pallet Trucks

- High lift pallet trucks easily lift loads up to 1000 or 1500kg
- Automatically braked when raised above 400mm
- High lift pallet trucks help minimise back strain
- Three position control lever
- Automatic descending speed control
- Quick lift as standard on manual models
- Manual lift override on electric models in case of flat battery
- Special sizes available



| CAPACITY (kg) | LIFT TYPE | FORK DIMENSIONS L X W (mm) | MAX LIFT HEIGHT (mm) | LOWERED FORK HEIGHT (mm) | ORDER REF | PRICE     |
|---------------|-----------|----------------------------|----------------------|--------------------------|-----------|-----------|
| 1000          | MANUAL    | 1170 x 540                 | 800                  | 90                       | MHL540M   | £675.00   |
| 1000          | MANUAL    | 1170 x 680                 | 800                  | 90                       | MHL680M   | £695.00   |
| 1500          | MANUAL    | 1170 x 560                 | 800                  | 90                       | HBL15560M | £895.00   |
| 1500          | MANUAL    | 1170 x 680                 | 800                  | 90                       | HBL15680M | £995.00   |
| 1000          | ELECTRIC  | 1170 x 540                 | 800                  | 90                       | MHL540E   | £1,595.00 |
| 1000          | ELECTRIC  | 1170 x 680                 | 800                  | 90                       | MHL680E   | £1,695.00 |
| 1500          | ELECTRIC  | 1170 x 560                 | 800                  | 85                       | HBL15560E | £1,795.00 |
| 1500          | ELECTRIC  | 1170 x 680                 | 800                  | 85                       | HBL15680E | £1,895.00 |

Stainless Steel High Lift Pallet Trucks

Stainless steel high lift pallet trucks are designed for corrosive, damp or harsh environments or applications where a high standard of hygiene is required such as meat or fish processing plants, dairies, pharmaceutical and chemical industries.



| CAPACITY (kg) | LIFT TYPE | FORK DIMENSIONS L X W (mm) | MAX LIFT HEIGHT (mm) | LOWERED FORK HEIGHT (mm) | ORDER REF | PRICE     |
|---------------|-----------|----------------------------|----------------------|--------------------------|-----------|-----------|
| 1000          | MANUAL    | 1150 x 540                 | 800                  | 85                       | MHLS540M  | £2,495.00 |
| 1000          | ELECTRIC  | 1150 x 545                 | 820                  | 90                       | LiSHE     | £6,495.00 |

## Skid Lifters with Removable Platform

- Raise pallets or other items to correct working height
- Skid lifters help minimise back strain
- Combination of high lift pallet truck and lift table
- Fully welded heavy duty steel frame
- Total stop brake on castor wheel
- Foot operated pedal for easier and faster lifting
- Skid lifters can be moved even when fully raised
- Steering tiller handle on 1000kg models for easier and comfortable turning

| CAPACITY (kg) | FORK WIDTH (mm) | FORK LENGTH (mm) | PLATFORM SIZE L X W (mm) | RAISED FORK HEIGHT (mm) | ORDER REF | PRICE   |
|---------------|-----------------|------------------|--------------------------|-------------------------|-----------|---------|
| 500           | 526             | 1115             | 1115 x 538               | 830                     | PL50S     | £895.00 |
| 500           | 690             | 1115             | 1115 x 703               | 830                     | PL50L     | £895.00 |
| 1000          | 526             | 1115             | 1115 x 538               | 830                     | PL100S    | £995.00 |
| 1000          | 690             | 1115             | 1115 x 703               | 830                     | PL100L    | £995.00 |



PL50



PL100



LT10E

## Manual & Electric Pallet Tilters

- Forks can be tilted up to 90°
- Handle can be turned and locked in position away from the work area
- Both models are supplied with parking brake and foot protectors on castors as standard
- Manual type: lift and tilt are performed by hand hydraulic action
- Electric type: lifting and lowering functions are built into the handle; tilting action is operated by wired remote control

| CAPACITY (kg) | ANGLE OF TILT | LIFT/TILT | FORK WIDTH (mm) | FORK LENGTH (mm) | ORDER REF | PRICE     |
|---------------|---------------|-----------|-----------------|------------------|-----------|-----------|
| 1000          | 90°           | MANUAL    | 560             | 800              | LT10M     | £995.00   |
| 1000          | 90°           | ELECTRIC  | 560             | 800              | LT10E     | £2,295.00 |



LT10M



Stainless Steel Pallet Tilter (Special)



Straddle Pallet Tilter (Special)



## Single Manual Scissor Lift Tables

- Capacity range from 150kg to 1500kg
- Heavy duty design
- Great stability and manoeuvrability
- Foot pump to lift platform
- Hand lever to release/lower platform
- Can be used at any height
- Both swivel wheels are fitted with total stop brakes
- Special bespoke designs available



| CAPACITY (kg) | PLATFORM L x W (mm) | CLOSED HEIGHT (mm) | RAISED HEIGHT (mm) | HANDLE HEIGHT (mm) | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF | PRICE     |
|---------------|---------------------|--------------------|--------------------|--------------------|-----------------|-------------|-----------|-----------|
| 150           | 700 x 450           | 225                | 740                | 935                | Ø 100           | 44          | TXL150    | £295.00   |
| 200           | 1000 x 500          | 340                | 1000               | 1055               | Ø 200           | 70          | TXL200    | £395.00   |
| 300           | 855 x 500           | 340                | 915                | 970                | Ø 125           | 75          | TXL300    | £445.00   |
| 500           | 855 x 500           | 340                | 910                | 970                | Ø 125           | 79          | TXL500    | £495.00   |
| 500           | 1010 x 520          | 435                | 1000               | 1100               | Ø 150           | 118         | BSL50     | £545.00   |
| 500           | 1600 x 800          | 310                | 910                | 970                | Ø 125           | 134         | TXL500L   | £795.00   |
| 500           | 1200 x 800          | 355                | 1220               | 1100               | Ø 150           | 160         | BSL50LB   | £895.00   |
| 700           | 1220 x 610          | 230                | 1075               | 935                | Ø 100/125       | 158         | BZL70B    | £1,195.00 |
| 750           | 1010 x 520          | 442                | 1000               | 1100               | Ø 150           | 120         | BSL75     | £595.00   |
| 800           | 1000 x 510          | 420                | 1000               | 970                | Ø 150           | 115         | TXL800    | £595.00   |
| 1000          | 1015 x 515          | 380                | 1010               | 970                | Ø 150           | 121         | TXL1000   | £645.00   |
| 1000          | 1010 x 520          | 445                | 950                | 1100               | Ø 150           | 137         | BSL100    | £695.00   |
| 1000          | 1200 x 800          | 415                | 1250               | 1100               | Ø 150           | 163         | BSL100L   | £995.00   |
| 1500          | 1220 x 610          | 420                | 1010               | 970                | Ø 150           | 142         | TXL1500   | £995.00   |

## Double Manual Scissor Lift Tables

- Capacity range from 150kg to 800kg
- Heavy duty design
- Great stability and manoeuvrability
- Foot pump to lift platform
- Hand lever to release/lower platform
- Special bespoke designs available



| CAPACITY (kg) | PLATFORM L x W (mm) | CLOSED HEIGHT (mm) | RAISED HEIGHT (mm) | HANDLE HEIGHT (mm) | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|---------------------|--------------------|--------------------|--------------------|-----------------|-------------|-----------|---------|
| 150           | 700 x 450           | 310                | 1120               | 920                | Ø 100           | 67          | TXL150D   | £545.00 |
| 150           | 830 x 500           | 435                | 1450               | 1050               | Ø 150           | 91          | BSL15D    | £565.00 |
| 300           | 1010 x 520          | 435                | 1620               | 1130               | Ø 150           | 134         | BSL30D    | £645.00 |
| 350           | 910 x 500           | 350                | 1300               | 970                | Ø 125           | 103         | TXL350D   | £645.00 |
| 450           | 1030 x 610          | 295                | 1555               | 950                | Ø 130/160       | TBC         | SCL450DM  | £895.00 |
| 500           | 1010 x 520          | 450                | 1600               | 1185               | Ø 150           | 144         | BSL50D    | £695.00 |
| 680           | 1210 x 610          | 475                | 1510               | 1020               | Ø 150           | 176         | TXL680D   | £895.00 |
| 800           | 1010 x 520          | 470                | 1420               | 1185               | Ø 150           | 150         | BSL80D    | £995.00 |
| 800           | 1220 x 610          | 485                | 1500               | 970                | Ø 150           | 181         | TXL800D   | £995.00 |

## Electric Double Scissor Lift Tables

- Capacity range from 300kg to 800kg
- Robust construction
- Simple handle mounted control pad
- 12V maintenance free battery
- 700W dc power pack

ESL50D Closed



ESL50D



| CAPACITY (kg) | PLATFORM L x W (mm) | CLOSED HEIGHT (mm) | RAISED HEIGHT (mm) | HANDLE HEIGHT (mm) | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF | PRICE     |
|---------------|---------------------|--------------------|--------------------|--------------------|-----------------|-------------|-----------|-----------|
| 300           | 1010 x 520          | 495                | 1600               | 1180               | Ø 150           | 148         | ESL30D    | £1,795.00 |
| 500           | 1010 x 520          | 435                | 1618               | 1180               | Ø 150           | 198         | ESL50D    | £1,895.00 |
| 800           | 1010 x 520          | 510                | 1440               | 1180               | Ø 150           | 208         | ESL80D    | £1,995.00 |

## Scissor Lift Table Attachments

These attachments are designed to make scissor lift table loading and unloading operations easier. They can be fitted to BSL50, BSL75, BSL30D, BSL50D, ESL30D and ESL50D scissor lift tables only.

### Ball Transfer Top

Model: BSL/BTT

- Capacity: 450kg
- Platform Length: 1010mm
- Platform Width: 560mm
- Base Width: 500mm
- Height: 180mm
- Height (with guards): 220mm

Price: £395.00



Ball Transfer Top

### Straight Roller Track

Model: BSL/SRT

- Capacity: 450kg
- Length: 1010mm
- Width: 500mm
- Overall Length: 1025mm
- Overall Width: 535mm
- Height: 50mm
- Overall Height: 100mm
- No. of Rollers: 9

Price: £295.00



Straight Roller Track

### Turntable Roller Track

Model: BSL/TRT

- Capacity: 200kg
- Top Length: 710mm
- Top Width: 505mm
- Rotating base Width: 535mm
- Height: 100mm
- No. of Rollers: 6

Price: £345.00



Turntable Roller Track

Aluminium Mobile Scissor Lift Table

- Lightweight and easy to use
- Manual hydraulic operation (foot pump)
- Handle folds down flat
- Fitted with two brakes for added safety
- Easy transportation and storage
- Powder coated finish

Weighs 21kg only



| CAPACITY (kg) | PLATFORM L x W (mm) | CLOSED HEIGHT (mm) | RAISED HEIGHT (mm) | HANDLE HEIGHT (mm) | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|---------------------|--------------------|--------------------|--------------------|-----------------|-------------|-----------|---------|
| 100           | 705 x 455           | 260                | 755                | 1000               | Ø 100           | 21          | BSL10ALU  | £595.00 |

Stainless Steel Mobile Scissor Lift Tables

- Suitable for a variety of lifting and loading operations
- Robust structure yet lightweight
- Fitted with two brakes for increased safety
- Ideal for pharmaceutical, food and beverages industries
- Nylon wheels



BSL25SS



BSL25SS Closed

| CAPACITY (kg) | PLATFORM L x W (mm) | CLOSED HEIGHT (mm) | RAISED HEIGHT (mm) | HANDLE HEIGHT (mm) | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF | PRICE     |
|---------------|---------------------|--------------------|--------------------|--------------------|-----------------|-------------|-----------|-----------|
| 150           | 700 x 450           | 305                | 785                | 1000               | Ø 100           | 43.5        | BSL15SS   | £1,995.00 |
| 250           | 830 x 500           | 290                | 890                | 955                | Ø 125           | 71.5        | BSL25SS   | £2,195.00 |
| 500           | 1010 x 520          | 350                | 980                | 985                | Ø 150           | 94.5        | BSL50SS   | £2,495.00 |

Low Profile Scissor Lifts

- Low profile pallet positioner
- Safe 415V 3-phase operation
- Safety anti-trap bar under table edge
- HY1001 model is suitable for all pallets up to 1100 x 1200mm
- HU1000 model is suitable for open-bottom pallets e.g. Euro Pallets




HY1001



HU1000



HY1001 Lowered



1000kg capacity Turntable Accessory for HY1001-1250

| TYPE                                               | CAPACITY<br>(kg) | PLATFORM<br>L x W (mm) | CLOSED<br>HEIGHT (mm) | RAISED<br>HEIGHT (mm) | WEIGHT<br>(kg) | ORDER<br>REF | PRICE     |
|----------------------------------------------------|------------------|------------------------|-----------------------|-----------------------|----------------|--------------|-----------|
| U-Shape                                            | 1000             | 1420 x 1140            | 85                    | 860                   | 134            | HU1000       | £2,395.00 |
| Table With Ramp                                    | 1000             | 1450 x 1140            | 85                    | 860                   | 357            | HY1001       | £2,495.00 |
| Table With Ramp                                    | 1000             | 1450 x 1250            | 85                    | 860                   | 358            | HY1001-1250  | £2,395.00 |
| 1000kg capacity Turntable Accessory for HY001-1250 |                  |                        |                       |                       |                |              | £1,995.00 |

SPECIAL MODELS OF SCISSOR LIFT TABLES



ATEX Scissor Lift Table with  
Raised Frame Platform



Scissor Lift Table with Roller Top and  
Stabilising Screw Legs



Scissor Lift Table  
with Scale



Scissor Lift Table with  
Stainless Steel Top with Sides



with V-block Top  
and Side Controls

Machinery Toe Jacks

- Designed for raising loads and placing shifting-skates underneath them
- Also used for general repairs, maintenance and for installation of heavy items
- Dual lifting capability: loads can be lifted using the toe or the head of the jack
- The 12000kg model has 2 toe positions and wheels for easy manoeuvring
- Adjustable lowering speed
- Removable pump handle
- Overload protection



TBL60




TBL120

| CAPACITY (kg) | LIFT HEIGHT ON TOE (mm) | LIFT HEIGHT ON HEAD (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|-------------------------|--------------------------|-------------|-----------|---------|
| 6000          | 35 -195 (single stage)  | 320 - 560                | 25.5        | TBL60     | £285.00 |
| 12000         | 40 -180 (two stage)     | 325 - 545                | 68          | TBL120    | £595.00 |

Hydraulic Toe Jacks

- Designed for raising loads and placing shifting-skates underneath them
- Dual lifting capability: loads can be lifted using the toe or the head of the jack
- Suitable for repair and installation work of machines
- Ultra low-profile, compact and strong
- Three adjustable toe heights
- The hydraulic pumps of the jacks are protected by a robust lift housing
- The hydraulic toe jacks are supplied with a two part pump handle
- Adjustable swivel support legs as standard



TGL30



TGL80

| CAPACITY (kg) | LIFT HEIGHT ON TOE (mm) | LIFT HEIGHT ON HEAD (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|-------------------------|--------------------------|-------------|-----------|---------|
| 3000          | 15 -240 (3 stage)       | 250 - 380                | 22          | TGL30     | £315.00 |
| 8000          | 25 -295 (3 stage)       | 270 - 410                | 28          | TGL80     | £345.00 |

## Rotational Hydraulic Toe Jacks

- Designed for raising loads and placing shifting-skates underneath them
- Also used for general repairs, maintenance and for installation of heavy items
- Dual lifting capability: loads can be lifted using the toe or the head of the jack
- Compact and stable construction
- Can be used in any position (pumps sideways and upside down)
- Housing revolves 360 degrees
- Adjustable lowering speed
- Removable pump lever
- Overload protection valve



HML50

HML100

HML250


| CAPACITY (kg) | LIFT HEIGHT ON TOE (mm) | LIFT HEIGHT ON HEAD (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|-------------------------|--------------------------|-------------|-----------|---------|
| 5000          | 25 -220 (single stage)  | 368 - 573                | 25          | HML50     | £345.00 |
| 10000         | 30 -260 (single stage)  | 420 - 650                | 35          | HML100    | £455.00 |
| 25000         | 58 -273 (single stage)  | 505 - 720                | 102         | HML250    | £995.00 |

## SPECIAL JACK MODELS


### Forklift Jack



### Nickel Plated Jack



### 50t Jack



## Individual Skates

- Industrial shifting skates are designed for moving heavy objects
- They are ideal for moving factory machinery, power generators, large steel constructions etc
- Loads can be raised using either a roller crowbar or a hydraulic jack
- Skates are maintenance free with sealed bearings
- They are fitted with handles for ease of carrying and positioning
- The tops of the skates are covered with an anti-slip rubber mat for stability and protection of loads

| CAPACITY (kg) | NUMBER OF ROLLERS | ROLLERS (mm)     | DIMENSIONS L x W x H (mm) | O/A LENGTH WITH HANDLE | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|-------------------|------------------|---------------------------|------------------------|-------------|-----------|---------|
| 1000          | 4                 | Ø 100 x 35 Nylon | 330 x 220 x 120           | 400mm                  | 7           | SF10      | £85.00  |
| 2000          | 8                 | Ø 100 x 35 Nylon | 330 x 220 x 120           | 400mm                  | 8           | SF20      | £105.00 |
| 2500          | 2                 | Ø 85 x 90 Nylon  | 220 x 120 x 105           | 275mm                  | 4           | SF25      | £85.00  |
| 3000          | 4                 | Ø 85 x 85 Nylon  | 330 x 220 x 120           | 400mm                  | 9.5         | SF30      | £115.00 |
| 6000          | 6                 | Ø 85 x 90 Nylon  | 265 x 210 x 105           | 420mm                  | 12          | SF60      | £145.00 |



## Heavy Duty Individual Skates with Swivel Castors

- Skates with swivel castors are designed to travel in any direction
- The 360 degree rotating castors enables quick change of direction
- Circular anti-slip mat on top of skates for stability and protection of loads
- Supplied with a two-piece removable steering handle - easy handle storage



| CAPACITY (kg) | NUMBER OF ROLLERS | POLYURETHANE ROLLERS (mm) | DIMENSIONS L x W x H (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|-------------------|---------------------------|---------------------------|-------------|-----------|---------|
| 2000          | 3                 | Ø 80 x 70                 | 410 x 500 x 110*          | 25          | SC203     | £235.00 |
| 3000          | 4                 | Ø 80 x 70                 | 410 x 470 x 110*          | 29.6        | SC304     | £255.00 |
| 4000          | 5                 | Ø 80 x 70                 | 510 x 585 x 110*          | 37          | SC405     | £295.00 |

\* Height: without handle

## Individual Skates with Swivel Castors

- Skates with swivel castors are designed to travel in any direction
- They can be used to change direction quickly and almost on the spot
- 2 swivel castor skates (SC102) are often used in conjunction with two or more all-swivel castor skates (SC104)
- The 2 Swivel Castors Skate (SC102) has two swivel castors and two fixed castors
- The tops of the skates are covered with an anti-slip rubber mat for stability and protection of loads



| CAPACITY (kg) | SWIVEL CASTORS (mm) | FIXED CASTORS (mm)  | DIMENSIONS L x W x H (mm) | O/A LENGTH WITH HANDLE (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|---------------------|---------------------|---------------------------|-----------------------------|-------------|-----------|---------|
| 1000          | 2x Ø 75 x 46 Nylon  | 2x Ø 100 x 35 Nylon | 430 x 340 x 120           | 500mm                       | 13          | SC102     | £165.00 |
| 1000          | 4x Ø 75 x 46 Nylon  |                     | 430 x 340 x 120           | 500mm                       | 14          | SC104     | £215.00 |

## Adjustable Skates Pairs

- Adjustable skates consist of a pair of skates each. These can be linked using two steel rods
- The rods are loose inside tubes welded onto the sides of the skates
- The rods prevent the skates from skidding and travelling at different speeds
- The distance between the skates can be freely adjusted from 500 to 1200mm (model CM60)
- The distance between the skates can be freely adjusted from 720 to 1200mm (models CM120 and CM240)
- The tops of the skates are covered with a rubber mat for stability and protection of loads



| CAPACITY (kg) | NUMBER OF ROLLERS | ROLLERS (mm)    | DIMENSIONS L x W x H (mm) | O/A DIMENSIONS L x W (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|-------------------|-----------------|---------------------------|---------------------------|-------------|-----------|---------|
| 6000          | 8                 | Ø 85 x 90 Nylon | 250 x 200 x 115           | 325* x 270**              | 30          | CM60      | £295.00 |
| 12000         | 12                | Ø 85 x 90 Nylon | 350 x 200 x 115           | 420* x 270**              | 38          | CM120     | £385.00 |
| 24000         | 16                | Ø 83 x 85 Steel | 425 x 220 x 115           | 495* x 290**              | 65          | CM240     | £495.00 |

\* with handle / \*\* with side rod tubes

Steerable Skates

- Industrial shifting skates are designed for moving heavy objects
  - They are ideal for moving factory machinery, power generators, large steel constructions etc
  - The load can be raised using either a roller crowbar or a hydraulic jack
  - Skates are maintenance free with sealed bearings
  - They are fitted with handles for ease of carrying and positioning
  - The tops of the skates are covered with an anti-slip rubber mat for stability and protection of loads
- 
- Steerable skates are usually used together with an adjustable skate pair
  - One or two steerable skates can be used to form a skate set
  - Each skate has a high quality turntable and packing plate covered with a rubber mat
  - The steering handles are 1m long
  - The steering handles of the ST60 & ST120 models come with hitching loops to connect to tugs or forklifts



| CAPACITY (kg) | NUMBER OF ROLLERS | ROLLERS (mm)    | DIMENSIONS L x W x H (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|-------------------|-----------------|---------------------------|-------------|-----------|---------|
| 3000          | 4                 | Ø 85 x 90 Nylon | 310 x 255 x 105           | 15          | ST30      | £215.00 |
| 6000          | 8                 | Ø 85 x 90 Nylon | 630 x 400 x 115           | 50          | ST60      | £395.00 |
| 12000         | 8                 | Ø 83 x 85 Steel | 630 x 400 x 115           | 66          | ST120     | £485.00 |

Complete Skate Set

- These are the most popular skate sets
- 1 x Steerable Skate and drawbar with 2 x Adjustable Skates and connecting rods
- We can offer skate sets with capabilities up to 128t as well as individual skates from stock




| CAPACITY (kg) | ROLLERS (mm)                      | WEIGHT (kg) | ORDER REF   | PRICE   |
|---------------|-----------------------------------|-------------|-------------|---------|
| 6000          | Ø 85 x 90 Nylon                   | 31          | ST30+2xSF25 | £385.00 |
| 9000          | Ø 85 x 90 Nylon                   | 45          | ST30+CM60   | £510.00 |
| 12000         | Ø 85 x 90 Nylon                   | 80          | ST60+CM60   | £690.00 |
| 18000         | Ø 85 x 90 Nylon                   | 88          | ST60+CM120  | £780.00 |
| 24000         | Ø 85 x 90 Nylon & Ø 83 x 85 Steel | 104         | ST120+CM120 | £870.00 |
| 36000         | Ø 83 x 85 Steel                   | 131         | ST120+CM240 | £980.00 |

## Caterpillar Skate Kits

- Caterpillar style skate sets are ideal for transportation of very heavy items over good firm floors
- Each set consist of:
- 4 caterpillar style (connected) roller skates
- 2 turntables
- 2 packing plates
- 2 steering handles
- 2 link-up bars and 1 draw bar
- Each set is supplied in a steel box for easy storage and transportation


- Suitable for installation and movement of heavy loads
- Steering handles provide precise control
- Travel speed up to 5m/min
- Minimum turning circle: 3mm



| CAPACITY (kg) | ROLLERS (mm) | HEIGHT (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|--------------|-------------|-------------|-----------|---------|
| 20000         | Ø 18         | 108         | 50          | SK20      | £545.00 |
| 30000         | Ø 24         | 117         | 58          | SK30      | £595.00 |
| 60000         | Ø 30         | 140         | 92          | SK60      | £695.00 |



SK20 in box on castors




## Corner Skate Set

This set of 4 low level corner skates is designed to assist with the moving of large rectangular loads such as cupboards, office cabinets and storage systems. The skates are placed under each corner of the load to be moved.

- Pressed steel frame
- Non-marking swivel castors
- 600kg capacity over 4 corners

|                         |                    |
|-------------------------|--------------------|
| Order Ref               | CS600              |
| Capacity                | 600kg              |
| Max. Load per Corner    | 150kg              |
| Overall Dimensions      | 260 x 260 x 320mm  |
| Internal Dimensions     | 130 x 130 x 190mm  |
| Overall Height          | 85mm               |
| Height of Load Platform | 25mm               |
| Wheels                  | Non-marking rubber |
| Wheels Diameter         | Ø 50mm             |
| Weight per Set          | 11kg               |
| Price                   | £130.00            |



Roller Crowbar

- Heavy duty reinforced crowbar
- Suitable for a variety of lifting and moving applications
- It can be used in conjunction with LiftMate skate sets

| CAPACITY (kg) | OVERALL LENGTH (mm) | ROLLER SIZE (mm) | WEIGHT (kg) | MAX. SKATE HEIGHT (mm) | ROLLER MATERIAL | ORDER REF      | PRICE   |
|---------------|---------------------|------------------|-------------|------------------------|-----------------|----------------|---------|
| 1500          | 2100                | Ø 75             | 16.5        | 135                    | Steel           | KI/RC1500      | £145.00 |
| 1500          | 2000                | Ø 100            | 19          | 235                    | Steel           | KI/RC1500/LONG | £145.00 |




Long toe - 100mm rollers



Short toe - 75mm rollers



KI/RC1500



Mechanical Furniture Mover Jack

- Lifts furniture from the floor and transports over short distances
- Ideal for use with cabinets, cupboards and other similar items
- A set consists of two units
- Supplied with a separate handle bar to lift objects off the floor
- Capacity: 1000kg, Wheels: Polyurethane, Weight: 10kg

| MINIMUM TOE HEIGHT (mm) | MAXIMUM TOE HEIGHT (mm) | LIFTING RANGE AT TOE (mm) | ORDER REF | PRICE   |
|-------------------------|-------------------------|---------------------------|-----------|---------|
| 12                      | 50                      | 38                        | MJ1000B   | £135.00 |

Furniture & Equipment Mover Sets

- Robust lifting mechanism
- For professional transport of heavy and bulky items
- Ideal for removal, maintenance and installation applications
- A set consists of two transport units
- Supplied with two 5 metre long securing load straps
- Polyurethane wheels



FML60

Mechanical lift using spindle winch




FML180B



| CAPACITY (kg) | RAISED HEIGHT (mm) | DIMENSIONS W x D x H (mm) | TOE PLATE W x D (mm) | TOE PLATE THICKNESS (mm) | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------|--------------------|---------------------------|----------------------|--------------------------|-----------------|-------------|-----------|---------|
| 600           | 410                | 600 x 410 x 810           | 225 x 120            | 7                        | Ø 150           | 25          | FML60     | £595.00 |
| 1800          | 345                | 650 x 425 x 1240          | 590 x 60             | 7                        | Ø 150           | 90          | FML180B   | £695.00 |

Workshop Cranes

- Quick lifting with a dual action pump
- 3 positions adjustable jib extension
- Chrome plated lifting piston and pump piston
- Relief valve to prevent overload
- Forged heavy duty swivel hook
- 110% overload tested before delivery
- Conforms to CE safety standards



SC500A Folded

| CAPACITY AT POSITION (kg) |     |     | DIMENSION (mm) |     |      |     |     |      |      |     |     |  | OVERALL WIDTH (mm) | WEIGHT (kg) | ORDER REF | PRICE   |
|---------------------------|-----|-----|----------------|-----|------|-----|-----|------|------|-----|-----|--|--------------------|-------------|-----------|---------|
| P1                        | P2  | P3  | A              | B   | C    | D   | E   | F    | G    | H   | I   |  |                    |             |           |         |
| 500                       | 425 | 350 | 1410           | 165 | 1510 | 895 | 102 | 2120 | 1960 | 150 | 340 |  | 970                | 75          | SC500A    | £595.00 |

More Crane Models

POA



Drum Buddy Pallet Loading Truck with Winch

- Suitable for 60, 120 and 220 litre drums
- One-claw gripping system for metal and plastic rimmed drums
- The Winch mechanism enables effective unloading of drums from pallets
- The Winch mechanism enables drum to be placed on floor without effort
- Adjustable height gripping system for safe handling of various drum types
- Ergonomic multi-grip handles to adapt hand positioning during handling
- Direct grasp by the top of the barrel, without the effort of sliding onto a flap
- Side stand equipped with a shock absorber
- Available with single or double drum rim locking clasp




Single Drum Rim Locking Clasp

Single Clasp is designed for most steel and plastic drums with diameters from 350-600mm. Double Clasp is designed for most steel and open top plastic drums.  
Note: If unsure which clasp you need, please send us a photo of your drum.



| CAPACITY (kg) | DIMENSIONS L x W x H (mm) | MIN - MAX. DRUM GRIPPING | TYPE OF CLASP | RUBBER WHEELS DIAMETER (mm) | CASTOR DIA. (mm) | WEIGHT (kg) | ORDER REF       | PRICE     |
|---------------|---------------------------|--------------------------|---------------|-----------------------------|------------------|-------------|-----------------|-----------|
| 350           | 615 x 555 x 1585          | 700 - 1080 mm            | SINGLE        | Ø 300                       | Ø 100            | 23          | LiD350-W-Single | £1,395.00 |
| 350           | 615 x 555 x 1585          | 700 - 1080 mm            | DOUBLE        | Ø 300                       | Ø 100            | 23          | LiD350-W-Double | £1,445.00 |



Double Drum Rim Locking Clasp



501/KI/PL/150

Folding Handles



502/KI/PL/250

### Platform Trolleys

- Handle folds down flat over platform
- Steel base has a non-slip surface
- Two fixed wheels and two swivel castors
- Non-marking rubber wheels
- Easy storage

| CAPACITY (kg) | DIMENSIONS L x W x H (mm) | PLATFORM SIZE L x W (mm) | FOLDING HANDLES | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF     | PRICE  |
|---------------|---------------------------|--------------------------|-----------------|-----------------|-------------|---------------|--------|
| 150           | 740 x 490 x 865           | 635 x 490                | 1               | Ø 100           | 12.5        | 501/KI/PL/150 | £79.00 |
| 250           | 930 x 620 x 865           | 790 x 620                | 1               | Ø 125           | 18.5        | 502/KI/PL/250 | £99.00 |



505/KI/LUX/2



505/KI/LUX/1

### Large Platform Trolleys

- Fixed handles for added strength
- Optional additional handle
- Steel base has a non-slip surface
- Two fixed wheels and two swivel castors
- Non-marking rubber wheels

| CAPACITY (kg) | DIMENSIONS L x W x H (mm) | PLATFORM SIZE L x W (mm) | FIXED HANDLES | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF    | PRICE   |
|---------------|---------------------------|--------------------------|---------------|-----------------|-------------|--------------|---------|
| 300           | 1160 x 760 x 875          | 1020 x 760               | 1             | Ø 160           | 41.5        | 505/KI/LUX/1 | £169.00 |
| 300           | 1160 x 760 x 875          | 875 x 760                | 2             | Ø 160           | 42          | 505/KI/LUX/2 | £179.00 |

### Two and Three Tier Trolleys

- Lightweight service trolley
- Fitted with two or three decks
- Ideal for catering environments
- Shelves have non-slip surface
- Shelves have all-round protection buffer
- Fitted with two handles
- Two fixed wheels and two swivel castors
- Non-marking rubber wheels



506/KI/SERV/2



507/KI/SERV/3

| CAPACITY (kg) | DIMENSIONS L x W x H (mm) | PLATFORM SIZE L x W (mm) | NUMBER OF TIERS | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF     | PRICE   |
|---------------|---------------------------|--------------------------|-----------------|-----------------|-------------|---------------|---------|
| 120           | 745 x 485 x 865           | 630 x 485                | 2               | Ø 125           | 20          | 506/KI/SERV/2 | £149.00 |
| 120           | 745 x 485 x 865           | 630 x 485                | 3               | Ø 125           | 25          | 507/KI/SERV/3 | £189.00 |

Heavy Duty Platform Trolley

- Narrow design to go through standard doors
- Tough plywood platform
- Welded steel frame
- Large platform area
- Choice of rubber or pneumatic wheels
- Available with 2 brakes



541/BI/PL/300  
Solid Rubber wheels



541/BI/PL/300/B  
Solid Rubber wheels with Brakes



541/BI/PL/300/PN  
Pneumatic wheels



541/BI/PL/300/PNB  
Pneumatic wheels with Brakes

| CAPACITY<br>(kg) | DIMENSIONS<br>L x W x H (mm) | PLATFORM SIZE<br>L x W (mm) | WHEELS       | BRAKES | WHEELS DIA<br>(mm) | WEIGHT<br>(kg) | ORDER REF         | PRICE   |
|------------------|------------------------------|-----------------------------|--------------|--------|--------------------|----------------|-------------------|---------|
| 300              | 1230 x 600 x 935             | 1210 x 600                  | Solid rubber | -      | Ø 160              | 32             | 541/BI/PL/300     | £295.00 |
| 300              | 1230 x 600 x 935             | 1210 x 600                  | Solid rubber | 2      | Ø 160              | 32             | 541/BI/PL/300/B   | £325.00 |
| 300              | 1230 x 600 x 935             | 1210 x 600                  | Pneumatic    | -      | Ø 225              | 32             | 541/BI/PL/300/PN  | £495.00 |
| 300              | 1230 x 600 x 935             | 1210 x 600                  | Pneumatic    | 2      | Ø 225              | 32             | 541/BI/PL/300/PNB | £545.00 |



Garden/Store Truck with Fold Down Sides

- Heavy duty design
- Single Ackerman steering
- Sides and tailgate all fold down
- Sides are easily removable
- Ideal for both garden and light industrial use
- Fitted with large 330mm wheels
- Optional removable canvas lining



with Phenolic Deck



with Marine Plywood Deck



with Canvas Lining



| CAPACITY<br>(kg)                     | DIMENSIONS<br>L x W (mm) | HEIGHT OF WALLS<br>(mm) | NUMBER OF<br>SIDES | WHEELS DIA<br>(mm) | WEIGHT<br>(kg) | ORDER REF        | PRICE   |
|--------------------------------------|--------------------------|-------------------------|--------------------|--------------------|----------------|------------------|---------|
| 350                                  | 1380 x 615               | 280                     | 4 Mesh             | Ø 330              | 30             | 535/BI/TT/300    | £295.00 |
| Phenolic Deck for Garden Truck       |                          |                         |                    |                    |                | 535/BI/TT/DECK   | £45.00  |
| Marine Plywood Deck for Garden Truck |                          |                         |                    |                    |                | 535/BI/TT/DECK2  | £35.00  |
| Optional Canvas Lining               |                          |                         |                    |                    |                | 535/BI/TT/LINING | £20.00  |

## Heavy Duty Nesting Cash & Carry Trolley

- Spring loaded platform allows nesting of trolleys
- Heavy duty design for busy applications
- Welded basket as standard
- Special sizes available



540/CF/CC/500

| CAPACITY (kg)                                       | DIMENSIONS L x W x H (mm) | PLATFORM SIZE L x W (mm) | WHEELS       | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF          | PRICE   |
|-----------------------------------------------------|---------------------------|--------------------------|--------------|-----------------|-------------|--------------------|---------|
| 500                                                 | 1465 x 700 x 1050         | 1150 x 550               | Solid rubber | Ø 200           | 39          | 540/CF/CC/500      | £495.00 |
| 500                                                 | 1465 x 700 x 1050         | 1150 x 550               | Solid rubber | Ø 200           | 39          | 540G/PA/CC/500     | £595.00 |
| 500                                                 | 1465 x 700 x 1050         | 1150 x 550               | Solid rubber | Ø 200           | 39          | 540G/PA/CC/500/PLY | £595.00 |
| Parking Foot Brakes on Swivel Castors (per trolley) |                           |                          |              |                 |             |                    | £40.00  |

## Galvanised Nesting Cash & Carry Trolley

- Spring loaded platform allows nesting of trolleys
- Fitted with a zinc plated grill deck as standard
- Heavy duty design for busy applications
- Available with a plywood deck
- Welded basket as standard
- Special sizes available



540G/PA/CC/500

with Plywood Deck  
540G/PA/CC/500/PLY

## Narrow Cash & Carry Trolley

- Ideal for use in shops with narrow aisles
- Designed with an angle chassis frame
- Balance wheel construction
- Tubular end frame handles
- 350kg or 750kg capacity



590/PA/NCC/350



590/PA/NCC/750

| CAPACITY (kg) | DIMENSIONS L x W x H (mm) | PLATFORM SIZE L x W (mm) | CORNER WHEELS | CENTRE AXLE WHEELS | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF      | PRICE   |
|---------------|---------------------------|--------------------------|---------------|--------------------|-----------------|-------------|----------------|---------|
| 350           | 1800 x 380 x 1315         | 1495 x 380               | Solid rubber  | Solid rubber       | Ø 125 / 200     | 29          | 590/PA/NCC/350 | £495.00 |
| 750           | 1800 x 380 x 1315         | 1495 x 380               | Solid rubber  | Polyurethane       | Ø 125 / 200     | 29          | 590/PA/NCC/750 | £545.00 |

## Universal Sack Truck

- General purpose professional quality sack truck
- Strong toe plate
- Durable red stove enamelled paint finish
- 200kg



## Delivery Driver's Hand Truck

- Ideal for deliveries and everyday use
- A favourite with professional delivery drivers
- Reinforced chassis



| CAPACITY (kg) | DIMENSIONS H X W (mm) | TOE PLATE DEPTH (mm) | TOE PLATE WIDTH (mm) | WHEELS       | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF     | PRICE   |
|---------------|-----------------------|----------------------|----------------------|--------------|-----------------|-------------|---------------|---------|
| 200           | 1150 x 460            | 200                  | 360                  | Solid rubber | Ø 200           | 12.5        | 403/KI/200    | £99.00  |
| 200           | 1220 x 460            | 170                  | 340                  | Solid rubber | Ø 200           | 14.5        | 404/KI/99/200 | £149.00 |

## Rough Terrain Sack Truck

- Tubular steel sack truck
- Designed with a big toe plate
- Fitted with large pneumatic wheels



## Heavy Duty Rough Terrain Sack Truck

- Heavy duty sack truck
- 450kg Capacity
- Fitted with large pneumatic wheels



| CAPACITY (kg) | DIMENSIONS H X W (mm) | TOE PLATE DEPTH (mm) | TOE PLATE WIDTH (mm) | WHEELS    | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF      | PRICE   |
|---------------|-----------------------|----------------------|----------------------|-----------|-----------------|-------------|----------------|---------|
| 400           | 1160 x 710            | 290                  | 500                  | Pneumatic | Ø 300           | 15.5        | 416/CO/01B/400 | £219.00 |
| 450           | 1170 x 620            | 230                  | 500                  | Pneumatic | Ø 300           | 18.5        | 416/CO/94/450  | £249.00 |

## Curved Back Sack Truck

- Heavy duty sack truck with large toe plate
- Curved back makes it ideal for carrying loads such as sacks, round bins or bottles
- Fitted with plastic grips with knuckle guards



417/CO/14/CB/250

250kg



See page 55 for load strap option

## Heavy Duty Sack Truck with Skids & Mesh Back

- Designed with a high back
- Mesh back to stop small items falling through
- Extra large toe plate



300kg

420/ME/6253/HBM

| CAPACITY (kg) | DIMENSIONS H X W (mm) | TOE PLATE DEPTH (mm) | TOE PLATE WIDTH (mm) | WHEELS                          | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF        | PRICE   |
|---------------|-----------------------|----------------------|----------------------|---------------------------------|-----------------|-------------|------------------|---------|
| 250           | 1120 x 620            | 220                  | 400                  | Rubber/Pneumatic/Puncture proof | Ø 260           | 10          | 417/CO/14/CB/250 | £169.00 |
| 300           | 1350 x 500            | 300                  | 475                  | Rubber/Pneumatic/Puncture proof | Ø 260           | 21.5        | 420/ME/6253/HBM  | £249.00 |

## P-Shaped Handle Sack Truck

- Designed for everyday professional use
- P-shaped handle enables one-handed steering
- A favourite with delivery drivers



250kg

422/KI/P/200



200kg

422/KI/APL/200

## P-Shaped Handle Sack Truck

- Fitted with load protection strip to prevent scratching
- Designed with a high back for tall items
- Ideal for moving white goods and home appliances

| CAPACITY (kg) | DIMENSIONS H X W (mm) | TOE PLATE DEPTH (mm) | TOE PLATE WIDTH (mm) | WHEELS                          | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF      | PRICE   |
|---------------|-----------------------|----------------------|----------------------|---------------------------------|-----------------|-------------|----------------|---------|
| 250           | 1310 x 540            | 225                  | 350                  | Rubber/Pneumatic/Puncture proof | Ø 260           | 12.5        | 422/KI/P/200   | £169.00 |
| 200           | 1330 x 550            | 225                  | 500                  | Rubber/Pneumatic/Puncture proof | Ø 260           | 16          | 422/KI/APL/200 | £179.00 |

## White Goods Appliance Hand Trucks

- Ideal for moving white goods and home appliances
- Fitted with load protection strips to prevent scratching
- Extra tall frame (448/CO/73/WG Model only)
- Foot pedal to help tilt loads



## Universal Curved Back Truck with Load Strap

- Curved back to carry bottles, drums, cans
- Supplied with a load retention strap
- Load Diameter: up to 380mm



| CAPACITY (kg) | DIMENSIONS H X W (mm) | TOE PLATE DEPTH (mm) | TOE PLATE WIDTH (mm) | WHEELS                          | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF        | PRICE   |
|---------------|-----------------------|----------------------|----------------------|---------------------------------|-----------------|-------------|------------------|---------|
| 250           | 1075 x 560            | 155                  | 340                  | Rubber/Pneumatic/Puncture proof | Ø 260           | 15.5        | 449/CO/03/WG     | £249.00 |
| 250           | 1320 x 630            | 250                  | 350                  | Pneumatic                       | Ø 260           | 15.5        | 448/CO/73/WG     | £299.00 |
| 250           | 1300 x 500            | 280                  | 230                  | Rubber/Pneumatic/Puncture proof | Ø 260           | 14          | 424/CO/31/SK/250 | £199.00 |

## High Back Sack Truck with Skids

- Heavy duty high back sack truck
- Skids to handle kerbs and stairs
- Supplied with knuckle guards



## Very Tall High Back Sack Truck with Skids

- Very tall model of the high back sack truck
- Skids to handle kerbs and stairs
- Supplied with knuckle guards



## Beer Keg Truck

- Heavy duty beer barrel and keg truck
- Fitted with sliding catch to hold beer barrels in place
- Works with most standard kegs and barrels
- See page 54 for Stairclimber version



| CAPACITY (kg) | DIMENSIONS H X W (mm) | TOE PLATE DEPTH (mm) | TOE PLATE WIDTH (mm) | WHEELS                          | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF          | PRICE   |
|---------------|-----------------------|----------------------|----------------------|---------------------------------|-----------------|-------------|--------------------|---------|
| 250           | 1320 x 550            | 270                  | 270                  | Rubber/Pneumatic/Puncture proof | Ø 260           | 14.5        | 424/CO/58/SK/250   | £199.00 |
| 250           | 1600 x 550            | 300                  | 300                  | Rubber/Pneumatic/Puncture proof | Ø 260           | 18.5        | 424/CO/58/SK/B/250 | £219.00 |
| 250           | 1230 x 550            | 150                  | 325                  | Rubber/Pneumatic/Puncture proof | Ø 260           | 16          | 429/CO/59/KEG/250  | £219.00 |

### Folding Toe Plate Sack Truck

- Dual toe plate sack truck
- Built for large and heavy loads
- 250kg Capacity
- Fixed toe (L x W): 130 x 400mm
- Folding toe (L x W): 430 x 400mm



### Dual/Folding Toe Plate Sack Trucks

- Large fixed toe plate
- Larger folding toe plate for bulky items
- Reinforced chassis for heavy loads
- Fixed toe (L x W): 290 x 420mm
- Folding toe (L x W): 600 x 340mm
- 446/CO/90/DFXL
- Extra Long folding toe plate
- Fixed toe (L x W): 290 x 420mm
- Folding toe (L x W): 750 x 340mm



| CAPACITY (kg) | DIMENSIONS H X W (mm) | TOE PLATE DEPTH (mm) | TOE PLATE WIDTH (mm) | WHEELS                          | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF        | PRICE   |
|---------------|-----------------------|----------------------|----------------------|---------------------------------|-----------------|-------------|------------------|---------|
| 250           | 1160 x 660            | 130 / 430            | 400 / 400            | Rubber/Pneumatic/Puncture proof | Ø 260           | 15          | 423/CO/10/DF/250 | £249.00 |
| 300           | 1260 x 620            | 290 / 600            | 420 / 340            | Rubber/Pneumatic/Puncture proof | Ø 260           | 19          | 446/CO/90/DFL    | £269.00 |
| 300           | 1260 x 620            | 290 / 750            | 420 / 340            | Rubber/Pneumatic/Puncture proof | Ø 260           | 19.5        | 446/CO/90/DFXL   | £279.00 |

### Heavy Duty Three Way Sack Truck

- Three-in-one convertible sack truck
- Serves both as sack truck and platform trolley
- Has a large fixed toe and a larger folding toe plate
- Middle position for supporting tall loads with ease, e.g. through doorways
- Fixed toe (L x W): 305 x 410mm
- Folding toe (L x W): 610 x 345mm



| CAPACITY (kg) | DIMENSIONS H X W (mm) | TOE PLATE DEPTH (mm) | TOE PLATE WIDTH (mm) | WHEELS                          | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF      | PRICE   |
|---------------|-----------------------|----------------------|----------------------|---------------------------------|-----------------|-------------|----------------|---------|
| 300           | 1310 x 600            | 305 / 610            | 410 / 345            | Rubber/Pneumatic/Puncture proof | Ø 260/100       | 20          | 447/CO/91/3WAY | £399.00 |

Stairclimbing Sack Truck

- Basic stairclimbing sack truck model
- Designed for light to medium use
- Fitted with Tri-Star wheel assembly as standard



425/CO/23/SC/150

Stairclimber Truck with Folding Toe

- Designed to easily climb stairs, doorsteps and kerbs
- Fitted with Tri-Star wheel assembly as standard
- The stairclimbing wheels come with roller bearings



426/BI/SC/FF/150

Stairclimber Truck with Pneumatic Wheels

- Designed with a folding toe plate
- High back frame
- Fitted with large pneumatic wheels
- Quiet operation



428/CS/SC/FF/120

| CAPACITY (kg) | DIMENSIONS H X W (mm) | TOE PLATE DEPTH (mm) | TOE PLATE WIDTH (mm) | WHEELS                          | WHEELS DIA (mm) | WEIGHT (kg) | ORDER REF            | PRICE   |
|---------------|-----------------------|----------------------|----------------------|---------------------------------|-----------------|-------------|----------------------|---------|
| 150           | 1250 x 520            | 200                  | 350                  | Solid rubber, Tri-Star assembly | Ø 140           | 13.5        | 425/CO/23/SC/150     | £149.00 |
| 150           | 1305 x 580            | 170 / 435            | 400 / 335            | Solid rubber, Tri-Star assembly | Ø 160           | 16.5        | 426/BI/SC/FF/150     | £199.00 |
| 150           | 1320 x 620            | 180 / 460            | 400 / 345            | Pneumatic, Tri-Star assembly    | Ø 200           | 18          | 428/CS/SC/FF/120     | £219.00 |
| 250           | 1230 x 550            | 150                  | 325                  | Solid rubber, Tri-Star assembly | Ø 160           | 17          | 429/CO/59/KEG/250/SC | £289.00 |

Stairclimbing Keg & Barrel Sack Truck

- Heavy duty stairclimbing beer barrel and keg truck
- Fitted with sliding catch to hold barrels and kegs in place
- Works with most standard kegs and barrels
- Fitted with Tri-Star wheel assembly as standard



429/CO/59/KEG/250/SC



Powered Stairclimbers are also available



## Load Retention Straps

- Recommended accessory for most sack truck models
- Load retention straps are used for securing and transporting bulky or unstable loads safely
- Our load straps are designed to clip onto the chassis of most sack trucks using plastic hooks.
- They are tightened and adjusted by either a standard cam buckle or a ratchet operation.

### Standard Cam Buckle



| LENGTH (cm) | ORDER REF  | PRICE  |
|-------------|------------|--------|
| 40+150      | STP/CB/150 | £9.00  |
| 40+300      | STP/CB/300 | £10.00 |




### Ratchet



| LENGTH (cm) | ORDER REF  | PRICE  |
|-------------|------------|--------|
| 40+150      | STP/RA/150 | £10.00 |
| 40+300      | STP/RA/300 | £11.00 |

## Hand Truck Kerb Ramp

- Designed to assist hand truck operators when moving loads over kerbs or steps
- Eliminates the need to lift or push loaded hand trucks over kerbs or steps
- Prevents damage to the load or injury to the hand truck operator
- Lightweight and portable
- Molded engineered plastic
- Non-skid surface prevents slipping
- Easy storage
- Strong and durable
- Designed for use with kerbs or steps up to 200mm high



|                |         |
|----------------|---------|
| Load Capacity  | 270kg   |
| Overall Length | 685mm   |
| Overall Width  | 685mm   |
| Height of Kerb | 200mm   |
| Weight         | 4kg     |
| Order Ref      | PKR220  |
| Price          | £114.00 |



Ruxxac Hand Trucks

- Designed to fold into a compact size for easy storage
- Ideal for both business and domestic use
- Ready to use within seconds from folded position
- Toe plate and wheels open simultaneously
- Designed with synthetic handles for comfortable steering
- “Spannfix” system fastening strap secures load to truck
- Aluminium toe plate and steel tubes
- Puncture proof wheels



Wheel truck into tight spaces with the Rolling function\*

\* Rolling Function



Ruxxac Business XL Hand Truck  
472/RX/BXL/125

Stainless Steel Chassis



Ruxxac Business Hand Truck  
471/RX/BUS/125



Ruxxac Exclusive Hand Truck  
475/RX/EX/125



| CAPACITY<br>(kg) | OPEN DIMENSIONS<br>D x W x H (mm) | FOLDED DIMENSIONS<br>D x W x H (mm) | THICKNESS<br>FOLDED (mm) | TOE PLATE<br>D x W (mm) | WHEEL<br>Ø x W (mm) | WEIGHT<br>(kg) | ORDER REF      | PRICE   |
|------------------|-----------------------------------|-------------------------------------|--------------------------|-------------------------|---------------------|----------------|----------------|---------|
| 125              | 460 x 490 x 1030                  | 55 x 490 x 685                      | 55                       | 250 x 490               | 185 x 40            | 5.7            | 471/RX/BUS/125 | £159.00 |
| 125              | 620 x 490 x 1130                  | 55 x 490 x 735                      | 55                       | 410 x 490               | 185 x 40            | 6.1            | 472/RX/BXL/125 | £169.00 |
| 125              | 620 x 490 x 1130                  | 55 x 490 x 735                      | 55                       | 410 x 490               | 185 x 40            | 6              | 475/RX/EX/125  | £249.00 |

## Ruxxac Hand Trucks

- Designed to fold into a compact size for easy storage
- Ideal for both business and domestic use
- Ready to use within seconds from folded position
- Toe plate and wheels open simultaneously
- Designed with synthetic handles for comfortable steering
- Aluminium toe plate and steel tubes
- Puncture proof wheels

# RuXXAC

**"Spannfix" system fastening strap easily secures load to truck**



Ruxxac Cross Hand Truck  
475/RX/TR/100



**Plastic Grip Handles  
& \*Rolling Function**



**50 x 100mm  
Frame Grid**

Ruxxac Parcel Hand Truck  
473/RX/PAR/125

**\* Rolling Function**



Ruxxac Jumbo Hand Truck  
474/RX/JU/250

| CAPACITY<br>(kg) | OPEN DIMENSIONS<br>D x W x H (mm) | FOLDED DIMENSIONS<br>D x W x H (mm) | THICKNESS<br>FOLDED (mm) | TOE PLATE<br>D x W (mm) | WHEEL<br>Ø x W (mm) | WEIGHT<br>(kg) | ORDER REF      | PRICE   |
|------------------|-----------------------------------|-------------------------------------|--------------------------|-------------------------|---------------------|----------------|----------------|---------|
| 100              | 615 x 615 x 1110                  | 120 x 480 x 720                     | 120                      | 410 x 480               | 180 x 95            | 6.3            | 475/RX/TR/100  | £229.00 |
| 125              | 620 x 490 x 1100                  | 110 x 490 x 1100                    | 110                      | 410 x 490               | 185 x 40            | 5.9            | 473/RX/PAR/125 | £189.00 |
| 250              | 620 x 655 x 1250                  | 120 x 595 x 840                     | 120                      | 420 x 595               | 215 x 40            | 11.4           | 474/RX/JU/250  | £389.00 |

Fold-It Collapsible Aluminium Cart

- All-purpose collapsible and portable cart
- Folds easily for convenient storage
- Unfolds in less than a minute
- High-grade aluminium construction
- Folds small enough to fit in trunk of car
- Completely rust and corrosion resistant
- Removable front gate allows for larger load
- Large pneumatic wheels ideal for rough terrain
- Release spring action handle to start unfolding



Optional Mud Wheels



Optional Beach Wheels

|                                  |                     |
|----------------------------------|---------------------|
| Load Capacity                    | 150kg               |
| Overall Dimensions (LxWxH)       | 1430 x 735 x 585 mm |
| Folded Size (LxWxH)              | 1025 x 250 x 600 mm |
| Overall Cart Box Width           | 620mm               |
| Inside Cart Box Size (LxWxH)     | 955 x 570 x 280 mm  |
| Outside Wall Height (Side/Front) | 360 / 330 mm        |
| Wheel Material                   | Pneumatic           |
| Wheel Diameter                   | 495mm               |
| Approx. Weight                   | 15kg                |
| Order Ref                        | LFI-150             |
| Price                            | £395.00             |

| OPTIONAL WHEELS       | ORDER REF | PRICE   |
|-----------------------|-----------|---------|
| Puncture Proof Wheels | LFI-PP    | £160.00 |
| Mud Wheels Kit        | LFI-MW    | £445.00 |
| Beach Wheels Kit      | LFI-BW    | £445.00 |

| ACCESSORIES            | ORDER REF | PRICE  |
|------------------------|-----------|--------|
| Rear Gate              | LFI-RG    | £30.00 |
| Full Height Rear Gate* | LFI-FHRG  | £35.00 |
| Trailer Hitch          | LFI-TH    | £45.00 |
| Bicycle Hitch          | LFI-BH    | £50.00 |

\* Handles must be removed to install Full Height Rear Gate



Rear Gate



Full Height Rear Gate\*



Trailer Hitch



Bicycle Hitch

Folding the Fold-It Cart



## Manual Handling Aid - Single Handle (MHAA100)

- For the safe handling of pipe, ironwork and tubing sections
- Reduces unnecessary bending and lifting
- Easy to fit
- Working Load Limit: 75kg
- Minimum Breaking Load: 750kg
- WARNING: For manual handling use only

£99.00



## Manual Handling Aid - Double Handle (MHAD100)

- For the safe handling of pipe, ironwork and tubing sections
- Reduces unnecessary bending and lifting
- Easy to fit
- Working Load Limit: 100kg
- Minimum Breaking Load: 1000kg
- WARNING: For manual handling use only

£139.00



## 2" Choke Valve Handling Strop (MHCS100)

- Used for the safe handling of 2" Chicksan Valves
- Reduces unnecessary bending and lifting
- Easy to fit
- Working Load Limit: 50kg
- Minimum Breaking Load: 500kg
- WARNING: For manual handling use only

£69.00



## GasGrab® Gas Cylinder Clamps

- For safe lifting & moving of gas cylinders
- 100kg Safe Working Load
- Cylinder diameters: 178, 203, 215, 230, 235, 254, 267, 278, 305, 320 & 376 mm
- WARNING: For manual handling use only

PRICES FROM  
£136.00


## GasGrab® Gas Cylinder Grabs - Pair

- For safe lifting & moving of gas cylinders
- 25kg Safe Working Load per single Grab
- Cylinder diameters: 100mm & 140mm
- WARNING: For manual handling use only

PRICES FROM  
£127.00


Hand Grip Clamps - 250kg Capacity



Hand Grip Clamp  
with Eye bolt

POA




Manual Magnetic Claws  
Models: 120/70 kg & 170/100 kg (Lifting/Pulling Capacity)

# CREATE YOUR CUSTOMISED MAGLINER HAND TRUCK

You can design and build your own Magliner hand truck that perfectly fits your needs by combining parts from our modular component system.

By selecting your preferred frame, handle, nose plate and wheels as well as optional accessories, if required, you end up with a customized Magliner hand truck of your choice.

Magliner Hand Trucks are lightweight, strong and of professional quality. They have a capacity of 225kg.



**Frame**  
2



**Handle**  
30



**Nose**  
HA



**Wheels**  
1010



**Accessory**  
C5 Stair Climber



Example of an assembled Magliner Hand Truck



**Order Ref:**  
230-HA-1010-C5

### Magliner Hand Truck Completion Kit

Each Magliner Hand Truck also requires a completion kit. This is a set of small parts including brackets, axle, bolts etc. This kit is included in the *Complete Hand Trucks'* prices on the following pages.

## COMPLETE HAND TRUCKS



£249.16

**111-E1-825**

- Straight back **frame**
- Basic 'U' loop **handle**
- 355 x 230mm extruded aluminium flush mount **nose**
- 200mm solid rubber **tyres**



£304.28

**111-K1-1060**

- Straight back **frame**
- Basic 'U' loop **handle**
- 405 x 300mm extruded aluminium flush mount **nose**
- 250mm pneumatic **tyres**



£290.68

**116-HA-830**

- Straight back **frame**
- Standard double pistol grip **handle**
- 355 x 300mm die-cast **nose** with recessed heel
- 200mm ballon cushion rubber **tyres**



£320.64

**116-HA-1060**

- Straight back **frame**
- Standard double pistol grip **handle**
- 355 x 300mm die-cast **nose** with recessed heel
- 250mm pneumatic **tyres**



£313.86

**219-AA-1060**

- Straight lattice back **frame**
- 'U' loop **handle** with vinyl sleeve
- 355 x 190mm die-cast **nose** with recessed heel
- 250mm pneumatic **tyres**



£299.22

**115C-E1-815**

- Straight back **frame**
- 1520mm vertical loop **handle**
- 355 x 230mm extruded aluminium flush mount **nose**
- 200mm mould-on rubber **tyres**

## COMPLETE HAND TRUCKS



£353.94

**160-K1-1060**

- Straight back **frame**
- Vertical loop **handle** for Hi-U extension
- 405 x 300mm extruded aluminium flush mount **nose**
- 250mm pneumatic **tyres**



£347.14

**230-G1-1060**

- Straight lattice back **frame**
- Welded double grip **handle**
- 455 x 230mm extruded aluminium flush mount **nose**
- 250mm pneumatic **tyres**



£315.90

**515A-AA-1030**

- Curved back **frame** with moulded cross members for transporting barrels and kegs
- 1320mm vertical loop **handle**
- 355 x 190mm die-cast **nose** with recessed heel
- 250mm balloon cushion rubber **tyres**



£379.88

**522-K2-1010**

- Curved back **frame** with moulded cross members for transporting barrels and kegs
- Welded double grip **handle**
- 500 x 300mm extruded aluminium flush mount **nose**
- 250mm puncture proof **tyres**



£367.28

**215A-UA-1010**

- Straight lattice back **frame**
- 1320mm vertical loop **handle**
- 455 x 190mm die-cast **nose** with recessed heel
- 250mm puncture proof **tyres**



£386.34

**516-UA-1060-KEG**

- Curved back **frame** with moulded cross members for transporting barrels and kegs
- Standard double pistol grip **handle**
- 455 x 190mm die-cast **nose** with recessed heel
- 250mm pneumatic **tyres**
- **Sliding Keg Hook** - see page 76

## COMPLETE HAND TRUCKS



£375.66

**416-AA-1060-F3**

- Straight back **frame** with moulded cross members
- Standard double pistol grip **handle**
- 355 x 190mm die-cast **nose** with recessed heel
- 250mm pneumatic **tyres**
- 750 x 300mm extruded aluminium **channel extension**



£367.50

**416-AA-1060-F2**

- Straight back **frame** with moulded cross members
- Standard double pistol grip **handle**
- 355 x 190mm die-cast **nose** with recessed heel
- 250mm pneumatic **tyres**
- 500 x 300mm extruded aluminium **channel extension**



£422.42

**130-HA-825-F1**

- Straight back **frame**
- Welded double grip **handle**
- 355 x 300mm die-cast **nose** with recessed heel
- 200mm solid rubber **tyres**
- 600 x 300mm low-profile formed **plate extension**



£428.54

**230-K2-1010-WG**

- Straight lattice back **frame**
- Welded double grip **handle**
- 500 x 300mm extruded aluminium flush mount **nose**
- 250mm puncture proof **tyres**
- 245 x 95mm **wheel guards** prevent loads from rubbing against hand truck.



£439.68

**230-HA-1010-C5**

- Straight lattice back **frame**
- Welded double grip **handle**
- 355 x 300mm die-cast **nose** with recessed heel
- 250mm puncture proof **tyres**
- **Stair Climbers** with replaceable low friction polymer skid bars



£627.60

### Magliner Stairclimber Hand Truck

**215C-HA-SC-STRP**

Magliner Stairclimber Hand Truck fitted with a Tri-Star wheel assembly using double row, multi-directional wheels.

The rotating multi-directional wheels enables easy manoeuvrability in confined spaces.

BOTTLED WATER TRAY TRUCKS



128-HA-1060-4WB  
£585.64



128-HA-1060-5WB  
£614.60

- 225kg capacity.
- Converts to hold a combination of boxes and bottle.
- Aluminium construction prevents rusting.
- Trays fold flat against frame when not in use so the truck can be used as a standard hand truck.
- Ideal for four or five 20 litre water bottles respectively.

Straight back **frame**

Square loop **handle** with foam grip

350 x 300mm die-cast **nose** with recessed heel


250mm pneumatic **tyres**

WHEEL OPTIONS : 1010, 1030, 830, 815 - see page 75

Stair Climber - see page 76

NARROW AISLE HAND TRUCKS

- Designed with wheels tucked fully or partially behind the truck's frame
- The truck's narrow width enables great manoeuvrability in confined spaces
- The Narrow Aisle Mounting Kit is required for the Narrow Aisle Hand Truck



With optional Stairclimbers

| KITS                       | ORDER REF | PRICE  |
|----------------------------|-----------|--------|
| Narrow Aisle Mounting Kit* | 301045    | £58.10 |
| Narrow Magliner Nose Kit** | 86094     | £18.10 |

\*Price of Kit is added to price of Hand Truck parts, see pages 74-75

\*\*Required for E, G, K & T noses

## SPACE SAVING FOLDING TRUCKS

- Folds quickly and easily for convenient storage
- Large 225kg capacity, same as standard Magliner hand trucks
- Heavy-duty construction for superior strength and durability



**FTA11-E1-830**

£383.42



**FTA11-E1-1060**

£413.38

| CAPACITY (kg) | DIMENSIONS - FOLDED H x W x D (mm) | DIMENSIONS - EXTENDED H x W x D (mm) | TOE PLATE SIZE W x D (mm) | WEIGHT | ORDER REF           | PRICE   |
|---------------|------------------------------------|--------------------------------------|---------------------------|--------|---------------------|---------|
| 225           | 725 x 450 x 255                    | 1245 x 450 x 405                     | 355 x 190                 | 10.5   | FTA11-E1-830        | £383.42 |
| 225           | 725 x 530 x 255                    | 1245 x 530 x 405                     | 355 x 190                 | 11.5   | FTA11-E1-1060       | £413.38 |
| 225           | 725 x 480 x 255                    | 1245 x 480 x 405                     | 355 x 190                 | 11.5   | FTA11-E1-1030       | £402.58 |
| 225           | 725 x 530 x 255                    | 1245 x 530 x 405                     | 455 x 190                 | 12     | FTA19-G1-1060-WG-C5 | £507.40 |



**FTA11-E1-1030**

£402.58



**FTA19-G1-1060-WG-C5**

£507.40

SELF-STABILISING HAND TRUCK KITS

- Self-Stabilising Magliner hand truck built with standard wheels and smaller Double or Triple Row, multi-directional wheels
- Choice of either double row or triple row, 125mm diameter multi-directional polyurethane rollers with sealed bearings
- The truck carries the load, not the operator
- Enables easy movement up kerbs or over obstructions without reversing
- Fully supported rotation allows easy manoeuvrability in confined spaces
- 'Integrated Kick Stand' holds the truck in an upright position when loading
- The truck design negates the need to support the load when stationary



Optional Stairclimbers



Double Row Multi-Directional Wheels



Triple Row Multi-Directional Wheels

| KITS        | WHEEL SIZE<br>DIA. / W (mm) | ORDER REF | PRICE   |
|-------------|-----------------------------|-----------|---------|
| Double Row* | 125 x 38                    | 302912    | £344.50 |
| Triple Row* | 125 x 63                    | 302916    | £393.18 |

\*Price of Kit is added to price of Hand Truck parts, see pages 74-75

|                        |       |        |
|------------------------|-------|--------|
| Optional Stairclimbers | 86101 | £45.24 |
|------------------------|-------|--------|

## TWO POSITION MAGLINER HAND TRUCK - Gemini Jr & Gemini Sr

Gemini Jr.  
£470.00



Gemini Sr.  
£490.00



### SPECIFICATIONS

| Model                           | Gemini Jr.  | Gemini Sr.  |
|---------------------------------|-------------|-------------|
| Capacity as hand truck          | 225kg       | 225kg       |
| Capacity as platform truck      | 450kg       | 450kg       |
| Overall width                   | 530mm       | 530mm       |
| Frame width                     | 305mm       | 305mm       |
| Deck width                      | 305mm       | 305mm       |
| Overall length - 4 wheel        | 1205mm      | 1415mm      |
| Height as hand truck            | 1295mm      | 1550mm      |
| Handle height as platform truck | 1015mm      | 1140mm      |
| Platform bed length             | 965mm       | 1295mm      |
| Platform height from floor      | 265mm       | 265mm       |
| Standard wheel (pneumatic)      | 250mm       | 250mm       |
| Castors (standard swivel)       | 125 x 30mm  | 125 x 30mm  |
| Nose                            | 455 x 190mm | 455 x 190mm |
| Shipping weight                 | 19kg        | 20kg        |
| Price                           | £470.00     | £490.00     |

### FEATURES

- 2-in-1 truck converts from 2 to 4 wheels in seconds
- High capacities reduce number of trips per day
- Strong, lightweight construction reduces user fatigue
- Modular design means no welds to break
- All parts are replaceable for longer product life
- Optional accessories available

### GEMINI OPTIONS



£18.48  
Per Pair

**Gemini Castor Brakes**  
(Part #51010)

Optional brakes  
Width: 125mm  
Depth: 30mm



£45.24

**C5 - Stair Climber**  
(Part #86006)

Heavy-duty cast stair climber with replaceable low-friction polymer glide bars.

**Fits on Senior model only**



Gemini Jr.  
£117.60

Gemini Sr.  
£128.20

### Snap On Decks

(Part #301644) - Gemini Jr.  
(Part #301645) - Gemini Sr.

- Snaps in place quickly and removes easily
- Snap On decks are not compatible with the F1 Folding nose

THREE POSITION MAGLINER HAND TRUCK - TPAUA4



- Standard two-wheel hand truck for general use. Built-in 685mm containment arm recesses into the frame when not in use.
- Inclined position for door entry and support with loads that do not stack well.
- Tadtional four-wheel platform truck with 340kg capacity accommodates larger loads

DIE-CAST NOSES

| Part number | Width | Depth |
|-------------|-------|-------|
| 300200      | 355mm | 190mm |
| 300196      | 355mm | 300mm |
| 300201      | 455mm | 190mm |



| SPECIFICATIONS                 |             |
|--------------------------------|-------------|
| Two-Wheel Position             |             |
| Overall height                 | 1295mm      |
| Overall width                  | 530mm       |
| Capacity                       | 225kg       |
| Tyres                          | 250mm       |
| UA nose plate (W x L)          | 455 x 190mm |
| Folding recessed nose (W x L)  | 230 x 685mm |
| Folding recessed nose capacity | 135kg       |

| Four Wheel & Incline Position |              |
|-------------------------------|--------------|
| Overall height                | 1015mm       |
| Cargo area (W x L)            | 300 x 1270mm |
| Capacity                      | 340kg        |
| Castors                       | 125 x 30mm   |
| Weight                        | 19kg         |

Wheel Options

- 1060:** 250mm pneumatic tube-type tyre (Part #121060)  
**1030:** 250mm puncture resistant, non-marking balloon cushion rubber (Part #101030)  
**1010:** 250mm puncture resistant, microcellular foam tyre (Part #131010)  
\* See page 75 for more details

FOUR OR SIX-WHEEL FOLDING PLATFORM TRUCK



- Folds flat quickly and easily for convenient storage e.g. in car trunk.
- Designed to manoeuvre easily through store aisles.
- Standard Castor brake helps prevent truck from moving on inclines.
- Non-slip grating keeps load in place during transport.
- Toggle latch to lock main unit and extension for increased load stability.
- Base unit stands upright for more convenient loading and unloading.

SPECIFICATIONS

|               | Main Unit | Extension |
|---------------|-----------|-----------|
| Capacity      | 340kg     | 680kg     |
| Length        | 785mm     | 784mm     |
| Deck width    | 590mm     | 590mm     |
| Overall width | 715mm     | 685mm     |
| Handle height | 990mm     | N/A       |
| Weight        | 15kg      | 7.5kg     |

|                |                        |
|----------------|------------------------|
| Wheels         | Balloon cushion wheels |
| Wheel diameter | 200mm                  |

## PLATFORM TRUCKS



- Heavy-duty lightweight aluminium
- Smooth surface platform deck
- Reinforced box-frame construction for strength and durability
- Designed for tough load handling
- Durable extruded corner sockets integrated with frame
- One handle standard (second handle optional)
- Optional Castor parking brake

| CAPACITY (kg)        | PLATFORM SIZE L x W (mm) | WEIGHT (kg) | PART No.    | PRICE |
|----------------------|--------------------------|-------------|-------------|-------|
| 725, 1270 or 1360 kg | 915 x 610                | 45          | PTK2436S1-Q | POA   |
| 725, 1270 or 1360 kg | 1525 x 760               | 61          | PTK3060S1-Q | POA   |
| 725, 1270 or 1360 kg | 1825 x 915               | 78          | PTK3672S1-Q | POA   |

## Platform Truck Castors



Part #86135 - (Ø125mm / 725kg)  
Part #86151 - (Ø200mm / 1270kg)

**Black thermoplastic rubber:**  
Easy to push and roll with flat hard tread. Limited noise absorption. Performs well on all surfaces.



Part #86137 - (Ø125mm / 725kg)  
Part #86139 - (Ø200mm / 1270kg)

**Gray thermoplastic rubber:**  
Round tread, non-marking, good shock and noise absorption. Easy starting and rolling.



Part #86138 - (Ø125mm / 1360kg)  
Part #86152 - (Ø200mm / 1360kg)

**Maroon polyurethane:**  
Resistant to water, chemicals and solvents. Hard tread for easy rolling. Performs well on all surfaces.



Part #86067 - (Ø125mm)  
Part #86069 - (Ø200mm)

**Optional brake:**  
Foot operated, friction-type brake engages tyre surface. Attaches to swivel castor.

\* Wheels determine capacity of the platform trucks

## CASTOR DOLLIES



CDH2130  
£194.50

- Riveted aluminium construction
- Full 360-degree manoeuvrability for tight, sharp turns
- 75mm Polyolefin wheels on swivel castors




CDC2442  
£430.00

- High strength, welded extruded aluminium construction
- light, tough, highly manoeuvrable with swivel castors
- 125mm Phenolic type wheels, roller bearing mounted

| CAPACITY (kg) | SIZE L x W (mm) | O/A HEIGHT (mm) | WEIGHT (kg) | PART No. | PRICE   |
|---------------|-----------------|-----------------|-------------|----------|---------|
| 405           | 610 x 455       | 130             | 5.5         | CDH1824  | £174.30 |
| 405           | 760 x 530       | 130             | 6           | CDH2130  | £194.50 |
| 900           | 1066 x 610      | 250             | 17.5        | CDC2442  | £430.00 |

## PLASTIC KERB RAMP



£132.08

- Light, portable, strong and durable
- Aggressive non-skid surface for secure footing
- Open surface to allow debris to pass through

### SPECIFICATIONS

| PART No.       | PKR220 |
|----------------|--------|
| Capacity       | 270kg  |
| Overall Length | 685mm  |
| Overall Width  | 685mm  |
| Kerb Height    | 200mm  |
| Weight         | 4kg    |

## MAGLINER HAND TRUCK FRAMES



£58.16

**Frame 1**  
(Part #300001)

Straight back frame with cross braces to provide support for the hand truck.



£82.14

**Frame 2**  
(Part #300002)

Straight lattice back frame with cross braces and vertical strap.



£73.20

**Frame 4**  
(Part #300010)

Straight back frame with moulded cross braces. Similar to frame #1 but with high strength and impact-resistant polymer braces.



£73.20

**Frame 5**  
(Part #300021)

Curved back frame with moulded cross braces. Ideal for use with barrels, kegs and cylinders.

## MAGLINER HAND TRUCK HANDLES

### HORIZONTAL LOOP HANDLES



**Handle 11**  
£17.20

(Part #301000)

"U" loop handle.



**Handle 12**  
£23.42

(Part #30100)

Loop handle with universal brace.



**Handle 19**  
£27.70

(Part #301008)

"U" loop handle with vinyl sleeve.



**Handle 22**  
£36.28

(Part #30102)

"U" loop handle with vinyl sleeve and universal brace.



**Handle 24**  
£14.56

(Part #301001)

Loop handle with straight top surface.

### VERTICAL LOOP HANDLES



£49.48

**Handle 15A**  
(Part #300981)

Standard vertical loop handle.



£67.40

**Handle 15C**  
(Part #300978)

Tall vertical loop handle.



£66.86

**Handle 60**  
(Part #300994)

Curved vertical loop handle.

(The P-shaped Vertical Loop handles are not compatible with the Keg Hook accessory or Frame Extensions.)

### DOUBLE GRIP HANDLES



£28.50

**Handle 16**  
(Part #86031)

Bolted double pistol grip handle with universal brace.



£49.04

**Handle 30**  
(Part #301137)

Welded double grip handle.

## MAGLINER HAND TRUCK NOSES

### DIE CAST NOSES



£53.10

**AA**  
(Part #300200)

355 x 190mm die-cast nose with recessed heel



£83.06

**HA**  
(Part #300196)

355 x 300mm die-cast nose with recessed heel



£55.46

**UA**  
(Part #300201)

455 x 190mm die-cast nose with recessed heel


**EXTRUDED ALUMINIUM NOSES** - All extruded aluminium noses require a 'Nose Mount Kit' (Part #86029) for assembly. **PRICE:** £10.86



£45.86

**E1**  
(Part #300244)

355 x 230mm extruded aluminium flush mount nose



£54.18

**G1**  
(Part #300245)

455 x 230mm extruded aluminium flush mount nose



£54.18

**G2**  
(Part #300248)

455 x 230mm extruded aluminium flush mount nose



£67.14

**K1**  
(Part #300203)

405 x 300mm extruded aluminium flush mount nose



£79.34

**K2**  
(Part #300215)

505 x 300mm extruded aluminium flush mount nose



£46.34

**T1**  
(Part #302501)

260 - 300 x 300mm extruded aluminium tapered nose

## MAGLINER HAND TRUCK WHEELS



**815**  
(Part #10815)

£62.94  
Per Pair

8" Mould-on rubber wheel



**825**  
(Part #11825)

£63.08  
Per Pair

8" Puncture resistant, solid rubber wheel



**830**  
(Part #10830)

£66.96  
Per Pair

**Non-marking**

8" Puncture resistant, balloon cushion rubber



**1010**  
(Part #131010)

£126.20  
Per Pair

**Non-marking**

10" Puncture resistant foam wheel



**1060**  
(Part #121060)

£96.92  
Per Pair

10" Pneumatic tube-type wheel



**1030**  
(Part #101030)

£86.12  
Per Pair

**Non-marking**

10" Puncture resistant, balloon cushion rubber



**1070**  
(Part #111070)

£94.76  
Per Pair

**Non-marking**

10" x 2" Puncture resistant foam wheel



**1075**  
(Part #111075)

£124.00  
Per Pair

**Non-marking**

10" x 2.75" Puncture resistant foam wheel



**1080**  
(Part #111080)

£142.88  
Per Pair


**Non-marking**

10" x 3.5" Puncture resistant foam wheel

**Note:** Completion Kit: £54.00, required to build all Magliner Hand Trucks

# Magliner Hand Truck Accessories

## FOLDING NOSES (Only compatible with Die Cast noses: AM, UM and HM)



£115.08

**F1**  
(Part #301019)

600 x 300mm low-profile formed plate extension.  
(Not compatible with Snap On decks)



£61.78

**F2**  
(Part #301025)

500 x 300mm extruded aluminium channel extension



£69.94

**F3**  
(Part #301026)

750 x 300mm extruded aluminium channel extension



£45.24

**C5 - Stair Climber**  
(Part #86006)

Heavy-duty cast stair climber with replaceable low-friction polymer glide bars.



£26.96

**Wheel Guards**  
(Part #302520)

Wheel guards prevent loads from rubbing against hand truck wheels.



£17.10 (52")

£19.18 (55")

£21.36 (60")

£24.44 (62")

£29.76 (68")

**Hi-U Frame Extensions**  
Height - (52"/55"/60"/62"/68")

Hi-U frame extensions add height and stability for taller loads.

Not compatible with P-shaped vertical loop handles and Handle 30.



£35.00

**Padded Hi-U Frame Cover**  
(Part #302497)

Padded cover for Hi-U frame extensions.



£78.26

**Keg Hook Kit**  
(Part #32513K)

Sliding keg hook swings out of the way when not in use. 125mm hook for barrel-style kegs. For Frame 5 only. Not compatible with P-shaped vertical loop handles.



£76.44

**Folding Nose Kit**  
(Part #302544)

Folding nose kit with lock rod allows aluminium extruded noses to fold flush with frame when not in use.



£204.46

**Double Grip Handle Paddle Brake**  
(Part #304161)

For handle 16



£204.46

**Loop Handle Paddle Brake**  
(Part #304160)

For handles 11, 12, 19 or 22

## ACCESSORY BAGS



**Bag 13**  
(Part #302680)

£63.88

- Overall: 330 x 200mm (L x W)
- Main pocket 305mm long x 200mm wide x 50mm deep with 1 Velcro strap.
- Outside pocket 130mm long x 135mm wide.



**Bag 16**  
(Part #302681)

£69.94

- Overall: 420 x 305mm (L x W)
- 2 top pockets, sealed with Velcro 250mm long x 150mm wide.
- 1 tool pocket 305mm wide x 85mm deep.



**Bag 18**  
(Part #302682)

£75.72

- Overall: 315 x 305mm (L x W)
- 1 pocket 280mm deep x 230mm wide.
- Holds a 250mm high x 500mm diameter can.




**Bag 29**  
(Part #302683)


£93.64

- Overall: 735 x 305mm (L x W)
- 2 top pockets, sealed with Velcro 265mm long x 150mm wide.
- 1 tool pocket 305mm wide x 85mm deep.
- 1 pocket 290mm wide x 305mm deep.


# WHEELS




WHEEL DIAMETER




TREAD WIDTH



BORE



HUB LENGTH



MOUNTING WIDTH



## PALLET TRUCK WHEELS

### Nylon Steer Wheels

|                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
|-------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Nylon                                                                             | Nylon                                                                             | Nylon                                                                              | Nylon                                                                               |
| Wheel Diameter    | 150mm                                                                             | 160mm                                                                             | 175mm                                                                              | 200mm                                                                               |
| Tread Width       | 40mm                                                                              | 50mm                                                                              | 50mm                                                                               | 50mm                                                                                |
| Bore              | 17mm                                                                              | 20mm                                                                              | 20mm                                                                               | 20mm                                                                                |
| Hub Length        | 40mm                                                                              | 50mm                                                                              | 50mm                                                                               | 50mm                                                                                |
| Mounting Width    | 40mm                                                                              | 44mm                                                                              | 43mm                                                                               | 43mm                                                                                |
| Bearings          | 6203                                                                              | 6204                                                                              | 6204                                                                               | 6204                                                                                |
| Carrying Capacity | 550kg                                                                             | 600kg                                                                             | 630kg                                                                              | 730kg                                                                               |
| Suits Models      | KI 500                                                                            | MA10                                                                              | MA15, MA25/75, MA30/75                                                             | DF25, MA20, MA25, MA30, MA35                                                        |
| Part Number       | ST-NY01                                                                           | ST-NY02                                                                           | ST-NY03                                                                            | ST-NY04                                                                             |
| Price             | £24.00                                                                            | £24.00                                                                            | £20.00                                                                             | £22.00                                                                              |

### Nylon Steer Wheels

|                   |                                                                                    |
|-------------------|------------------------------------------------------------------------------------|
| Picture           |  |
| Wheel Material    | Nylon                                                                              |
| Wheel Diameter    | 200mm                                                                              |
| Tread Width       | 50mm                                                                               |
| Bore              | 20mm                                                                               |
| Hub Length        | 60mm                                                                               |
| Mounting Width    | 54mm                                                                               |
| Bearings          | 6204                                                                               |
| Carrying Capacity | 730kg                                                                              |
| Suits Models      | LLT23, LLT30                                                                       |
| Part Number       | ST-NY05                                                                            |
| Price             | £24.00                                                                             |

### Polyurethane Steer Wheels

|                                                                                    |                                                                                     |                                                                                      |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  |  |  |
| Red Polyurethane on Cast Iron                                                      | Red Polyurethane on Cast Iron                                                       | Red Polyurethane on Cast Iron                                                        |
| 125mm                                                                              | 180mm                                                                               | 200mm                                                                                |
| 38mm                                                                               | 50mm                                                                                | 50mm                                                                                 |
| 17mm                                                                               | 20mm                                                                                | 20mm                                                                                 |
| 38mm                                                                               | 50mm                                                                                | 50mm                                                                                 |
| 38mm                                                                               | 43mm                                                                                | 43mm                                                                                 |
| 6203                                                                               | 6204                                                                                | 6204                                                                                 |
| 450kg                                                                              | 750kg                                                                               | 750kg                                                                                |
| LLT500                                                                             | MA20/75, MA25/75                                                                    | DF25, MA20, MA25, MA30                                                               |
| ST-PU01                                                                            | ST-PU02                                                                             | ST-PU03                                                                              |
| £22.00                                                                             | £24.00                                                                              | £26.00                                                                               |

### Polyurethane Steer Wheels

|                   |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Yellow Polyurethane on Cast Iron                                                    | Light Brown Polyurethane on Alloy                                                   | Polyurethane on Iron                                                                 | Polyurethane on Iron                                                                  |
| Wheel Diameter    | 200mm                                                                               | 200mm                                                                               | 200mm                                                                                | 200mm                                                                                 |
| Tread Width       | 50mm                                                                                | 50mm                                                                                | 50mm                                                                                 | 50mm                                                                                  |
| Bore              | 20mm                                                                                | 20mm                                                                                | 30mm                                                                                 | 20mm                                                                                  |
| Hub Length        | 50mm                                                                                | 60mm                                                                                | 50mm                                                                                 | 60mm                                                                                  |
| Mounting Width    | 47mm                                                                                | 54mm                                                                                | 50mm                                                                                 | 43mm                                                                                  |
| Bearings          | 6204                                                                                | 6204                                                                                | 6006                                                                                 | 6304                                                                                  |
| Carrying Capacity | 1000kg                                                                              | 750kg                                                                               | 1500kg                                                                               | 1500kg                                                                                |
| Suits Models      | PT20, PT25, PTA22                                                                   | LLT23, LLT30                                                                        | MA50                                                                                 | LLT40, LLT50                                                                          |
| Part Number       | ST-PU04                                                                             | ST-PU05                                                                             | ST-PU06                                                                              | ST-PU07                                                                               |
| Price             | £28.00                                                                              | £26.00                                                                              | £182.00                                                                              | £176.00                                                                               |

# PALLET TRUCK WHEELS

## Rubber Steer Wheels


|                   |                                                                                   |                                                                                   |                                                                                    |
|-------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Picture           |  |  |  |
| Wheel Material    | Black Rubber on alloy                                                             | Black Rubber on alloy                                                             | White Rubber on alloy                                                              |
| Wheel Diameter    | 180mm                                                                             | 200mm                                                                             | 200mm                                                                              |
| Tread Width       | 50mm                                                                              | 50mm                                                                              | 50mm                                                                               |
| Bore              | 20mm                                                                              | 20mm                                                                              | 20mm                                                                               |
| Hub Length        | 50mm                                                                              | 50mm                                                                              | 50mm                                                                               |
| Mounting Width    | 44mm                                                                              | 44mm                                                                              | 44mm                                                                               |
| Bearings          | 6204                                                                              | 6204                                                                              | 6204                                                                               |
| Carrying Capacity | 600kg                                                                             | 650kg                                                                             | 650kg                                                                              |
| Suits Models      | MA25/75, MAWS                                                                     | DF25, MA20, MA25                                                                  | DF25, MA20, MA25                                                                   |
| Part Number       | ST-RU01                                                                           | ST-RU02                                                                           | ST-RU03                                                                            |
| Price             | £24.00                                                                            | £26.00                                                                            | £28.00                                                                             |

## Metal Steer Wheels

|                   |                                                                                    |                                                                                    |                                                                                     |                                                                                      |
|-------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Steel                                                                              | Steel                                                                              | Steel                                                                               | Grey Antistatic Polyurethane                                                         |
| Wheel Diameter    | 180mm                                                                              | 200mm                                                                              | 200mm                                                                               | 82mm                                                                                 |
| Tread Width       | 50mm                                                                               | 50mm                                                                               | 50mm                                                                                | 90mm                                                                                 |
| Bore              | 20mm                                                                               | 20mm                                                                               | 30mm                                                                                | 20mm                                                                                 |
| Hub Length        | 54mm                                                                               | 54mm                                                                               | 54mm                                                                                | 90mm                                                                                 |
| Mounting Width    | 44mm                                                                               | 44mm                                                                               | 52mm                                                                                | 90mm                                                                                 |
| Bearings          | 6204                                                                               | 6204                                                                               | 6206                                                                                | 6204                                                                                 |
| Carrying Capacity | 1000kg                                                                             | 1100kg                                                                             | 1300kg                                                                              | 750kg                                                                                |
| Suits Models      | DF25, MA20, MA25, MA30, MA35, LLT23, LLT30                                         | DF25, MA20, MA25, MA30, MA35, LLT23, LLT30                                         | MA50                                                                                | DF25, MA20, MA25, MA30, MA35, LLT23, LLT30                                           |
| Part Number       | ST-SL01                                                                            | ST-SL02                                                                            | ST-SL03                                                                             | LD-AS05                                                                              |
| Price             | £98.000                                                                            | £108.00                                                                            | £108.00                                                                             | £50.00                                                                               |





## Antistatic Single Roller



## Antistatic Steer & Load Wheels



|                   |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Antistatic Nylon                                                                    | Antistatic Rubber on alloy                                                          | Antistatic Polyurethane on Alloy                                                     | Grey Antistatic Polyurethane                                                          |
| Type              | Steer Wheel                                                                         | Steer Wheel                                                                         | Steer Wheel                                                                          | Tandem Load Wheel                                                                     |
| Wheel Diameter    | 200mm                                                                               | 200mm                                                                               | 200mm                                                                                | 82mm                                                                                  |
| Tread Width       | 50mm                                                                                | 50mm                                                                                | 50mm                                                                                 | 70mm                                                                                  |
| Bore              | 20mm                                                                                | 20mm                                                                                | 20mm                                                                                 | 20mm                                                                                  |
| Hub Length        | 60mm                                                                                | 60mm                                                                                | 50mm                                                                                 | 70mm                                                                                  |
| Mounting Width    | 54mm                                                                                | 54mm                                                                                | 44mm                                                                                 | 70mm                                                                                  |
| Bearings          | 6204                                                                                | 6204                                                                                | 6204                                                                                 | 6204                                                                                  |
| Carrying Capacity | 730kg                                                                               | 650kg                                                                               | 700kg                                                                                | 550kg                                                                                 |
| Suits Models      | LLT23, LLT30                                                                        | LLT23, LLT30                                                                        | DF25, MA20, MA25, MA30, MA35                                                         | DF25, MA20, MA25, MA30, MA35, LLT23, LLT30                                            |
| Part Number       | ST-AS01                                                                             | ST-AS02                                                                             | ST-AS03                                                                              | LD-AS04                                                                               |
| Price             | £60.00                                                                              | £100.00                                                                             | £120.00                                                                              | £44.00                                                                                |

## PALLET TRUCK WHEELS

### Nylon Load Wheels

|                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
|-------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Nylon                                                                             | Nylon                                                                             | Nylon                                                                              | Nylon                                                                               |
| Type              | Tandem                                                                            | Single                                                                            | Tandem                                                                             | Single                                                                              |
| Wheel Diameter    | 50mm                                                                              | 58mm                                                                              | 74mm                                                                               | 74mm                                                                                |
| Tread Width       | 70mm                                                                              | 54mm                                                                              | 70mm                                                                               | 93mm                                                                                |
| Bore              | 17mm                                                                              | 17mm                                                                              | 20mm                                                                               | 20mm                                                                                |
| Hub Length        | 70mm                                                                              | 54mm                                                                              | 70mm                                                                               | 93mm                                                                                |
| Mounting Width    | 70mm                                                                              | 54mm                                                                              | 70mm                                                                               | 93mm                                                                                |
| Bearings          | 6003                                                                              | 6203                                                                              | 6204                                                                               | 6204                                                                                |
| Carrying Capacity | 350kg                                                                             | 300kg                                                                             | 600kg                                                                              | 850kg                                                                               |
| Suits Models      | MA15                                                                              | LLT500                                                                            | MA25/75, MA30/75                                                                   | MA25/75, MA30/75                                                                    |
| Part Number       | LD-NY01                                                                           | LD-NY02                                                                           | LD-NY03                                                                            | LD-NY04                                                                             |
| Price             | £16.00                                                                            | £15.00                                                                            | £14.00                                                                             | £16.00                                                                              |

|                   |                                                                                    |                                                                                    |                                                                                     |                                                                                      |
|-------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Nylon                                                                              | Nylon                                                                              | Nylon                                                                               | Nylon                                                                                |
| Type              | Tandem                                                                             | Tandem                                                                             | Single                                                                              | Single                                                                               |
| Wheel Diameter    | 82mm                                                                               | 82mm                                                                               | 82mm                                                                                | 82mm                                                                                 |
| Tread Width       | 60mm                                                                               | 70mm                                                                               | 90mm                                                                                | 93mm                                                                                 |
| Bore              | 20mm                                                                               | 20mm                                                                               | 20mm                                                                                | 20mm                                                                                 |
| Hub Length        | 60mm                                                                               | 70mm                                                                               | 90mm                                                                                | 93mm                                                                                 |
| Mounting Width    | 60mm                                                                               | 70mm                                                                               | 90mm                                                                                | 93mm                                                                                 |
| Bearings          | 6204                                                                               | 6204                                                                               | 6204                                                                                | 6204                                                                                 |
| Carrying Capacity | 650kg                                                                              | 700kg                                                                              | 900kg                                                                               | 900kg                                                                                |
| Suits Models      | PTA, PT                                                                            | DF25, MA20, MA25, MA30, MA35 LLT23, LLT30                                          | Various                                                                             | DF25, MA25/85, MA30                                                                  |
| Part Number       | LD-NY05                                                                            | LD-NY06                                                                            | LD-NY07                                                                             | LD-NY08                                                                              |
| Price             | £14.00                                                                             | £14.00                                                                             | £14.00                                                                              | £16.00                                                                               |



|                   |                                                                                     |                                                                                     |                                                                                      |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Picture           |  |  |  |
| Wheel Material    | Nylon                                                                               | Nylon                                                                               | Nylon                                                                                |
| Type              | Single                                                                              | Single                                                                              | Single                                                                               |
| Wheel Diameter    | 82mm                                                                                | 82mm                                                                                | 82mm                                                                                 |
| Tread Width       | 95mm                                                                                | 98mm                                                                                | 100mm                                                                                |
| Bore              | 20mm                                                                                | 20mm                                                                                | 20mm                                                                                 |
| Hub Length        | 95mm                                                                                | 98mm                                                                                | 100mm                                                                                |
| Mounting Width    | 95mm                                                                                | 98mm                                                                                | 100mm                                                                                |
| Bearings          | 6204                                                                                | 6204                                                                                | 6204                                                                                 |
| Carrying Capacity | 900kg                                                                               | 1000kg                                                                              | 1000kg                                                                               |
| Suits Models      | Various                                                                             | BT, LLT23                                                                           | LLT23                                                                                |
| Part Number       | LD-NY09                                                                             | LD-NY10                                                                             | LD-NY11                                                                              |
| Price             | £16.00                                                                              | £16.00                                                                              | £16.00                                                                               |

# PALLET TRUCK WHEELS

## Polyurethane Load Wheels

|                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
|-------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Light Brown Polyurethane on Steel                                                 | Light Brown Polyurethane on Steel                                                 | Red Polyurethane on Steel                                                          | Red Polyurethane on Steel                                                           |
| Type              | Tandem                                                                            | Single                                                                            | Tandem                                                                             | Single                                                                              |
| Wheel Diameter    | 50mm                                                                              | 58mm                                                                              | 74mm                                                                               | 74mm                                                                                |
| Tread Width       | 70mm                                                                              | 50mm                                                                              | 70mm                                                                               | 93mm                                                                                |
| Bore              | 17mm                                                                              | 17mm                                                                              | 20mm                                                                               | 20mm                                                                                |
| Hub Length        | 70mm                                                                              | 50mm                                                                              | 70mm                                                                               | 93mm                                                                                |
| Mounting Width    | 68mm                                                                              | 50mm                                                                              | 70mm                                                                               | 93mm                                                                                |
| Bearings          | 6003                                                                              | 6203                                                                              | 6204                                                                               | 6204                                                                                |
| Carrying Capacity | 400kg                                                                             | 300kg                                                                             | 500kg                                                                              | 800kg                                                                               |
| Suits Models      | MA15 LLT23/51                                                                     | LLT500                                                                            | MA25/75, MA30/75, MAWS                                                             | MA25/75, MA30/75, MAWS                                                              |
| Part Number       | LD-PU01                                                                           | LD-PU02                                                                           | LD-PU03                                                                            | LD-PU04                                                                             |
| Price             | £24.00                                                                            | £24.00                                                                            | £22.00                                                                             | £24.00                                                                              |

|                   |                                                                                    |                                                                                    |                                                                                     |                                                                                      |
|-------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Yellow Polyurethane on Steel                                                       | Black Polyurethane on Steel                                                        | Red Polyurethane on Steel                                                           | Red Polyurethane on Steel                                                            |
| Type              | Single                                                                             | Tandem                                                                             | Tandem                                                                              | Single                                                                               |
| Wheel Diameter    | 76mm                                                                               | 80mm                                                                               | 80mm                                                                                | 80mm                                                                                 |
| Tread Width       | 85mm                                                                               | 58mm                                                                               | 70mm                                                                                | 93mm                                                                                 |
| Bore              | 20mm                                                                               | 20mm                                                                               | 20mm                                                                                | 20mm                                                                                 |
| Hub Length        | 85mm                                                                               | 58mm                                                                               | 70mm                                                                                | 93mm                                                                                 |
| Mounting Width    | 85mm                                                                               | 58mm                                                                               | 70mm                                                                                | 93mm                                                                                 |
| Bearings          | 6204                                                                               | 6204                                                                               | 6204                                                                                | 6204                                                                                 |
| Carrying Capacity | 850kg                                                                              | 600kg                                                                              | 550kg                                                                               | 850kg                                                                                |
| Suits Models      | PT20, PT25, PTA22                                                                  | PT20, PT25, PTA22                                                                  | DF25, MA20, MA25, MA30, MA35 LLT23, LLT30                                           | DF25, MA20, MA25, MA30, MA35 LLT23, LLT30                                            |
| Part Number       | LD-PU05                                                                            | LD-PU06                                                                            | LD-PU07                                                                             | LD-PU08                                                                              |
| Price             | £26.00                                                                             | £24.00                                                                             | £22.00                                                                              | £26.00                                                                               |

|                   |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Light Brown Polyurethane on Steel                                                   | Light Brown Polyurethane on Steel                                                   | Light Brown Polyurethane on Steel                                                    | Light Brown Polyurethane on Steel                                                     |
| Type              | Tandem                                                                              | Tandem                                                                              | Single                                                                               | Single                                                                                |
| Wheel Diameter    | 82mm                                                                                | 82mm                                                                                | 82mm                                                                                 | 82mm                                                                                  |
| Tread Width       | 60mm                                                                                | 70mm                                                                                | 90mm                                                                                 | 95mm                                                                                  |
| Bore              | 20mm                                                                                | 20mm                                                                                | 20mm                                                                                 | 20mm                                                                                  |
| Hub Length        | 60mm                                                                                | 70mm                                                                                | 90mm                                                                                 | 95mm                                                                                  |
| Mounting Width    | 60mm                                                                                | 70mm                                                                                | 90mm                                                                                 | 95mm                                                                                  |
| Bearings          | 6204                                                                                | 6204                                                                                | 6204                                                                                 | 6204                                                                                  |
| Carrying Capacity | 400kg                                                                               | 500kg                                                                               | 550kg                                                                                | 600kg                                                                                 |
| Suits Models      | Various                                                                             | LLT23, LLT30                                                                        | Various                                                                              | Various                                                                               |
| Part Number       | LD-PU09                                                                             | LD-PU10                                                                             | LD-PU11                                                                              | LD-PU12                                                                               |
| Price             | £24.00                                                                              | £24.00                                                                              | £26.00                                                                               | £28.00                                                                                |

More polyurethane load wheels on the next page

## PALLET TRUCK WHEELS

### Polyurethane Load Wheels


|                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
|-------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Light Brown Polyurethane on Steel                                                 | Light Brown Polyurethane on Steel                                                 | Brown Polyurethane on Steel                                                        | Light Brown Polyurethane on Steel                                                   |
| Type              | Single                                                                            | Single                                                                            | Tandem                                                                             | Tandem                                                                              |
| Wheel Diameter    | 82mm                                                                              | 82mm                                                                              | 85mm                                                                               | 85mm                                                                                |
| Tread Width       | 98mm                                                                              | 100mm                                                                             | 70mm                                                                               | 80mm                                                                                |
| Bore              | 20mm                                                                              | 20mm                                                                              | 20mm                                                                               | 20mm                                                                                |
| Hub Length        | 98mm                                                                              | 100mm                                                                             | 70mm                                                                               | 80mm                                                                                |
| Mounting Width    | 98mm                                                                              | 100mm                                                                             | 70mm                                                                               | 80mm                                                                                |
| Bearings          | 6204                                                                              | 6204                                                                              | 4204                                                                               | 6204                                                                                |
| Carrying Capacity | 900kg                                                                             | 900kg                                                                             | 1000kg                                                                             | 1000kg                                                                              |
| Suits Models      | BT, LLT23, LLT30                                                                  | LLT23, LLT30                                                                      | MA50                                                                               | Various                                                                             |
| Part Number       | LD-PU13                                                                           | LD-PU14                                                                           | LD-PU15                                                                            | LD-PU16                                                                             |
| Price             | £26.00                                                                            | £28.00                                                                            | £62.00                                                                             | £36.00                                                                              |

### Rubber Load Wheels

|                   |                                                                                    |                                                                                    |                                                                                     |                                                                                      |
|-------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | White Rubber on Steel                                                              | Black Rubber on Steel                                                              | Black Rubber on Steel                                                               | White Rubber on Steel                                                                |
| Type              | Tandem                                                                             | Tandem                                                                             | Single                                                                              | Single                                                                               |
| Wheel Diameter    | 82mm                                                                               | 82mm                                                                               | 82mm                                                                                | 82mm                                                                                 |
| Tread Width       | 70mm                                                                               | 70mm                                                                               | 90mm                                                                                | 100mm                                                                                |
| Bore              | 20mm                                                                               | 20mm                                                                               | 20mm                                                                                | 20mm                                                                                 |
| Hub Length        | 70mm                                                                               | 70mm                                                                               | 90mm                                                                                | 100mm                                                                                |
| Mounting Width    | 70mm                                                                               | 70mm                                                                               | 90mm                                                                                | 100mm                                                                                |
| Bearings          | 6204                                                                               | 6204                                                                               | 6204                                                                                | 6204                                                                                 |
| Carrying Capacity | 400kg                                                                              | 400kg                                                                              | 450kg                                                                               | 450kg                                                                                |
| Suits Models      | DF25, MA20, MA25, LLT23                                                            | DF25, MA20, MA25, LLT23                                                            | DF25, MA20, MA25, LLT23                                                             | LLT23                                                                                |
| Part Number       | LD-RU01W                                                                           | LD-RU01B                                                                           | LD-RU02                                                                             | LD-RU03                                                                              |
| Price             | £26.00                                                                             | £26.00                                                                             | £28.00                                                                              | £32.00                                                                               |

### Rubber Load Wheel

### Metal Load Wheels

|                   |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Black Rubber on Steel                                                               | Steel                                                                               | Steel                                                                                | Steel                                                                                 |
| Type              | Single                                                                              | Tandem                                                                              | Tandem                                                                               | Single                                                                                |
| Wheel Diameter    | 85mm                                                                                | 34mm                                                                                | 80mm                                                                                 | 80mm                                                                                  |
| Tread Width       | 100mm                                                                               | 58mm                                                                                | 70mm                                                                                 | 93mm                                                                                  |
| Bore              | 20mm                                                                                | 12mm                                                                                | 20mm                                                                                 | 20mm                                                                                  |
| Hub Length        | 90mm                                                                                | 58mm                                                                                | 70mm                                                                                 | 92mm                                                                                  |
| Mounting Width    | 90mm                                                                                | Axle 80mm                                                                           | 70mm                                                                                 | 92mm                                                                                  |
| Bearings          | 6204                                                                                | Ball bearing                                                                        | 6204                                                                                 | 6204                                                                                  |
| Carrying Capacity | 500kg                                                                               | 400kg                                                                               | 1000kg                                                                               | 1200kg                                                                                |
| Suits Models      | LLT23, F8RL                                                                         | MA10/35                                                                             | DF25, MA20, MA25, MA30, MA35 LLT23, LLT30                                            | DF25, MA20, MA25, MA30, MA35 LLT23, LLT30                                             |
| Part Number       | LD-RU04                                                                             | LD-SL01                                                                             | LD-SL02                                                                              | LD-SL03                                                                               |
| Price             | £30.00                                                                              | £36.00                                                                              | £38.00                                                                               | £44.00                                                                                |

## SACK TRUCK WHEELS

## Sack Truck Wheels

|                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
|-------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Solid Rubber on Nylon                                                             | Pneumatic on Steel                                                                | Solid Rubber on Steel                                                              | Pneumatic on Steel                                                                  |
| Type              | WI                                                                                | CO                                                                                | CO                                                                                 | CO                                                                                  |
| Wheel Diameter    | 200mm                                                                             | 200mm                                                                             | 260mm                                                                              | 260mm                                                                               |
| Tread Width       | 50mm                                                                              | 50mm                                                                              | 60mm                                                                               | 65mm                                                                                |
| Bore              | 20mm                                                                              | 20mm                                                                              | 20mm                                                                               | 20mm                                                                                |
| Hub Length        | 54mm                                                                              | 56mm                                                                              | 75mm                                                                               | 75mm                                                                                |
| Mounting Width    | 54mm                                                                              | 56mm                                                                              | 75mm                                                                               | 75mm                                                                                |
| Bearings          | Roller                                                                            | Roller                                                                            | Roller                                                                             | Roller                                                                              |
| Carrying Capacity | 200kg                                                                             | 70kg                                                                              | 150kg                                                                              | 150kg                                                                               |
| Suits Models      | 403/KI, 404/KI                                                                    | 428/CS                                                                            | most CO/KI                                                                         | most CO/KI                                                                          |
| Part Number       | SK-RU01                                                                           | SK-PN01                                                                           | SK-RU02                                                                            | SK-PN02                                                                             |
| Price             | £15.00                                                                            | £28.00                                                                            | £22.00                                                                             | £24.00                                                                              |

|                   |                                                                                    |                                                                                    |                                                                                     |                                                                                      |
|-------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Pneumatic on Nylon                                                                 | Pneumatic on Steel                                                                 | Puncture Proof on Steel                                                             | Puncture Proof on Steel, square                                                      |
| Type              | CO                                                                                 | KI                                                                                 | CO                                                                                  | KI                                                                                   |
| Wheel Diameter    | 260mm                                                                              | 260mm                                                                              | 260mm                                                                               | 260mm                                                                                |
| Tread Width       | 65mm                                                                               | 65mm                                                                               | 65mm                                                                                | 70mm                                                                                 |
| Bore              | 20mm                                                                               | 20mm                                                                               | 20mm                                                                                | 20mm                                                                                 |
| Hub Length        | 75mm                                                                               | 75mm                                                                               | 75mm                                                                                | 70mm                                                                                 |
| Mounting Width    | 75mm                                                                               | 75mm                                                                               | 75mm                                                                                | 70mm                                                                                 |
| Bearings          | Roller                                                                             | Ball                                                                               | Roller                                                                              | Ball                                                                                 |
| Carrying Capacity | 130kg                                                                              | 130kg                                                                              | 130kg                                                                               | 130kg                                                                                |
| Suits Models      | most CO/KI                                                                         | most CO/KI                                                                         | most CO/KI                                                                          | most CO/KI                                                                           |
| Part Number       | SK-PN03                                                                            | SK-PN04                                                                            | SK-PP01                                                                             | SK-PP02                                                                              |
| Price             | £22.00                                                                             | £20.00                                                                             | £28.00                                                                              | £22.00                                                                               |

|                   |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Picture           |  |  |  |  |
| Wheel Material    | Puncture proof on Steel, ex-centric, square                                         | Pneumatic on Steel, ex-centric                                                      | Puncture proof on Steel, ex-centric, square                                          | Pneumatic on Steel                                                                    |
| Type              | KI                                                                                  | KI                                                                                  | KI                                                                                   | CO                                                                                    |
| Wheel Diameter    | 260mm                                                                               | 260mm                                                                               | 260mm                                                                                | 300mm                                                                                 |
| Tread Width       | 70mm                                                                                | 60mm                                                                                | 70mm                                                                                 | 80mm                                                                                  |
| Bore              | 20mm                                                                                | 16mm                                                                                | 16mm                                                                                 | 20mm                                                                                  |
| Hub Length        | 75mm                                                                                | 50mm                                                                                | 48mm                                                                                 | 75mm                                                                                  |
| Mounting Width    | 75mm                                                                                | 50mm                                                                                | 48mm                                                                                 | 75mm                                                                                  |
| Bearings          | Ball                                                                                | Ball                                                                                | Ball                                                                                 | Roller                                                                                |
| Carrying Capacity | 130kg                                                                               | 130kg                                                                               | 130kg                                                                                | 245kg                                                                                 |
| Suits Models      | most CO/KI                                                                          | 435/KI, 436/KI                                                                      | 435/KI, 436/KI                                                                       | 416/CO                                                                                |
| Part Number       | SK-PP04                                                                             | SK-PN06                                                                             | SK-PP05                                                                              | SK-PN07                                                                               |
| Price             | £22.00                                                                              | £22.00                                                                              | £22.00                                                                               | £34.00                                                                                |

More sack truck wheels on the next page

## SACK TRUCK WHEELS

### Sack Truck Wheels

| Picture           |  |  |  |  |
|-------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Wheel Material    | Pneumatic on Steel                                                                | Puncture Proof on Steel, round                                                    | Polyurethane Foam (Puncture proof)                                                 | Foam Filled (Puncture proof)                                                        |
| Type              | CO                                                                                | CO                                                                                | PC                                                                                 | PC                                                                                  |
| Wheel Diameter    | 300mm                                                                             | 300mm                                                                             | 200mm                                                                              | 200mm                                                                               |
| Tread Width       | 80mm                                                                              | 70mm                                                                              | 50mm                                                                               | 50mm                                                                                |
| Bore              | 20mm                                                                              | 20mm                                                                              | 20mm                                                                               | 20mm                                                                                |
| Hub Length        | 75mm                                                                              | 75mm                                                                              | 60mm                                                                               | 60mm                                                                                |
| Mounting Width    | 75mm                                                                              | 75mm                                                                              | 60mm                                                                               | 60mm                                                                                |
| Bearings          | Ball                                                                              | Roller                                                                            | Roller                                                                             | Roller                                                                              |
| Carrying Capacity | 225kg                                                                             | 200kg                                                                             | 100kg                                                                              | 150kg                                                                               |
| Suits Models      | 416/CO                                                                            | 416/CO                                                                            | 403/KI, 404/KI, 428/CS, Film carts, 200mm Castors                                  | 403/KI, 404/KI, 428/CS, Film carts, 200mm Castors                                   |
| Part Number       | SK-PN08                                                                           | SK-PP06                                                                           | SK-PP07                                                                            | SK-PP08                                                                             |
| Price             | £38.00                                                                            | £44.00                                                                            | £25.00                                                                             | £54.00                                                                              |

## WHEEL ACCESSORY PARTS

### Individual Bearings

| BEARINGS                              | PRICE  |
|---------------------------------------|--------|
| 6204, 20 x 47mm                       | £2.60  |
| 6205, 25 x 52mm                       | £3.00  |
| 6302, 15 x 42mm                       | £3.00  |
| 6303, 17 x 47mm                       | £3.00  |
| 6304, 20 x 52mm                       | £3.00  |
| 6005, 25 x 47mm                       | £3.00  |
| 6204 stainless steel                  | £8.60  |
| 6205 stainless steel                  | £10.00 |
| 6304 stainless steel                  | £10.00 |
| R10ZZ, 16 x 35mm (sack truck bearing) | £4.60  |



### Axle Caps

| INTERNAL DIAMETER | PRICE |
|-------------------|-------|
| 20mm              | £1.50 |
| 25mm              | £1.80 |



### Split Pin

| DIAMETER x LENGTH | PRICE |
|-------------------|-------|
| 3 x 25mm          | 95p   |



### Washers

| INTERNAL DIAMETER x THICKNESS | PRICE |
|-------------------------------|-------|
| 21 x 2mm                      | 95p   |
| 26 x 4mm                      | £1.00 |



### Circlips

| INTERNAL DIAMETER | PRICE |
|-------------------|-------|
| 20mm              | £1.45 |
| 25mm              | £1.55 |



# Product Index

## F

### Furniture & Machinery Movers

|                                 |    |
|---------------------------------|----|
| Furniture & Equipment Mover Set | 48 |
| Hydraulic Furniture Mover Set   | 48 |
| Mechanical Furniture Mover Jack | 48 |
| Roller Crowbar                  | 48 |

## H

### High Lift Pallet Trucks

|                                        |    |
|----------------------------------------|----|
| Electric High Lift Pallet Trucks       | 36 |
| Manual High Lift Pallet Trucks         | 36 |
| Stainless Steel High Lift Pallet Truck | 36 |

## J

### Jacks

|                               |    |
|-------------------------------|----|
| 50t Jack                      | 43 |
| Forklift Jack                 | 43 |
| Hydraulic Toe Jack            | 42 |
| Machinery Toe Jack            | 42 |
| Rotational Hydraulic Toe Jack | 43 |
| Stainless Steel Jack          | 43 |

## M

### Magliner Hand Trucks

|                              |       |
|------------------------------|-------|
| Accessories                  | 76    |
| Accessory Bags               | 76    |
| Bottled Water Tray Trucks    | 68    |
| Castor Dollies               | 73    |
| Complete Hand Trucks         | 65-67 |
| Folding Nose Kit             | 76    |
| Folding Noses                | 76    |
| Hand Truck Frames            | 74    |
| Hand Truck Handles           | 74    |
| Hand Truck Noses             | 75    |
| Hand Truck Wheels            | 75    |
| Hi-U Frame Extensions        | 76    |
| Keg Hook                     | 76    |
| Kerb Ramp                    | 73    |
| Narrow Aisle Hand Trucks     | 68    |
| Paddle Brakes                | 76    |
| Platform Castors             | 73    |
| Platform Trucks              | 73    |
| Self-Stabilising Hand Trucks | 70    |
| Six Wheel Platform Truck     | 72    |
| Space Saving Folding Trucks  | 69    |
| Stair Climber                | 76    |
| Three Position Hand Truck    | 72    |
| Two Position Hand Truck      | 71    |
| Wheel Guards                 | 76    |

## P

### Pallet Tilters

|                        |    |
|------------------------|----|
| Electric Pallet Tilter | 37 |
| Manual Pallet Tilter   | 37 |
| Straddle Pallet Tilter | 37 |

### Pallet Trucks

|                                |             |
|--------------------------------|-------------|
| 4-Way Hand Pallet Trucks       | 10          |
| Adjustable Pallet Truck        | 5           |
| Atex Pallet Trucks             | 11          |
| Electric Pallet Trucks         | 14-16       |
| Extra Long Pallet Trucks       | 2, 5, 6     |
| Galvanised Pallet Trucks       | 8           |
| Heavy Duty Pallet Trucks       | 2, 5-7, 17  |
| Higher Lift Pallet Trucks      | 10          |
| Low Profile Pallet Trucks      | 4, 7, 17    |
| Mini Pallet Truck              | 4           |
| Narrow Printer's Pallet Trucks | 3           |
| Pallet Truck Chocks            | 3           |
| Pallet Truck Options           | 2, 3        |
| Powered Pallet Trucks          | 16, 17, 32  |
| Premium Hand Pallet Trucks     | 6, 7        |
| Reel Carrying Pallet Trucks    | 11          |
| Rough terrain Pallet Stackers  | 15          |
| Rough Terrain Pallet Trucks    | 12-14       |
| Stainless Steel Pallet Trucks  | 8           |
| Standard Pallet Trucks         | 2           |
| Very Heavy Duty Pallet Trucks  | 5-7, 17, 32 |
| Weighing Pallet Trucks         | 9           |

### Platform Trolleys

|                                    |    |
|------------------------------------|----|
| Cash & Carry Trolleys              | 53 |
| Fold-It Collapsible Aluminium Cart | 62 |
| Garden Truck with Fold Down Sides  | 52 |
| Large Platform Trolleys            | 51 |
| Long Platform Trolleys             | 53 |
| Nestable Platform Trolleys         | 53 |
| Platform Trolley with Brakes       | 52 |
| Three Tier Trolley                 | 51 |
| Two Tier Trolley                   | 51 |
| With Folding Handles               | 51 |

## S

### Sack Trucks

|                               |            |
|-------------------------------|------------|
| Beer Keg Truck                | 56, 58     |
| Curved Back Sack Trucks       | 55, 56, 58 |
| Drum Truck                    | 50         |
| Folding Footplate Sack Trucks | 57, 58     |
| Heavy Duty Sack Trucks        | 54, 55     |
| High Back Sack Trucks         | 56         |

|                             |       |
|-----------------------------|-------|
| Kerb Ramp                   | 59    |
| Load Retention Straps       | 59    |
| P-Shaped Handle Sack Trucks | 55    |
| Rough Terrain Sack Trucks   | 54    |
| Ruxxac Hand Trucks          | 60-61 |
| Sack Trucks with Skids      | 55-56 |
| Stair Climber Sack Trucks   | 58    |
| Three-Way Sack Trucks       | 57    |
| Universal Sack Trucks       | 54    |

### Scissor Lift Tables

|                                     |        |
|-------------------------------------|--------|
| Aluminium Scissor Lift Tables       | 40     |
| Double Scissor Lift Tables          | 38-39  |
| Electric Scissor Lift Tables        | 39, 41 |
| Low Profile Scissor Lifts           | 41     |
| Manual Scissor Lift Tables          | 38, 40 |
| Scissor Lift Table Attachments      | 39     |
| Single Scissor Lift Tables          | 38, 40 |
| Stainless Steel Scissor Lift Tables | 40     |

### Skates

|                            |       |
|----------------------------|-------|
| Adjustable Skate Pairs     | 45    |
| Caterpillar Skate Kit      | 47    |
| Complete Skate Sets        | 46    |
| Corner Skate Set           | 47    |
| Individual Skates          | 44-45 |
| Skates with Swivel Castors | 44-45 |
| Steerable Skates           | 46    |

### Skid Lifters

37

### Stackers & Lifters

|                               |               |
|-------------------------------|---------------|
| Adjustable Forks              | 23-27, 29, 31 |
| Counterbalanced Stacker       | 33            |
| Electric Lift Pallet Stackers | 25, 27        |
| Electric Mini Lifters         | 19-20         |
| Electric Stacker              | 23            |
| Heavy Duty Pallet Stackers    | 24, 30-31     |
| Manual Pallet Stackers        | 24-26         |
| Powered Pallet Stackers       | 28-31         |
| Special Lifters               | 32-35         |
| Straddle Pallet Stackers      | 25-27, 29, 31 |
| Winch Lifters                 | 18-19         |

## W

### Wheels

|                           |       |
|---------------------------|-------|
| Pallet Truck Load Wheels  | 80-82 |
| Pallet Truck Steer Wheels | 78-79 |
| Sack Truck Wheels         | 83-84 |
| Wheel Accessory Parts     | 84    |

### Workshop Cranes

49